EFFECTS OF MINE CHARACTERISTICS ON HIBERNACULA SELECTION BY BATS IN SOUTHEN ILLINOIS

by

Bradley J. Steffen

A.S., Illinois Central College, 2001

B.S., Southern Illinois University, 2003

A Thesis Submitted in Partial Fulfillment of the Requirements for the Master of Science Degree

> Department of Zoology in the Graduate School Southern Illinois University Carbondale March 2007

THESIS APPROVAL

EFFECTS OF MINE CHARACTERISTICS ON HIBERNACULA SELECTION BY BATS IN SOUTHEN ILLINOIS

By

Bradley J. Steffen

A Thesis Submitted in Partial

Fulfillment of the Requirements

for the Degree of

Master of Science

in the field of Zoology

Approved by:

Dr. George A. Feldhamer, Chair

Dr. Timothy C. Carter

Dr. John D. Reeve

Joseph A. Kath

Graduate School Southern Illinois University Carbondale 21 March 2007

AN ABSTRACT OF THE THESIS OF

BRADLEY J. STEFFEN, for the Master of Science degree in ZOOLOGY, presented on 21 March 2007, at Southern Illinois University Carbondale.

TITLE: Effects of Mine Characteristics on Hibernacula Selection by Bats in Southern Illinois.

MAJOR PROFESSOR: George A. Feldhamer

About 12 species of bats occur in Illinois, most of which hibernate during the winter. Because of destruction of natural habitats, many cavernicolous bat species rely on abandoned mines for hibernacula. In Alexander County in southern Illinois, abandoned underground microcrystalline silica mines, owned by Unimin Specialty Minerals Corporation, provide winter hibernacula for five species of bats: the federally endangered Indiana bat (*Myotis sodalis*), big brown bat (*Eptesicus fuscus*), little brown bat (*M*. lucifugus), northern long-eared bat (M. septentrionalis), and eastern pipistrelle (*Perimyotis subflavus*). Within the last decade, the number of Indiana bats using these mines as hibernacula has risen dramatically. For example, Magazine mine now houses >30,000 hibernating Indiana bats. A total of 110 surveys of 45 abandoned mines was conducted between 2003 and 2007 in southern Illinois to determine predictive factors for the total number of bats as well as the number of each species using a mine. Factors measured included: size of the opening, number of openings, mean temperature during hibernation (November through March), temperature variability, distance to water, distance to nearest road, and evidence of disturbance. A total of 75,067 bats was observed hibernating in 43 mines. Three sets of data were analyzed were conducted.

i

The first included data from all of the mines (N=45). The second set of analyses was limited to the 16 mines that contained temperature loggers. For this analysis, only loggers that were place near hibernating bats were used. The third set of analyses used the 16 mines with dataloggers, using both loggers that were placed near hibernating bats, as well as those loggers place where there were no bats hibernating. Univariate and multivariate regression analyses were run using these datasets. These mines are a very important resource for bats, and specifically Indiana bats. Ongoing efforts are being made to protect these mines and determine their long-term stability as bat hibernacula.

ACKNOWLEDGEMENTS

First and foremost, I would like to thank Dr. Timothy C. Carter who served as my major professor in every way except officially. I learned more from Tim in my four year tenure as a master's candidate than I would have ever thought possible. The scope of knowledge that I gained from Tim covered the entire spectrum of the academic disciplines, including but not limited to zoology, botany, physics, chemistry, engineering and even food and nutrition. For reasons I cannot explain, Tim treated me as peer and colleague from day one, always asking for my input and thoughts. For this, and Tim's seemingly endless supply of patience I will forever be grateful.

Next, I would like to thank Dr. George A. Feldhamer who served as my official major professor, and as my personal English tutor. When I first started my master's program, I could not get out more than a few sentences out before George would correct my grammar. Now, I can manage an entire conversation with George without any corrections. In addition to my speaking ability, George has been instrumental in my growth as a writer. I am extremely grateful for all of the hours and the hundreds of red pens that were wasted on reviewing a multitude of drafts of this thesis and other writings over the course of my master's program.

Thank you to Dr. John D. Reeve for all of the help with the statistical analyses that are found within this thesis. Without out John's help, I am not sure that I could have said anything of scientific value in the following pages.

Thank you to Joe Kath of the Illinois Department of Natural Resources, without your support this project would not have been possible. Joe's work with Magazine Mine and Mine 30 laid the groundwork for this study, and provided valuable data that was used

iii

in the statistical analyses. Joe also supplied all of the dataloggers that were used in this study.

Thank you to Amy Fairbairn, Mandy Albs, and the Mammalogy lab at SIUC, who helped with winter surveys. Without your help, I could not have conducted the number of surveys that I did over the course of the study.

Thank you to Aaron Poole, who was always there to help with any questions or problems dealing with the use of a variety of computer programs. I cannot count all the times that I would complain to Aaron about the hours I spent doing something in Microsoft Word or Excel, and he would then show me how, with the click of a few buttons, I could do the same amount of work in about 2 seconds.

Finally, I would like to thank my wife Susan. In addition to dealing with me staying up all night and sleeping all day in the summer, she had to deal with me being gone every weekend during the winter. Even though she has always been extremely supportive, I think that she is happier that this thesis is done than I am.

ABSTRACTi
AKNOWLEDGEMENTSiii
LIST OF TABLESviii
LIST OF FIGURESix
INTRODUCTION1
OBJECTIVES
MATERIALS AND METHODS7
STUDY AREA7
MINING HISTORY AND UNIMIN SPECIALTY MINERALS7
SURVEY PROTOCOL8
TEMPERATURE AND RELATIVE HUMIDITY9
TEMPERATURE VARIABILITY10
DISTURBANCE11
DISTANCE TO THE NEAREST ROADWAY11
DISTANCE TO THE NEAREST WATER SOURCE11
NUMBER OF ADITS11
AREA OF SMALLEST ADIT12
STATISTICAL ANALYSES12
RESULTS14
SURVEYS14
STATISTICAL ANALYSIS15
Trend Analysis15

Correlations	15
Multiple Regression	15
Univariate Regression	16
Temperature	16
Temperature Variability	16
Disturbance	17
Area of Smallest Entrance	17
DISCUSSION	18
TEMPERATURE	20
TEMPERATURE VARIABILITY	23
DISTURBANCE	23
AREA OF SMALLEST ADIT	25
IMPLICATIONS	26
STABILIZATION AND PROTECTION	26
PROTECTION PRIORITIES	27
FUTURE RESEARCH	28
Continued Monitoring	28
Modifications	29
LITERATURE CITED	47
APPENDIX A: Datalogger Locations	51
APPENDIX B: Temperature Averages	52
APPENDIX C: External Mine Characteristics	147
APPENDIX D: Mine Surveys	149

VITA156

LIST OF TABLES

1.	Summary of Unimin mine surveys conducted between 2003-2007. Total number of surveys conducted each year, as well as the total number of each species observed hibernating each year of the study	.31
2.	Significant results for multiple regression analyses, including the independent and dependent variables used in the analyses as well as the F-values and associated p-values	.32
3.	Significant results for univariate regression analyses, including the independent and dependent variable used in the analyses as well as the F-values and associated p-values	.33
4.	Significant results for the bivariate analyses including the independent and dependent variable used in the analyses as well as the t-values and associated p-values	.34
5.	Range of temperatures for all dataloggers where <i>M. sodalis</i> was observed hibernating	.35

LIST OF FIGURES

1.	Magazine Mine (pip zone). Hobo #324667. Daily temperature averages recorded in Magazine Mine from the top of the large cave-in from 26 October 2003 through 26 August 2006. The logger was placed 2 meters
	off the floor of the mine
2.	Magazine Mine (rm 12). Hobo #324665. Daily temperature averages recorded in Magazine Mine from room 12 from 18 September 2003 through 28 August 2006. The logger was placed 2 meters from a cluster of hibernating M. sodalis about 3 meters off the floor of the mine
3.	Magazine Mine (entrance). Hobo #409608. Daily temperature averages recorded in Magazine Mine from the base of the stabilization tunnel from 19 July 2001 through 18 June 2005. The logger was placed 1 meter off the floor of the mine
4.	Mine 30 (rm A2 - bachelors). Hobo #230381 and #324662. Daily temperature averages recorded in Mine 30 from inside the upper entrance where the bachelors roost from 23 January 2001 through 3 November 2006. These loggers were placed 1 meter from an active cluster of male <i>M. sodalis a</i> bout 2 meters off the floor of the mine in both cases
5.	Bivariate fit of Total bats/RU by average temperature. The slope of the regression line is represented by the formula. Total/RU = 91.491804 - 9.0528681 Average Temp.
6.	Bivariate fit of <i>M. sodalis</i> /RU by average temperature. The slope of the regression line is represented by the formula. <i>M. Sodalis</i> /RU = 77.40823 - 8.1635325 Average Temp
7.	Bivariate fit of <i>E. fuscus</i> /RU by average temperature. The slope of the regression line is represented by the following formula. <i>E. fuscus</i> /RU = 1.6189251 - 0.1574003 Average Temp
8.	Bivariate fit of Total bats/Room by average temperature. The slope of the regression line is represented by the following formula. Total/Room = 1933.5978 - 184.74877 Average Temp.

9.	Bivariate fit of <i>M. sodalis</i> /RU by average temperature. The slope of the regression line is represented by the following formula. <i>M. sodalis</i> /Room = 1975.8016 - 195.58854 Average Temp44
10.	Bivariate fit of <i>P. subflavus</i> /Ru by standard deviation of temperatures. The slope of the regression line is represented by the following formula. <i>P. subflavus</i> /RU = 10.736854 - 4.8799836 Standard Deviation
11	Riverieta fit of P subflaws/Poom by standard deviation of temperatures

 Bivariate fit of *P. subflavus*/Room by standard deviation of temperatures. The slope of the regression line is represented by the following formula.
P. subflavus/RU = 10.736854 - 4.8799836 Standard Deviation......46

INTRODUCTION

With the exception of the rodents, bats are the most speciose order of mammals in existence today. Nonetheless, in part by the negative portrayal in movies and other media, bats have a bad reputation with the general public. In light of this, it is not surprising that many bat populations are declining (Meier and Garcia 2000). Of the 45 species of bats in the United States, 6 are on the federal threatened or endangered list, and 20 are of special concern to the U.S. Fish and Wildlife Service (Harvey et al. 1999). Most other species are experiencing population declines (Meier and Garcia 2000) in many cases as a direct result of human activities. Bats are often disturbed by humans during both hibernation and summer roosting periods. Many residential and commercial developers close surface entrances to natural caves, often for liability purposes, eliminating access for the bats. Mining activities also eliminate access when openings are closed by excavation and road building. Also, many natural cave openings along steams and rivers have been closed due to the creation of flood control reservoirs (Meier and Garcia 2000).

While humans have done much harm to natural bat habitat, we have also inadvertently created habitat. Researchers are becoming increasingly aware of the importance that abandoned mines play in bat conservation. Mines are used by 28 of the 45 species of bats (62%) in the United States, primarily as roosting areas (Altenbach and Pierson 1995). Like caves, mines are used both in summer and winter. During winter, most mines have areas that stay above freezing and have stable temperatures, which is very important to hibernating bats. Mines also provide some protection from predators. Bats throughout the United States are using mines for hibernation, day roosting, maternity shelter, feeding and watering (Meier and Garcia 2000). In Arizona, California, Colorado, and New Mexico, 6000 mines were surveyed for bat use. Of the

mines surveyed, 30-70% showed signs of use. In addition, 10% of the mines contained important colonies (Meier and Garcia 2000). Up to 70% of the mines in the northern and eastern United States may be used by bats (Tuttle and Taylor 1994; Altenbach and Pierson 1995; Mesch and Lengas 1996). In Wyoming, 12 of the 16 species present use mines (Luce 1993). Species such as Townsend's big-eared bat (*Corynorhinus townsendii*) and the California leaf-nosed bat (*Macrotus californicus*) form the largest known colonies in man-made habitat (Luce 1993). Scattered throughout 34 states, there are 367,000 open mines and shafts. A majority of these mines is located in the western 1/3 of the country, and provide hibernation sites for many species (Meier and Garcia 2000). As of 2000, the state of Illinois was reported to contain 83 mine openings, some of which are critical hibernation sites for endangered species. For example, in southern Illinois, >36,000 federally endangered Indiana bats (*Myotis sodalis*) were counted during a 2005 census of Magazine Mine. This is the largest known Indiana bat hibernaculum in Illinois (Kath 2005), housing 12.7% of the estimated population of 457,000 (USFWS 2006).

Unfortunately, humans are also destroying these artificial habitats. Most of the mines that are being used by bats are no longer used by mining operations. These mines are being closed in large numbers. From1978 to 1994, a total of 12,557 vertical openings and portals was closed. Most of these closings were for a single reason, to keep people out for public safety and liability reasons. Again, most of the mines looked at by Meier and Garcia are located in the western portion of the US. However, Illinois is no exception. As of 2000 a total of 1,282 mine openings were closed. To close a mine, companies or government agencies would seal the entrance with solid fill or construct a solid door. Historically, there was very little concern for bats and surveys were not conducted to see if there were bats roosting inside. In addition, closings were done throughout the year (Meier and Garcia 2000). A mine in Pennsylvania's

Canoe Creek State Park was closed on a hibernating colony of bats. Also, New Jersey's largest known population of hibernating bats was trapped when Hibernia mine was closed. In both of these cases, biologists convinced authorities to reopen the mines in time to save the bats (Meier and Garcia 2000). Tragically, these cases are the exception. Again, Illinois follows this trend. Of the 1,282 mines that have been closed in the state, only 22 were closed to the public, but remained accessible to bats. It has only been recently that government agencies and mining operations have taken the needs of bats into account before mine closures. Today, mines are routinely surveyed for the presence of bats before they are closed. In some cases these surveys show that a small population of non-threatened species is using a mine. In these cases, the agency will simple wait until the bats leave, and then seal the mine. In other cases, the mine may serve as a hibernaculum for an endangered or threatened species, or house a large population of bats, and other measures must be taken.

A large colony or an endangered or threatened species using a mine does not eliminate the public safety or liability risk. These mines must be closed to humans, but still accessible to bats. To accomplish this, government agencies and mining companies use "bat-friendly closures", or "bat gates" (Tuttle and Taylor 1998). There are several criteria in the design of batfriendly closures. First, the closure must not change airflow or water drainage patterns into the mine, as this could change the temperature and moisture regime of the hibernaculum. Second, the number of vertical support members must be minimized while the number of horizontal fly through spaces is maximized. Third, the design should be simple and safe to construct, as well as safe for the general public. Finally, the closure materials should be durable, vandal resistant, and easily maintained and repaired. It has been shown by Martin et al. (2006) that properly built bat-friendly closures have no impact on ambient and substrate temperatures in the

summer, and non-biologically significant impact on winter ambient and substrate temperatures.

In addition to keeping the public out of mines, bat-friendly closures also protect the bats. Bats are extremely sensitive to human disturbance, even non-tactile disturbance such as sound or light. The mere presence of observers can often lead to arousal of bats, even if they are neither touched nor had a light shined on them (Fenton 1983; Hill and Smith 1984; Thomas 1995). According to Thomas et al. (1990), arousals are thought to be the main cause of the depletion of fat reserves during winter. The arousal process occurs in three stages. First is the warming stage where heat is generated by the muscles, liver, and brown adipose tissue, which elevates the temperature from near ambient to around 37°C (Hayward and Ball 1966; Foster and Frydman 1978). In little brown bats (*Myotis lucifugus*), this takes 44.1 ± 2.2 min. and requires 14.5 mg of body fat (Thomas et al. 1990). This elevated temperature is maintained in the homeothermic phase, during which the bat remains active for a variable amount of time (French 1985). If this stage lasts 3 hours, the total metabolic cost would be 83.7 mg of body fat for *M. lucifugus*. The final or cooling stage, is characterized by the animal reducing body temperature to near ambient temperature and reentering hibernation, and requires 9.7 mg of body fat (Thomas et al. 1990). It has been shown that bats spontaneously arouse periodically during the hibernation period (Hardin and Hassel 1970; Lyman et al. 1982; Avery 1985; Brack and Twente 1985;). The mean duration between spontaneous arousals for *M. lucifugus* is 13 days (Brack and Twente 1985). If the hibernation period is 143 days, an individual would arouse 11 times. Before hibernating, bats acquire large fat reserves which will last through the hibernation period and allow for some periodic arousal. If human disturbance occurs more often than these built-in periodic arousals, an

individual may use up its fat reserves before the end of the hibernation period, especially in more northerly portions of the geographic range.

The reasons for installing bat-friendly closures are straightforward; the problem lies in which caverns to place them in. Most researchers agree that temperature is the most important factor that determines whether bats will use a cavern as a hibernaculum. While hibernating, energy costs of metabolism are low. Many temperate species rely on stored body fat as an energy source (Webb et al. 1996). Although there is variability between species, they all have a particular temperature that is optimal for hibernation. Hibernating Indiana bats prefer temperatures between 3-6°C in mid winter (Henshaw and Folk 1966). The metabolic rate for hibernating bats is lowest at just above 0°C. If the ambient temperature falls below this, the bat must produce metabolic heat to survive (Tuttle and Kennedy 2002). In addition to disturbance, bats also arouse due to abrupt changes in ambient temperature (Henshaw and Folk 1966). Because of this, stability of temperature becomes as important, if not more so, than the optimal mean temperature for hibernation. Thus, the more stable the temperature of a hibernaculum, the lower the energy requirements needed to survive the hibernation period (Thomas et al. 1990). While the actual temperature of a hibernaculum depends on the ambient temperature outside, the stability of temperature depends on the characteristics of the hibernaculum itself, be it a cave or an abandoned mine.

OBJECTIVES

The overall objective of this study is to determine how the characteristics of a mine effect its selection as a hibernaculum by Indiana bats, Eastern Pipistrelles, little brown bats, Northern long-eared bats, and big brown bats. Additionally this study addresses two specific questions pertaining to *M. sodalis*.

1. Are there more abandoned mines in the area that are being used as hibernacula by bats, specifically Indiana bats?

2. What characteristics of these mines make them suitable as Indiana bat hibernacula?

MATERIALS AND METHODS

STUDY AREA

The mines surveyed in this study are located within the Shawnee Hills Natural Division of Illinois, which extends across the southern tip if the state. This division is characterized by rugged topography, loess soils, and distinctive plant communities. The Shawnee Hills Natural Division is divided into two sections, the east-west escarpments of sandstone cliffs that make up the Greater Shawnee Hills Section, and lower hills underlain with sandstone and limestone that make up the Lesser Shawnee Hills Section (Schwegman 1974). The Greater Shawnee Hills Section forms a band along the northern edge of the division that averages 16 km wide and is bordered on the south by the Lesser Shawnee Hills Section. On average, the Lesser Shawnee Hills are 60 m lower in elevation that the Greater Shawnee Hills Section is characterized by sinkhole topography.

Portions of Union and Alexander Counties within the Shawnee Hills Natural Division are home to a unique microcrystalline silica mineral deposit silica that is 4.6 km wide by 9.6 km long. The mineral deposits are patchy within the formation. This mineral was deposited in the Devonian period, and has been mined in the area for >100 years.

MINIMG HISTORY AND UNIMIN SPECIALTY MINERALS

Currently, southern Illinois is the only location in the world where microcrystalline silica is commercially mined. Historically, the deposit was mined by hand, using picks and wheelbarrows. During this early period, mines were no more than tunnels measuring 1-2 m high and 1 m wide. With the advent of modern mining machinery and practices, the mines became much larger, both in area as well as volume. At one time, there were 7 companies mining microcrystalline silica in the region. By the 1980s, only two companies, Tammsco and Illinois Minerals Company remained active. These companies were later purchased by Unimin Specialty Minerals in 1986 and 1989, respectively (R. Fox, Unimin Specialty Minerals, personal comm.).

Although machinery and techniques were modern, finding a large deposit was not an exact science. Once a potential site was located, a test hole was dug. Using heavy equipment, miners tunnel into the hillside anywhere from 20 to 100 meters, accessing the deposit. In many cases, the deposit was not as large as believed or of poor quality. These test holes were then abandoned. If the deposit was of good quality, miners would continue mining. A series of interconnected rows and aisles were excavated, leaving large pillars of material to support the ceiling. These tunnels range is size from 6-7.5 m high and 4.5-6 m wide. The miners continued in this fashion until the material was exhausted, at which point the mine was abandoned. Illinois Minerals stopped mining underground in 1983, when they switched to open pit mining. All of the underground mines were abandoned and left to close naturally. Tammsco continued underground mining operations until 1996 in Birk 2 (R. Fox, Unimin Specialty Minerals, personal comm.).

SURVEY PROTOCOL

From 2003 to 2006, a total of 45 mines was surveyed between November and April. The number of times that a mine was surveyed ranged from 1 to 5 times over the course of the study. Every bat observed was identified and counted. Clusters of *M. sodalis* that were too large to count were estimated based on an average packing density of 400 bats per square foot. To negate the effects of size on the total number of bats using a mine, I devised a new unit of measurement. A new unit was warranted because many of the mines that were surveyed were

merely test holes and are not composed of rooms as many of the larger mines are. However, like the large mines, the tunnels are roughly the same width (6 m), as they were excavated with the same machinery. This new unit, the Roosting Unit (RU) is a 3-dimensional cube that is 6mX6mX6m. Using the width of the rows and aisles on a mine map, the total RUs for each mine was estimated. The total number of all bats, as well as the total number of each species, was then divided by the number of RUs to determine the number bats per RU. This number was used as the dependent variable in my analyses.

In addition to recording how many of each species were present, physical characteristics of each mine were recorded. Temperature, standard deviation of temperature, evidence of disturbance, distance from the nearest road, distance to the nearest permanent water source, the number of adits (openings), as well as the area of the smallest adit where chosen as independent variables based on possible effects on bats.

TEMPERATURE AND RELATIVE HUMIDITY

Between 2003 and 2005, 25 dataloggers (HOBO H8 Pro Series, Onset Computer Corporation, Bourne, MA) were installed in 16 mines. An additional 10 loggers were installed in Magazine Mine and Mine 30 prior to the start of this study by the Illinois Department of Natural Resources, and will be included in the analyses. Datalogger locations and dates of operation can be found in Appendix A. During the summer of 2005, all of the loggers were downloaded and new batteries were installed. Faulty loggers were removed and replaced with functioning ones. The loggers were programmed to record temperature and relative humidity every 4 hours over the course of the study. Of the 16 mines with loggers, 7 had multiple loggers installed because they were known *M. sodalis* hibernacula. The loggers were installed as near as possible to clusters of hibernating *M. sodalis*. In addition to housing populations of hibernating *M sodalis* in the winter, these mines also have bachelor colonies of male *M. sodalis*. In the spring, all of the females, and some of the males leave the hibernaculum and migrate to summer habitats. Some male M. sodalis do not leave the mine, they just change locations. Although M. sodalis requires very low temperatures for hibernation, while they are active they prefer much warmer temperatures. These bachelor colonies were always located in portions of the mines that were much warmer that the portions where *M. sodalis* was observed hibernating. Loggers were placed as near as possible to these "bachelor pads" as well. Finally, these 7 mines are fairly large, offering a wide range of microclimates for the bats to choose from. In addition to installing loggers where the bats were hibernating, loggers were installed in areas of the mines that were not being used by bats. To reduce the number of data points, daily averages were calculated and used to produce a temperature graph. Figures 1 and 2 show examples of mines with stable temperatures and Figures 3 and 4 are examples of mine with unstable temperatures. In addition to calculating, daily averages, 7-day, monthly, and seasonal averages were also calculated (see appendix C). A total average from loggers that were located near hibernating bats was calculated for use in a multiple regression analysis. This number was the average temperature from November through March of all the years that the logger was collecting data.

TEMPERATURE VARIABILITY

To address the importance of temperature stability, the average Standard Deviation was calculated using Microsoft Excel (Microsoft 2003) from the daily temperature averages between November and March for the loggers near hibernating bats as well as those loggers that were

placed where there were no bats hibernating.

DISTURBANCE

Each mine was assessed for evidence of recent disturbance. Examples of disturbance include footprints, aluminum cans, ashes from a fire, and graffiti. In an effort to determine if the disturbance was ongoing, when found, footprints were smeared, beer and soda cans were crushed, and ashes were spread. I then looked for fresh evidence during return trips.

DISTANCE TO THE NEAREST ROADWAY

The straight-line distance from the nearest roadway to the entrance to the mine was determined using ArcView 3.2 by ESRI (ArcView, 1999) and recorded to the nearest meter. This was considered a measure of potential disturbance because if a mine is located near to, or in sight of a road, there is an increased chance that the mine has been disturbed.

DISTANCE TO THE NEAREST PERMANENT WATER SOURCE

The straight-line distance from the nearest permanent water source to the entrance to the mine was determined using ArcView 3.2 by ESRI (ArcView, 1999) and recorded to the nearest meter.

NUMBER OF ADITS

An adit is defined as a horizontal or nearly horizontal passage driven from the surface for the working or dewatering of a mine (U.S. Bureau of Mines, 1996). While conducting surveys, all adits to a particular mine were recorded. An adit was considered any

access to the surface including entrances that were used by machinery to access the mine, as well as cave-ins that occurred after mining operations had ceased.

AREA OF SMALLLEST ADIT

Area was determined by measuring the height and width of the opening at it highest and widest parts. The shape of the entrance was then sketched onto graph paper. Using the grid, area was estimated to the nearest m^2 . I chose to use the area of the smallest adit for the mines with multiple adits because it limits the amount of air that is exchanged as the mine "breathes."

STATISTICAL ANALYSES

A variety of statistical analyses were run using the data from this study. First, a trend analysis using PROC MIXED in SAS 9.1 (SAS Institute, 1999) was conducted using the survey numbers for all mines that were surveyed \geq 3 separate occasions (N = 19). Since Magazine Mine and Mine 30 were only surveyed once during the course of this study, they were not included in this analysis.

Secondly, all of the variables were tested for correlation using PROC CORR in SAS 9.1 (SAS Institute, 1999).

Finally a series of multiple and univariate regressions were calculated. One set of regression analyses were run using adit area and disturbance as independent variables and total bats/RU, *M. sodalis*/RU, *P. subflavus*/RU, *M. lucifugus*/RU, *M. Septentrionalis*/RU, or *E. fuscus*/RU as dependent variables. All 45 mines were included in theses analyses. In order to determine if one of the variables was masking the effects of the others, a

series univariate regression analyses were run with using total bats/RU, *M sodalis*/RU, *P. subflavus*/RU, *M. lucifugus*/RU, *M. Septentrionalis*/RU, or *E. fuscus*/RU as the dependent variable and adit area or disturbance as the independent variable. Since disturbance was not a continuous variable, a one-way bivariate analysis was run using the JMP program (SAS Institute, 1999).

A second set of multiple regression analyses were run using disturbance, adit area, average temperature, and average standard deviation of temperature as independent variables, and total bats/RU, *M. sodalis*/RU, *P. subflavus*/RU, *M. lucifugus*/RU, *M. Septentrionalis*/RU, or *E. fuscus*/RU as dependent variables. The temperatures used in these analyses were averaged only from those loggers that were placed near hibernating bats. A total of 16 mines was included in these analyses. Again, univariate analyses were also run with average temperature and average standard deviation of temperature as independent variables and total bats/RU, *M. sodalis*/RU, *P. subflavus*/RU, *M. lucifugus*/RU, *M. lucifugus*/RU, *M. Septentrionalis*/RU, or *E. fuscus*/RU as dependent variables.

To address those mines that had loggers placed where there were no bats hibernating; total number of bats, as well as total numbers of all five species, located in the room with the logger was used as the dependent variable. Univariate analyses were run using the average temperature from November through March, and the standard deviation of those temperatures as the independent variables.

RESULTS

SURVEYS

Over the course of the study, a total of 113 surveys was surveyed and 75,067 bats were observed hibernating. From December 2003 to April 2004, 24 mines were surveyed for bat use and physical characteristics (Appendix D) of the mines were recorded and a total of 7,167 bats was observed hibernating. Between December 2004 and March 2005, 32 mines were surveyed and a total of 49,852 bats was observed hibernating. Physical characteristics for 18 of these mines were recorded as they were previously unsurveyed. Thirty-four mines were surveyed between January and February 2006 and a total of 12,219 bats was observed hibernating. Physical characteristics were recoded for 3 mines, as they were previous unsurveyed. Twenty-three mines were surveyed between December 2006 - February 2007. A total of 5,829 bats was observed hibernating. During this hibernation period, no additional mine were located. Over the course of the study, P. subflavus was observed hibernating in 39 mines, M. septentrionalis and E. fuscus were observed hibernating in 36 mines, *M. lucifugus* was observed hibernating in 23 mines, *M.* sodalis was observed hibernating in 13 mines and M. austroriparius was observed in 2 mines. A complete list of the species breakdown by mine is located in Appendix E. This illustrates the trend first observed by Layne (1958) and Pearson (1962). Bats are moving into more mines and densities within mines are continuing to climb.

Of the 13 mines used by *M. sodalis*, 7 contain piles of bat feces (guano), indicating that the mines are being used in the summer while the bats are feeding. These 13 mines were also surveyed during the summer. During the summer of 2005, >10,000 bats (mostly male *M. sodalis*) were observed in 5 mines.

STATISISTICAL ANALYSES

Trend Analysis

The number of bats hibernating in Unimin mines has been increasing since the start of this study. There was a significant positive trend across the 19 mines that were used in the trend analysis (F = 32.23, p = <0.0001).

Correlations

Two sets of variables exhibited significant correlation. Disturbance and the number of adits as well as distance to the road and adit area showed significant positive association with Pearson Correlation Coefficient values of 0.57879 (p<0.0001) and 0.46708 (p = 0.0012) respectively. In light of this, number of adits and distance to road were not included in the multiple regression analyses. Additionally, the distance to the nearest permanent water source was of little significance in several analyses and was thrown out.

Multiple Regression

The overall multiple regression analysis using disturbance and adit area as independent variables and total bats per roosting unit, *M. sodalis* per roosting unit, *M. septentrionalis* per roosting unit, or *E. fuscus* per roosting unit were not significant. The overall regression for *P subflavus*, and *M lucifugus* did yield significant results (Table 2). In both cases, most of the variation in the data is due to the variable disturbance (t = 4.05, p = 0.0002; t = 2.96, p = 0.0050 respectively). The overall multiple regression analyses using disturbance, adit area, average temperature and average standard deviation of temperature as independent variables was significant for *E. fuscus* (Table 2). The individual parameter estimates show that most of the variation was due to average temperature (t = -2.85, p = 0.0158). There was no significance for any of the other analyses.

Univariate Regression

<u>Temperature</u>. Temperature was an important variable in determining where bats would hibernate. The univariate analyses using average temperature was significant for total bats, *M*. *sodalis*, and *E. fuscus* (Table 3; Figures 5-7). The analyses were not significant for *P. subflavus*, *M. lucifugus*, and *M. septentrionalis*. In all the analyses, the individual parameter estimates for temperature were negative (total bats: t = -2.47; *M. sodalis*: t = -2.33; *P. subflavus*: t = -0.75; *M. lucifugus*: t = -1.23; *M. septentrionalis*: t = -1.65; and *E. fuscus*: t = -2.94).

Using the data set that included all of the loggers in the mines with multiple loggers installed, the univariate analyses were significant for total bats per room and *M. sodalis* per room (Table 3; Figures 8-9). The analyses were not significant for *P. subflavus*, *M. lucifugus*, *M. septentrionalis*, and *E. fuscus*. Similarly to the above analyses, the individual parameter estimates were negative for total bats and *M. sodalis* (t = -2.31, and t = -2.45 respectively).

<u>Temperature Variability.</u> The average standard deviation of temperature was significant for only *P. subflavus* (Table 3; Figure 10). The results for total bats, *M. sodalis*, *M. lucifugus*, *M. septentrionalis*, and *E. fuscus* were all not significant.

Using the data set that included all of the loggers in the mines with multiple loggers installed, the univariate analyses were significant for only *P. subflavus* (see table 3, figure 11). All other analyses were not significant.

Disturbance. The one way bivariate analyses were significant for *P. subflavus* and *E. fuscus.* None of the other analyses was significant.

<u>Area of smallest adit.</u> None of the univariate analyses using area of the smallest adit as the independent variable yielded significant results.

DISCUSSION

A few surveys of the abandoned mines have been done in the past. Layne (1958) surveyed an unknown total of mines and prospect holes from 1954-1955 for hibernating bats. Bats were observed hibernating in 11 mines, and not surprisingly, he reports P. subflavus to be the dominant species in 9 of these mines. Additionally, E. fuscus was observed in 3 of the 11 mines, and *M. septentrionalis* was observed in 1 mine. Surprisingly, he also reports *Corynorhinus* rafinesquii in 2 of 11 mines, and Lasionycteius noctivigans were observed in 2 mines. None of the mines surveyed contained hibernating M. sodalis, M. lucifugus, or M. austroriparius. From 1958-1960, a total of 35 mines were surveyed by Pearson (1962), some of which he reports to still be active. Twenty-four of the mines contained hibernating bats of six species. A total of 356 bats was observed during 49 searches of the 24 mines that contained hibernating bats. A total of 221 P. subflavus was observed in 14 mines, 53 M. septentrionalis were observed in 13 mines, 40 M. lucifugus were observed in 8 mines, 21 E. fuscus were observed in 12 mines, 13 C. rafinesquii were observed in 9 mines, and 18 L. noctivigans were observed in 8 mines (Pearson 1962). In 1974 Whitaker surveyed a total of 30 silica mines. Of these, 11 contained hibernating bats of six species (Whitaker 1977). Unfortunately, I have no way of knowing which mines were surveyed during the studies conducted by Layne and Pearson. Whitaker does list Township, Range and Section information in a report to the Forest Service, and in the future it may be helpful to use that information to see if there are mines that were surveyed in the past, but were not discovered during this study. Interestingly, the species that is main concern of this present study, M. sodalis, was not reported from any of the mines during any of the studies, the latest being in 1974. In fact, in his report to the Forest Service Whitaker stated that he believed *M. sodalis* to be extirpated from

Southern Illinois (Whitaker 1975). The discovery of Magazine Mine led to a renewed interest in the silica mines as bat habitat for *M. sodalis*.

Magazine mine was in operation from 1972 to 1980, resulting in ca. $84,730 \text{ m}^2 \text{ of}$ underground tunnels. The mine remained undisturbed for 15 years. In the summer of 1995, a harp-trap was used to capture bats at the entrance to the mine. A total of 5 species was caught, including *M. sodalis*. The first formal survey of Magazine Mine was conducted in 1999. Greater than 9,000 *M. sodalis* were observed hibernating within the mine. Magazine mine was then included on a list of known Indiana bat hibernacula scheduled to be surveyed every other year. Indiana bats were discovered hibernating in a second mine in 2000. Mine 30, abandoned in the late 1970's, has ca. 12,549 m² of underground passages. A total of 495 M. sodalis was counted during a 2000 survey. Mine 30 was also added to the list of hibernacula to be surveyed. During the most recent surveys in 2005, >33,000 M. sodalis were hibernating in Magazine Mine, and >3,600 were hibernating in Mine 30. With the 2005 survey, Magazine Mine was listed as a Priority One hibernaculum (a hibernaculum containing >30,000 bats), and represents the first Priority One hibernaculum in Illinois. Given the results of early surveys conducted in the 1950's and 1960's, as well as the population explosions in Magazine Mine and Mine 30, are there more abandoned mines in the area that are being used as hibernacula by bats, specifically, M. sodalis? Thirty-eight of the 45 mines surveyed (84.4%) were used by hibernating bats. I expected larger mines to be used by bats simply because there is a wide range of microclimates for the bats to choose from. Surprisingly, test holes were often used by bats, sometimes in relatively high densities. Test hole 2001 is a small mine that is 7 roosting units in size. Fifty-six bats were counted in 2006 giving a total density of 8.0 bats/RU. In comparison, Jason Mine has 157 roosting units. In 2007, 468 bats were counted, giving an index of 2.98 bats/RU. In addition to a majority

of the mines being used as hibernacula, it was surprising that populations of hibernating bats are increasing in many of the mines. These population increases are occurring in all of the 5 species of bats that hibernate in southern Illinois, the most important being the Indiana bat. Mines that did not contain hibernating bats can be explained by the fact that there are no areas of the mine that are completely dark.

While conducting this study, I identified 5 mines in addition to Magazine Mine and Mine 30 that have recurring populations of hibernating *M. sodalis*. An additional 644 *M. sodalis* were counted in these mines (Barney Grace, Birk 2, Birk 3, Jason Mine, and Mine 26) during the winter of 2006. In addition to housing hibernating *M. sodalis*, all of these mines except Birk 3 have bachelor colonies of male *M. sodalis* that use the mines during the summer. Several characteristics of these mines make them suitable as Indiana bat hibernacula.

TEMPERATURE

Bats have very rigid thermal requirements for hibernation. To maximize the efficiency of energy use during hibernation, *M. lucifugus* generally hibernates within a few degrees of 5°C (Davis 1970). A variety of other species also hibernate in this general range (Kowalski 1953; Beer and Richards 1956; ter Horst and van Nieuwenhoven 1958; Hall 1962; Pearson 1962; Tinkle and Patterson 1965; Henshaw and Folk 1966; Phillips 1966; Hassell 1967). Based on this, would expect temperature to be significant factor in determining use for all species. As expected, temperature was an important variable, and contributed a significant amount to the variation observed in the number of bats using a particular mine. It is important to note that there is a negative relationship between temperature and the number of bats: as temperature decreases, the number of bats increases. This is not surprising in light of the fact that hibernation at lower

temperatures is more efficient. According to Hock (1951) the metabolic rate for *M. lucifugus* is lowest at 2°C. At 10°C the metabolic rate is roughly doubled. Of course, this hold true to a certain point: once the temperature approaches freezing, bats must expend energy to keep from freezing. For *M. lucifugus*, the metabolic rate at 0.5°C is four times greater than at 2°C (Hock 1951). It is surprising then that temperature was not significant for *M. lucifugus*. Little brown bats are very similar to *M. sodalis*, and were often observed hibernating near or even within clusters of *M. sodalis*.

In the past, optimal thermal conditions during mid-winter for *M. sodalis* lie somewhere in the range 4-8°C (USFWS 1999). Tuttle and Kennedy (2002) give a more conservative estimate of 3-6°C. There was a large range of temperatures recorded where *M. sodalis* was observed hibernating (Table 5). The average temperature during the hibernation period (Nov-Mar) was 6.99° C. The highest recorded temperature from the hibernation period (11.16°C) was recorded in Mine 30, and the lowest (-0.69°C) was recorded in Magazine Mine. Of the 7 mines being used by *M. sodalis*, only Magazine Mine has average temperatures that fall within this range. The average hibernation temperature for the other 6 mines was 8.08°C, well outside of the preferred range. Tuttle and Kennedy (2002) show that hibernacula with mid-winter temperatures between 3-6°C have increased by a total of >97,000 *M. sodalis*, and hibernacula with midwinter temperatures outside of this range decreased by a total of >185,000 M. sodalis. This is not the case in Southern Illinois. During the 2004-2005 hibernation period, 4,492 M. sodalis were observed hibernating in mines outside of the preferred range. This is consistent with the findings of Brack et al. (2003) who document increasing populations of *M. sodalis* in hibernacula with mean temperatures of 5-8°C. These 6 mines, with exception of Jason Mine, all have populations that are stable or growing. Decreases in Jason Mine are not due to temperature, which I will talk about later. While these

mines are not experiencing the exponential growth that Magazine Mine is, they are still sheltering a growing number of *M. sodalis*. I believe that they are extremely important because they are in close proximity to a Priority One hibernaculum and have temperatures that are only a few degrees out of the "ideal" range. This study shows that marginal hibernacula (those that fall outside of the ideal temperature range for *M. sodalis*) can serve as valuable hibernacula and are able capable of supporting increasing populations.

One major limitation to this study is the fact that I was only allowed to enter hibernacula once per hibernation season. Dataloggers were placed where *M. sodalis* was observed hibernating. However, there is a good chance that the animals are not spending the entire hibernation period in these locations. At the onset of the hibernation period, bats tend to roost in warm passages deep within the hibernaculum. As the hibernaculum cools, M. sodalis will move to colder areas nearer to the entrances (Hall 1962, Hardin and Hassell 1970). This phenomenon makes it extremely diffucult to pinpoint "ideal" temperature ranges. For example, room 7G in Magazine mine always has a large concentration of hibernating *M. sodalis* when the mine is surveyed at the end of February. However, in middle to late January, this room has temperatures that are extremely low (between 30 January and 1 February 2004 temperatures fell below 0°C). If this logger was used to determine temperature requirements for *M. sodalis* during hibernation, one could incorrectly assume that *M. sodalis* prefers temperatures that are near or below freezing during mid winter. I do not believe that this is the case, and would hypothesize that the bats were not using this room during that time. I believe that temperature, while extremely important for successful hibernation, cannot be used to accurately predict use by *M. sodalis*. There are a couple of reasons for this. First, it is impractical and cost prohibitive to place dataloggers in all of the possible microhabitats that a bat could choose from within a hibernaculum. Secondly, even if all microhabitats could be

accounted for, I still have no idea where the bats are roosting, and how long they stay in that particular area. I believe that the only way to assess the suitability of hibernacula is to look at what the populations are doing. The bats know what constitutes an "ideal" hibernaculum, and will select hibernacula that most closely approximate those conditions. As a result, hibernacula with increasing populations of *M. sodalis* should be protected. For those hibernacula with decreasing populations, efforts should be made to determine the cause of the declines.

TEMPERATURE VARIABILITY

While temperature is clearly important, once temperatures are low enough for hibernation, stability of those temperatures becomes important physiologically for the bats as well. I expected that standard deviation would be significant for all species. However, this was not the case. Temperature variability was only significant for *P. subflavus* in the analysis that used only temperatures obtained from loggers near hibernating bats, and the analysis that used all of the loggers from mines with multiple loggers. One possible reason for this is that all of the mines, regardless of size or complexity, have temperature regimes that are fairly stable. It appears that temperature variability has little influence on hibernacula selection by bats at the Unimin Mining complex.

DISTURBANCE

Disturbance predicted use by both *P. subflavus* and *E. fuscus*. However, unexpectedly, the relationship is positive. This would imply that disturbance is a positive indicator of bat use. This obviously is not truly representative of what is happening. Bats are extremely vulnerable to any disturbance, both active and passive (Fenton 1983; Hill and Smith 1984; Thomas 1995).

Despite these questionable results, disturbance is an especially important issue at these mines. Seven of the mines showed at least one sign of recent disturbance. Four of these are *M. sodalis* hibernacula. In most cases, the disturbance of the bats is passive, as they are roosting too high for humans to physically disturb them. Unfortunately, I do not believe that this was the case in Jason Mine. While conducting the yearly survey in 2005, an empty box of .22 caliber rifle ammunition was found a few meters away from the clusters of hibernating *M. sodalis*. While downloading the loggers in 2006,we noticed debris in a hole in the mine wall. Upon closer examination, the debris was a pile of at least 20 bat skeletons in various stages of decay. A second hole contained at least 30 more skeletons. While I have no way of identifying these bats, there is a good chance that they were *M. sodalis*. First, the box and some ammunition casings were found within a few meters from the only place in the mine where *M. sodalis* are found. Second, there was a decline of 64 *M. sodalis* between January 2004 and January 2005. In contrast, between January 2005 and January 2006, there was a decline of only 1 *M. sodalis*.

In some cases the disturbance is ongoing. Rhymer 1 is a medium-sized mine that is located only 15 m. from the road. In the winter, with little foliage cover, the entrance can be seen easily from the road. On the first trip into the mine dozens of beer cans and a fire pit were discovered. Because the mine is so easy to access, it was often checked during the summer when I was in the area. Every time that I went into the mine, I found additional evidence of disturbance. As a result of this continued disturbance, I expected the number of bats using the mine to decline. This was not the case. Rhymer 1 was first surveyed on 14 December 2003. There were 768 bats hibernating in the mine. As of 14 January 2006, there were 1143 bats using Rhymer 1(Appendix E).
AREA OF SMALLEST ADIT

This variable did not contribute in any way to hibernacula selection. This is somewhat surprising in that the size of the entrance will directly affect the amount of airflow into or out of a mine, regulating the temperature regimes within the mine. There are some extraordinary examples of what can happen to bat populations when an entrance is modified. When both entrances to Hundred Dome (Coach) cave were modified in the 1960's, the population of 100,000 *M. sodalis* declined to 50 individuals by 1991 (Richter et al. 1993). Another example is Great Scott Cave in Missouri. During the mid 1980's, the population of *M. sodalis* declined by 80% due to an increase in temperatures. This decline coincided with the construction of a bat-friendly closure on the lower entrance to the cave. However, the upper entrance was cemented to prevent access by humans. This prevented warm air from escaping the cave, raising temperatures. When the upper entrance was restored, temperatures immediately returned to historical levels that are well within the range suitable for *M. sodalis* (Kennedy 2002). Clearly, modifying entrances can have serious detrimental effects on hibernating populations of *M. sodalis*.

IMPLICATIONS

The Unimin mine complex is an extremely important resource for bats. Nearly all of the small- and medium-sized mines as well as many of the test holes contain growing populations of hibernating bats. Additionally, the population growth in most of the mines is greater than could be expected from reproductive success alone. Thus, new individuals of all 5 species are immigrating to southern Illinois every year to hibernate. While the Unimin complex is an important resource for bats in general, it is critical habitat for *M. sodalis*. Magazine Mine alone houses up to 10% of the known population of *M. sodalis* and has been growing every year.

STABILIZATION AND PROTECTION

Of equal concern from a wildlife conservation standpoint is that these mines are closing naturally. If left alone, dirt and rock from above the mine entrance sloughs off with rain and erosion. Over time this sloughing will result in the mine entrance being closed. Some mines are relatively stable, and are closing slowly. Others are closing rapidly and soon will no longer be accessible to bats. By 2000, the entrance to Magazine Mine was only 7 m wide by 3 m high, a 70% reduction since it was abandoned 1980(Kath 2002). In 2001, the original adit to the mine was excavated, and 49 steel arches and timbers were installed every 1.2 m along the adit to allow access even if there is a total collapse. A fence was erected around the lower entrance, and a bat gate was installed in the upper entrance. The survey numbers clearly show that the alterations made to the mine have had no negative impacts on the hibernating colony. After the discovery of .22 ammunition casings, Jason Mine became the second mine to be stabilized and secured, with construction done in 2005. Although Jason Mine was closing, and the entrance needed to be excavated, the mine was very stable within a few meters of the entrance. Because of this, only a

10 m long tunnel was required. A bat gate was then welded to one of the middle steel arches. A third mine, Mine 30, was stabilized and secured in 2006. A 10 m tunnel was erected in the lower and upper entrances. These tunnels and bat gates do two things: they ensure that the mine will always be accessible to the bats, while at the same time excluding humans.

PROTECTION PRIORITIES

While these tunnels and gates are very effective, they are also very expensive. The tunnel alone at Magazine Mine was completed at a cost of nearly \$110,000. This begs the question: Which mines do we protect? Because *M. sodalis* is an endangered species, mines where they hibernate should be the first to be protected. After these mines, I believe that priority should be give to mines that have recurring stable populations of >100 hibernating bats. Below is a prioritized list of mines that I feel should be protected.

1. Barney Grace - There were 381 *M. sodalis* counted in 2006. This number increased from 360 *M. sodalis* in 2004, but decreased from 519 in 2005. Additionally, bachelors have been present every summer between 2004 and 2006. Although the bachelors are not necessarily adversely affected by the passive disturbance that is known to occur, the hibernating bats may be at risk. According to the landowners, the mine is their property, and they have a right to enter whenever they want. It is my opinion that they will continue to enter the mine regardless of the season, greatly reducing the chances of successful hibernation for a good number of *M. sodalis*. I believe that the mine should be stabilized and gated as soon as possible.

2. Mine 26 - There were 195 *M. sodalis* counted in 2006. This number increased from 153 *M. sodalis* in 2004 but decreased from 317 in 2005. Bachelors were present in 2005

27

and 2006. The entrance is relatively stable and located 768 meters from the road. This mine contains a large cave-in. The cave-in drops about 10 m form the surface, and could potentially be very dangerous to the public. There was evidence of disturbance noted on the initial survey, but no further evidence has been seen to date. However, disturbance is not always evident. While the need for protection is not immediate, when funds become available, Mine 26 should be protected.

3. Rhymer 1 – This mine does not contain any *M. sodalis*, but as stated above, disturbance is regularly occurring in this mine. This poses a large liability risk for Unimin. The evidence of disturbance in the mine is always beer cans. This implies that people are spending prolonged periods of time in the mine. There is a real possibility that someone may be injured. Within the mine, there is a hole in the floor that drops down about 13 m to a lower level, which I walked within 1 m of before I saw it on my first trip into the mine. However, do we protect habitat for non-threatened species? If not, then Rhymer 1 should be closed permanently during the summer. If yes, then a tunnel and gate should be installed.

FUTURE RESEARCH

Continued Monitoring

As stated above, Magazine Mine and Mine 30 are on the list of Indiana bat hibernacula to survey every other year. It is my belief that all of the mines being used by hibernating Indiana bats should be on this list, and regularly surveyed. With the exception of Jason Mine, all of the mines that are currently being used by *M. sodalis* have hibernating populations that are increasing or stable. Additionally, a survey of all the mines should be conducted every five to ten years until

the mines are all closed or protected. Magazine Mine sat dormant for more than 15 years during which time it had little bat use. Many of the mines were in operation longer that Magazine Mine and have been available to bats for less time. Perhaps these mines have not reached a temperature regime that is suitable for hibernation, but will in the future as the entrance collapses and airflow changes. Or perhaps, bats have just not found the mine yet. If the mines are surveyed periodically, any mines that have increased usage can be identified, protected and stabilized if appropriate.

Modifications.

One of the major contributing factors to the decline of many bat species is habitat destruction. Many natural caves that served as bat hibernacula have been altered by human activities, such as saltpeter mining or commercial cave tours. In many cases, modifications to entrances have altered temperature regimes with the caves rendering them unsuitable to the bats that used them in the past. Currently, Tuttle and Kennedy are attempting to restore several Indiana bat caves in Kentucky to historical conditions, in order to reestablish suitable temperatures. At the Unimin complex, we have the opportunity to create suitable habitat for bats. One mine has already been modified with some success. The mine has 4 adits, allowing considerable airflow within the mine. One of the adits was at nearly the lowest portion of the mine, causing all of the cold air to "leak" out of the mine. In this lower adit, a corrugated metal culvert was installed for access, and the rest of the opening was sealed with dirt in 2005. The resulting changes in temperature regimes, in terms of actual temperature and temperature variability, can be clearly seen from the logger that was placed about 20 meters from the entrance that was sealed. During the months of October through January, the average temperature was

29

7.75 °C, and the standard deviation of those temperatures was 2.49. During the same period after the entrance was sealed there was slight increase in the average temperature (from 7.75 °C to 8.27 °C). However there was a considerable decrease in the amount of temperature variability (from 2.49 to 0.51). While conducting surveys during the hibernation period immediately following the closure >500 more bats observed hibernating in the mine, including 28 *M. sodalis,* a drastic increase from 2 *M sodalis* observed during the two previous hibernation periods. This clearly illustrates that simple modifications can have dramatic impacts on the internal temperature regime of a mine.

Year	# of Surveys	M. sodalis	P. subflavus	M. lucifugus	M. septentrionalis	E. fuscus	Other	Total
2003-2004	24	609	5,497	645	267	107	42	7,167
2004-2005	32	37,668	9,111	1,027	1,284	760	2	49,852
2005-2006	34	648	9,519	1,005	845	201	1	12,219
2006-2007	23	1010	4,249	131	347	88	4	5,829
Total	113	39,935	28,376	2,808	2,743	1,156	49	75,067

Table 1. Summary of Unimin mine surveys conducted from 2003-2007. Total number of surveys conducted each year, as well as the number of each species observed hibernating each year of the study.

Table 2. Significant results for multiple regression analyses, including the independent and dependent variables used in the analyses as well as the F-values and associated p-values.

Independent Variables	Dependent Variable	F-value	p-value
Disturb., adit area	P. subflavus/RU	8.8	0.0006
Disturb., adit area	M. lucifugus/RU	5.16	0.0099
Disturb., adit area, ave. temp., SD	<i>E. fuscus</i> /RU	3.34	0.0506

Table 3. Significant results for univariate regression analyses, including the independent and dependent variable used in the analyses as well as the F-values and associated p-values.

Independent Variable	Dependent Variable	F-value	p-value
Temperature - loggers near bats	total bats/RU	6.08	0.0272
Temperature - loggers near bats	M. sodalis/RU	5.44	0.0352
Temperature - loggers near bats	<i>E. fuscus</i> /RU	8.62	0.0108
Temperature - all loggers	total bats/room	5.33	0.0288
Temperature - all loggers	<i>M. sodalis</i> /room	5.99	0.0212
SD of temp - loggers near bats	P. subflavus/RU	5.20	0.0387
SD of temp - all loggers	P. subflavus/room	4.31	0.0476

Table 4. Significant results for the bivariate analyses including the independent and dependent variable used in the analyses as well as the t-values and associated p-values.

Independent Variable	Dependent Variable	t-value	p-value
Disturbance	P. subflavus/RU	2.28	0.027
Disturbance	E. fuscus/RU	-2.33	0.012

Mine	Location	Max temp	Min temp	Temp Range	Hib. Ave.
Barney Grace	MYSO left	10.75	6.26	4.49	8.50
Barney Grace	MYSO right	10.62	4.91	5.71	7.76
Birk 2	SW corner	10.47	6.91	3.56	8.69
Birk 3	MYSO	9.71	3.86	5.85	6.78
Magazine Mine	Room 7G	6.91	-0.69	7.60	3.11
Magazine Mine	Room 12	7.13	2.44	4.70	4.79
Magazine Mine	Room 12B	7.16	1.43	5.73	4.29
Mine 26	MYSO	8.69	5.67	3.03	7.18
Mine 30	Room M1	10.38	6.37	4.01	8.38
Mine 30	Room M3	9.46	5.99	3.47	7.72
Mine 30	Room N2	11.16	8.09	3.07	9.63

Table 5. Range of temperatures for all dataloggers where *M. sodalis* was observed hibernating



Figure 1. Magazine Mine (pip zone). Hobo #324667. Daily temperature averages recorded in Magazine Mine from the top of the large cave-in from 26 October 2003 through 26 August 2006. The logger was placed 2 meters off the floor of the mine.



Figure 2. Magazine Mine (rm 12). Hobo #324665. Daily temperature averages recorded in Magazine Mine from room 12 from 18 September 2003 through 28 August 2006. The logger was placed 2 meters from a cluster of hibernating M. sodalis about 3 meters off the floor of the mine.



Figure 3. Magazine Mine (entrance). Hobo #409608. Daily temperature averages recorded in Magazine Mine from the base of the stabilization tunnel from 19 July 2001 through 18 June 2005. The logger was placed 1 meter off the floor of the mine.



Figure 4. Mine 30 (rm A2 - bacheors). Hobo #230381 and #324662. Daily temperature averages recorded in Mine 30 from inside the upper entrance where the bachelors roost from 23 January 2001 through 03 November 2006. These loggers were placed 1 meter from an active cluster of male *M. sodalis* about 2 meters off the floor of the mine in both cases.



Figure 5. Bivariate fit of Total bats/RU by average temperature. The slope of the regression line is represented by the following formula. Total/RU = 91.491804 - 9.0528681 Average Temp.



Figure 6. Bivariate fit of *M. sodalis*/RU by average temperature. The slope of the regression line is represented by the following formula. *M. Sodalis*/RU = 77.40823 - 8.1635325 Average Temp.



Figure 7. Bivariate fit of *E*.*fuscus*/RU by average temperature. The slope of the regression line is represented by the following formula. *E*.*fuscus*/RU = 1.6189251 - 0.1574003 Average Temp.



Figure 8. Bivariate fit of Total bats/Room by average temperature. The slope of the regression line is represented by the following formula. Total/Room = 1933.5978 - 184.74877 AverageTemp.



Figure 9. Bivariate fit of *M. sodalis*/RU by average temperature. The slope of the regression line is represented by the following formula. *M. sodalis*/Room = 1975.8016 - 195.58854 AverageTemp.



Figure 10. Bivariate fit of *P. subflavus*/Ru by standard deviation of temperatures. The slope of the regression line is represented by the following formula. *P. subflavus*/RU = 10.736854 - 4.8799836 Standard Deviation



Figure 11. Bivariate fit of *P. subflavus*/Room by standard deviation of temperatures. The slope of the regression line is represented by the following formula. *P. subflavus*/RU = 10.736854 - 4.8799836 Standard Deviation

LITERATURE CITED

- Altenbach, J.S. and E.D. Pierson. 1995. The importance of mines to bats: an overview. Pages 7-18, in B. R. Riddle, ed. *Inactive mines as bat habitat: guidelines of research, survey, monitoring and mine management in Nevada*. Biological Resources Research Center, University of Nevada, Reno, original not seen).
- Avery, M.I. 1985. Winter activity of pipistrelle bats. Journal of Animal Ecology. 54:721-738.
- Beer, J.R., and A.G. Richards. 1956. Hibernation of the big brown bat. Journal of Mammalogy. 37:31-34.
- Brack, V., Jr. and J.W. Twente. 1985. The duration of the period of hibernation of three species of Vespertilionid bats. I. Field Studies. Canadian Journal of Zoology. 63:2952-2954.
- Brack, V., Jr., S.A. Johnson, and R.K. Dunlap. 2003. Wintering populations of bats in Indiana, with emphasis on the endangered Indiana myotis, *Myotis sodalis*. Proceedings of the Indiana Academy of Sciences. 112:61-74.
- Briggler, J.T., J.W. Prather. 2003. Seasonal use and selection of caves by the eastern pipistrelle bat (*Pipistrellus subflavus*). American Midland Naturalist. 149:406-412.
- Fenton, M.B. 1983. Just Bats. University of Toronto Press. Toronto, Canada.
- Foster, D.O., and M.L. Frydman. 1978. Brown adipose tissue: the dominant site of non-shivering thermogenesis in the rat. Experientia Supplementum. 32:147-151
- French, A.R. 1985. Allometries of the duration of torpid and euthermic intervals during mammalian hibernation: a test of the theory of metabolic control of the timing of changes in body temperature. Journal of Comparative Physiology, B: Biochemical, Systematic, and Environmental Physiology. 156:13-19.
- Hall, J.S. 1962. A life history and taxonomic study of the Indiana bat, *Myotis sodalis*. Science Publications, Reading Public Museum Art Gallery 2:1-68.
- Hardin, J.W., and M.D. Hassel. 1970. Observations on waking periods and movements of *Myotis Sodalis* during hibernation. Journal of Mammalogy. 51:829-831.
- Harvey, M.J., J.S. Altenbach, and T.L. Best. 1999. *Bats of the United States*. Arkansas Game and Fish Commission and United States Fish and Wildlife Service, Little Rock, Arkansas.
- Henshaw, R.E. and G.E. Folk, Jr. 1966. Relation of thermoregulation to seasonally changing microclimate in two species of bats (*Myotis lucifugus* and *M. sodalis*). Physiological Zoology. 39:223–36.

- Hassell, M.D. 1967. Intra-cave activity of four species of bats hibernating in Kentucky. Ph.D. dissertation, University of Kentucky, Lexington, Kentucky
- Hill, J., and J. Smith. 1984. Bats: A natural history. University of Texas Press. Austin, Texas
- Hock, R. J. 1951. Metabolic rates and body temperature of bats. Biological Bulletin. 101: 289-299.
- Kath, J.A. 2001. A Midwestern case study to secure and underground mine for bat habitat: the Unimin "Magazine Mine" in Alexander County, Illinois. Proceedings of Bat Conservation and Mining: A Technical Interactive Forum, November 14-16, 2000. St Louis, Missouri. U.S. Department of Interior, Office of Surface Mining, Alton, IL and Coal Research Center, Southern Illinois University, Carbondale, IL.
- Kennedy, J. 2002. Pre- and post-gate microclimate monitoring. Proceedings of Bat Gate Design: A Technical Interactive Forum, March 4-6, 2002. Austin, Texas. U.S. Department of Interior, Office of Surface Mining, Alton, IL and Coal Research Center, Southern Illinois University, Carbondale, IL.
- Kowalski, K. 1953. Material relating to the distribution and ecology of cave bats in Poland. Fragmenta Faunistica Musei Zoologici Polonici. 6:541-567.
- Luce, B. 1993. Bat habitat protection in association with abandoned mine reclamation projects in Wyoming. Proceedings of the 15th annual Meeting of the Association of Abandoned Mine Land Programs, September 12-16. Jackson, Wyoming.
- Layne, J.N. 1958. Notes on mammals of Sothern Illinois. American Midland Naturalist. 60: 219-254
- Lyman C.P., J.S. Willis, A. Maian and L.C.H. Wang. 1982. *Hibernation and torpor in mammals and birds*. Academic Press, New York.
- Martin, K.W., D.M. Leslie, Jr., M.E. Payton, W.L. Puckette, and S.L. Hensley. 2006. Impacts of passage manipulation on cave climates: conservation implications for cave-dwelling bats. Wildlife Society Bulletin. 34:137-143.
- Meier L. and J. Garcia. 2001. Importance of mines for bat conservation. Proceedings of Bat Conservation and Mining: A Technical Interactive Forum, November 14-16 2000. St Louis, Missouri. U.S. Department of Interior, Office of Surface Mining, Alton, IL and Coal Research Center, Southern Illinois University, Carbondale, IL.
- Mesch, M.B. and B. Lengas. 1996. Identification and protection of bat habitat at a Utah Abandoned mine land site: the Silver Reef Mining District. Proceedings of the 18th Annual Meeting of the Association of Abandoned Mine Lands Program, September 15-18. Kalispell, Montana.

- Pearson, E.W. 1962. Bats hibernating in silica mines in Southern Illinois. Journal of Mammalogy. 43:26-33.
- Phillips, G.L. 1966. Ecology of the big brown bat (Chiroptera: Vespertillionidae) in northeastern Kansas. American Midland Naturalist. 75:168-198.
- Richter, A.R., S.R. Humphrey, J.B. Cope, and V. Brack Jr. 1993. Modified cave entrances: Thermal effect of body mass and resulting decline of endangered Indiana bats (*Myotis sodalis*). Conservation Biology. 7:407-415
- Schwegman, J.E. 1974. Comprehensive Plan for the Illinois Nature Preserves System Part 2: The Natural Divisions of Illinois. Illinois Nature Preserves Commission, Rockford, IL.
- ter Horst, J.T., and P.J. van Nieuwenhoven. 1958. Onderzoek naar de winterslaap va vleermuizen in der schenkgroeve te meerssen. Natuurhistorisch Maandblad. 47: 117-122
- Tinkle, D.W., and I.G. Patterson. 1965. A study of hibernating populations of myotis velifer in Northwest Texas. Journal of Mammalogy. 46: 612-633.
- Thomas D.W., M. Dorias and J.M. Bergeron. 1990. Winter energy budgets and cost of arousals for hibernating little brown bats, *Myotis lucifugus*. Journal of Mammalogy. 71: 475-479.
- Thomas D.W. 1995. Hibernating bats are sensitive to nontactile human disturbance. Journal of Mammalogy. 76: 940-946.
- Tuttle M.D. and D.A.R. Taylor. 1994. *Bats and Mines*. Bat Conservation International, Resource Publication No. 3. Austin, Texas.
- Tuttle M.D. and D.A.R. Taylor. 1998. *Bats and Mines*. Bat Conservation International, Resource Publication No. 3, revised edition. Austin, Texas.
- Tuttle M.D. and J. Kennedy. 2002. Thermal requirements during hibernation. The Indiana Bat: Biology and management of an endangered species. A. Kurta and J. Kennedy, (eds.). Bat Conservation International. Austin, Texas.
- United States Bureau of Mines. 1996. Dictionary of Mining, Mineral, and Related Terms, Second edition.
- USFWS (United States Fish and Wildlife Service). 1999. Agency draft Indiana bat (*Myotis sodalis*) revised recovery plan. Ft Snelling, Minnesota.
- USFWS (United States Fish and Wildlife Service). 2006. Indiana bat (*Myotis sodalis*) Fact Sheet. www.fws.gov/midwest/Endangered/mammals/inbafctsht.html

- Webb, P.I., J.R. Speakman, P.A. Racey. 1996. How hot is a hibernaculum? A review of the temperatures at which bats hibernate. Canadian Journal of Zoology. 74:761-765.
- Whitaker, J.O. and F.A. Winter. 1977. Bats of the caves and mines of the Shawnee National Forest, Southern Illinois. Transactions of the Illinois Academy of Sciences. 70:301-313

APPENDICES

APPENDIX A: Datalogger Locations

Datalogger locations and dates of data collection. Locations are given only for those mines where multiple loggers were deployed. The Start date indicates the date the logger was placed in the mine and the end date is the date it was removed or malfunctioned

Mine	Location	Logger	Start	End	Logger	Start	End
Barney Grace	hibernating right	698517	01/04/07	06/04/07	698517	10/05/07	11/05/07
Barney Grace	hibernating left	675611	01/04/07	05/04/07	675610	10/05/07	08/06/07
Barney Grace	bachelors	675610	01/04/07	01/05/07			
Birk 2	main road - north	698519	10/04/07	06/05/07	698519	11/05/07	07/06/07
Birk 2	main road - south	675607	10/04/07	06/05/07			
Birk 2	SW corner	698520	10/04/07	08/05/07	230373	11/05/07	10/06/07
Birk 2	the West Wing	675608	10/04/07	06/05/07			
Birk 3	hibernating MYSO	702001	02/04/07	03/05/07			
Birk 3	Pip Zone	701998	02/04/07	01/06/07			
Jason Mine	middle of mine	598511	07/05/07	11/05/07			
Jason Mine	back right	698515	10/05/07	08/06/07			
Jason Mine	hibernating MYSO	409601	10/05/07	07/06/07			
Jason Mine	bachelors	701997	06/04/07	06/05/07			
Joe Mode 4		698521	01/04/07	05/06/07			
Mag 7-8		675612	04/04/07	06/05/07			
Mag TH 10		702004	10/04/07	05/05/07	702004	10/05/07	08/06/07
Magazine	entrance	409608	07/01/07	10/04/07	409608	07/05/07	06/06/07
Magazine	pip dome	324667	10/03/07	08/06/07			
Magazine	room 7	409606	10/01/07	04/04/07	409606	10/05/07	07/06/07
Magazine	room 7G	230380	09/03/07	08/06/07			
Magazine	room 10D	230381	10/05/07	11/05/07			
Magazine	room 11A	324663	10/03/07	10/04/07	324663	10/05/07	06/06/07
Magazine	room 12	324665	09/03/07	08/06/07			
Magazine	room 12B	230365	09/01/00	01/04/07			
Mine 25		698512	03/04/07	03/06/07			
Mine 26	hibernating MYSO	698523	03/04/07	06/05/07			
Mine 26	bachelors	448295	10/05/07	08/06/07			
Mine 30	room A2	230381	01/01/07	06/04/07	324662	10/05/07	07/06/07
Mine 30	room F2	324661	02/01/00	07/03/07			
Mine 30	room M1	230372	10/01/07	04/06/07			
Mine 30	room M3	230367	01/01/07	09/03/07			
Mine 30	room N2	675611	10/05/07	10/06/07			
Mode 1		702003	08/04/07	08/05/07			
Rhymer 1		701999	10/04/07	07/05/07	702000	10/05/07	07/06/07
Rhymer 4		702000	10/04/07	05/05/07	448293	11/05/07	08/06/07
Tamms 2		698513	02/04/07	07/05/07			
Test Hole 25		702002	10/04/07	07/05/07			

APPENDIX B: Temperature Averages

Daily, 7-day, monthly, and seasonal temperature averages were calculated for each mine. The date listed in front of the 7-day averages is the start of the 7 day period.

Location and HOBO Number	Page Number
Barney Grace (bachelors) - HOBO #698517	72
Barney Grace(MYSO left) - HOBO #675611 and #675610	74
Barney Grace(MYSO left) - HOBO #675610	76
Birk 2 (main road North) - HOBO #698519	77
Birk 2 (main road South) - HOBO #675607	79
Birk 2 (SW corner) - HOBO #698520 and #230373	
Birk 2 (the West Wing) - HOBO #675608	
Birk 3 (MYSO) - HOBO #702001	85
Birk 3 (Pip Zone) - HOBO #701998	
Jason Mine (bachelors) - HOBO #698511	91
Jason Mine (middle) - HOBO #698515	93
Jason Mine (MYSO) - HOBO #409601	94
Jason Mine (right side) - HOBO #701997	95
Joe Mode 4 - HOBO #698521	97
Magazine 7-8 - HOBO #675612	100
Magazine Mine (entrance) - HOBO #409608	102
Magazine Mine (pip zone) - HOBO #324667	107
Magazine Mine (room 7) - HOBO #409606	
Magazine Mine (room 7G) - HOBO #230380	115
Magazine Mine (room 11A - bachelors) - HOBO #324663	119
Magazine Mine (room 12) - HOBO #324665	
Magazine Mine (room 12B) - HOBO #230365	
Magazine Test Hole 10 - HOBO #	
Mine 25 - HOBO #698512	
Mine 26 (bachelors) – HOBO #488295	
Mine 26 (MYSO) - HOBO #698523	
Mine 30 (room A2 -bachelors) - HOBO #230381 and # 324662	139
Mine 30 (room F2) - HOBO #324661	144
Mine 30 (room M1) - HOBO #230372	148
Mine 30 (room M3) - HOBO #230367	152
Mine 30 (room N2) - HOBO #675611	155
Mode 1 - HOBO #702003	157
Rhymer 1 - HOBO #701999 and #702000	159
Rhymer 4 - HOBO #702000 and #448293	161
Tamms 2 - HOBO #698513	
Test Hole 25 - HOBO #702002	

Barney Grace (bachelors) 17January 2004 – 10 January2005

7 Day Averages		Monthly Av	Monthly Averages		Seasonal Averages	
1/17/2004	11.05	Jan-04	10.95	Winter	10.79	
1/24/2004	10.87	Feb-04	10.62	Summer	11.86	
1/31/2004	10.67	Mar-04	10.74	Winter	11.06	
2/7/2004	10.61	Apr-04	10.93			
2/14/2004	10.58	May-04	11.30			
2/21/2004	10.63	Jun-04	12.85			
2/28/2004	10.71	Jul-04	12.41			
3/6/2004	10.74	Aug-04	11.48			
3/13/2004	10.72	Sep-04	11.28			
3/20/2004	10.73	Oct-04	11.27			
3/27/2004	10.80	Nov-04	11.24			
4/3/2004	10.84	Dec-04	10.83			
4/10/2004	10.90	Jan-05	10.57			
4/17/2004	10.98					
4/24/2004	11.05					
5/1/2004	11.11					
5/8/2004	11.19					
5/15/2004	11.31					
5/22/2004	11.46					
5/29/2004	11.61					
6/5/2004	11.78					
6/12/2004	13.80					
6/19/2004	13.48					
6/26/2004	13.05					
7/3/2004	12.73					
7/10/2004	12.48					
7/17/2004	12.30					
7/24/2004	12.07					
7/31/2004	11.82					
8/7/2004	11.57					
8/14/2004	11.36					
8/21/2004	11.31					
8/28/2004	11.32					
9/4/2004	11.30					
9/11/2004	11.28					
9/18/2004	11.27					
9/25/2004	11.27					
10/2/2004	11.25					
10/9/2004	11.25					
10/16/2004	11.25					
10/23/2004	11.29					
10/30/2004	11.31					
11/6/2004	11.27					
11/13/2004	11.22					
11/20/2004	11.23					
11/27/2004	11.15					

5	Monthly Averages	Seasonal Averages
11.08		
10.99		
10.77		
10.46		
10.59		
10.53		
	11.08 10.99 10.77 10.46 10.59 10.53	s Monthly Averages 11.08 10.99 10.77 10.46 10.59 10.53

Barney Grace (bachelors) cont.

Barney Grace (MYSO left) 17 January 2004 – 11 June 2004

7 Day Averages Monthly Averag		erages	Seasonal Av	verages	
1/17/2004	10.33	Jan-04	10.15	Winiter	10.46
1/24/2004	10.04	Feb-04	10.53	Summer	11.24
1/31/2004	9.90	Mar-04	10.64		
2/7/2004	9.92	Apr-04	11.00		
2/14/2004	10.02	May-04	11.26		
2/21/2004	10.23	Jun-04	11.20		
2/28/2004	10.46				
3/6/2004	10.50				
3/13/2004	10.53				
3/20/2004	10.59				
3/27/2004	10.72				
4/3/2004	10.78				
4/10/2004	10.85				
4/17/2004	11.00				
4/24/2004	11.10				
5/1/2004	11.18				
5/8/2004	11.27				
5/15/2004	11.31				
5/22/2004	11.27				
5/29/2004	11.23				
6/5/2004	11.20				

9 October 2005 – 28 August 2006

7 Day Averages		Monthly Av	erages	Seasonal Averages	
10/9/2005	8.80	Oct-05	8.74	Winter	7.92
10/16/2005	8.81	Nov-05	8.51	Summer	8.85
10/23/2005	8.65	Dec-05	7.56		
10/30/2005	8.70	Jan-06	7.71		
11/6/2005	8.73	Feb-06	7.17		
11/13/2005	8.48	Mar-06	7.67		
11/20/2005	8.30	Apr-06	8.23		
11/27/2005	8.11	May-06	8.58		
12/4/2005	7.38	Jun-06	8.80		
12/11/2005	7.63	Jul-06	8.94		
12/18/2005	7.37	Aug-06	9.10		
12/25/2005	7.73				
1/1/2006	7.81				
1/8/2006	7.79				
1/15/2006	7.68				
1/22/2006	7.54				
1/29/2006	7.73				
2/5/2006	7.21				
2/12/2006	7.16				
2/19/2006	6.82				
2/26/2006	7.35				
3/5/2006	7.60				
3/12/2006	7.60				

7 Day Averages		Monthly Averages	Seasonal Averages
3/19/2006	7.81		
3/26/2006	8.06		
4/2/2006	8.16		
4/9/2006	8.32		
4/16/2006	8.39		
4/23/2006	8.43		
4/30/2006	8.48		
5/7/2006	8.54		
5/14/2006	8.60		
5/21/2006	8.66		
5/28/2006	8.72		
6/4/2006	8.76		
6/11/2006	8.79		
6/18/2006	8.84		
6/25/2006	8.86		
7/2/2006	8.89		
7/9/2006	8.93		
7/16/2006	8.96		
7/23/2006	8.99		
7/30/2006	9.04		
8/6/2006	9.08		
8/13/2006	9.11		
8/20/2006	9.15		
8/27/2006	9.16		

Barney Grace (MYSO left) cont.

Barney Grace (MYSO right) 17 January 2004 – 11 June 2004

7 Day Averages	5	Monthly Avera	iges	Seasonal Avera	ages	
1/17/2004	10.10	Jan-04	9.90	Winter	10.26	
1/24/2004	9.76	Feb-04	9.82	Summer	11.05	
1/31/2004	9.63	Mar-04	10.41			
2/7/2004	9.66	Apr-04	10.72			
2/14/2004	9.80	May-04	10.99			
2/21/2004	10.03	Jun-04	11.16			
2/28/2004	10.33					
3/6/2004	10.34					
3/13/2004	10.38					
3/20/2004	10.44					
3/27/2004	10.57					
4/3/2004	10.62					
4/10/2004	10.66					
4/17/2004	10.80					
4/24/2004	10.85					
5/1/2004	10.89					
5/8/2004	10.96					
5/15/2004	11.01					
5/22/2004	11.05					
5/29/2004	11.10					
6/5/2004	11.16					
6/12/2004	11.22					
9 October 20	9 October 2005 -28 August 2006					
10/9/2005	4.98	Oct-05	4.95	Winter	4.95	
10/16/2005	5.00	Nov-05	4.94			

5.00
4.90
4.91
4.95

Birk 2 (main rd N) 6 October 2004 – 6 June 2005

7 Day Averages		Monthly Averages		Seasonal Averages	
10/6/2004	5.23	Oct-04	6.00	Winter	12.45
10/13/2004	5.31	Nov-04	8.51	Summer	13.41
10/20/2004	6.72	Dec-04	10.09		
10/27/2004	7.42	Jan-05	13.64		
11/3/2004	8.23	Feb-05	15.39		
11/10/2004	7.56	Mar-05	16.75		
11/17/2004	8.39	Apr-05	16.02		
11/24/2004	9.91	May-05	13.78		
12/1/2004	8.78	Jun-05	11.51		
12/8/2004	9.06				
12/15/2004	10.81				
12/22/2004	11.10				
12/29/2004	11.13				
1/5/2005	12.84				
1/12/2005	13.38				
1/19/2005	15.16				
1/26/2005	14.92				
2/2/2005	14.60				
2/9/2005	16.04				
2/16/2005	15.79				
2/23/2005	15.28				
3/2/2005	16.25				
3/9/2005	17.01				
3/16/2005	16.43				
3/23/2005	17.02				
3/30/2005	16.14				
4/6/2005	15.02				
4/13/2005	16.05				
4/20/2005	15.98				
4/27/2005	14.94				
5/4/2005	14.14				
5/11/2005	13.65				
5/18/2005	12.95				
5/25/2005	12.05				
6/1/2005	11.10				

4 November 2005 – 2 November 2006

7 Day Averages		Monthly Av	Monthly Averages		Seasonal Averages	
11/4/2005	11.80	Nov-05	10.11	Winter	7.83	
11/11/2005	10.50	Dec-05	6.74	Summer	12.34	
11/18/2005	9.06	Jan-06	7.57	Winter	11.58	
11/25/2005	8.55	Feb-06	4.98			
12/2/2005	6.63	Mar-06	7.48			
12/9/2005	6.66	Apr-06	10.24			
12/16/2005	6.15	May-06	10.86			
12/23/2005	7.29	Jun-06	12.35			

Birk 2 (main rd N) cont.

12/30/2005 7.74 Jul-06 13.04 1/6/2006 7.68 Aug-06 13.35 1/13/2006 7.43 Sep-06 12.08 1/20/2006 7.31 Oct-06 11.60 1/27/2006 7.76 Nov-06 11.11 2/3/2006 6.35 2/10/2006 5.20 2/17/2006 3.15 2/24/2006 3.88 3/3/2006 7.45 3/10/2006 8.71 3/10/2006 7.52 3/31/2006 7.52 3/31/2006 9.22 4/7/2006 11.16 4/14/2006 10.83 4/21/2006 10.63	
1/6/20067.68Aug-0613.35 $1/13/2006$ 7.43Sep-0612.08 $1/20/2006$ 7.31Oct-0611.60 $1/27/2006$ 7.76Nov-0611.11 $2/3/2006$ 6.352/10/20065.20 $2/17/2006$ 3.152/24/20063.88 $3/3/2006$ 7.453/10/20068.71 $3/17/2006$ 7.523/31/20067.52 $3/31/2006$ 7.524/7/200611.16 $4/14/2006$ 10.834/21/200610.63	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
1/27/2006 7.76 Nov-06 11.11 2/3/2006 6.35 2/10/2006 5.20 2/17/2006 3.15 2/24/2006 3.88 3/3/2006 7.45 3/10/2006 8.71 3/17/2006 7.31 3/24/2006 7.52 3/31/2006 9.22 4/7/2006 11.16 4/14/2006 10.83 4/21/2006 10.63	
$\begin{array}{llllllllllllllllllllllllllllllllllll$	
$\begin{array}{llllllllllllllllllllllllllllllllllll$	
$\begin{array}{llllllllllllllllllllllllllllllllllll$	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
3/3/2006 7.45 3/10/2006 8.71 3/17/2006 7.31 3/24/2006 7.52 3/31/2006 9.22 4/7/2006 11.16 4/14/2006 10.83 4/21/2006 10.63	
3/10/2006 8.71 3/17/2006 7.31 3/24/2006 7.52 3/31/2006 9.22 4/7/2006 11.16 4/14/2006 10.83 4/21/2006 10.63	
3/17/2006 7.31 3/24/2006 7.52 3/31/2006 9.22 4/7/2006 11.16 4/14/2006 10.83 4/21/2006 10.63	
3/24/2006 7.52 3/31/2006 9.22 4/7/2006 11.16 4/14/2006 10.83 4/21/2006 10.63	
3/31/2006 9.22 4/7/2006 11.16 4/14/2006 10.83 4/21/2006 10.63	
4/7/2006 11.16 4/14/2006 10.83 4/21/2006 10.63	
4/14/2006 10.83 4/21/2006 10.63	
4/21/2006 10.63	
4/28/2006 11.08	
5/5/2006 10.69	
5/12/2006 10.97	
5/19/2006 10.36	
5/26/2006 11.73	
6/2/2006 12.50	
6/9/2006 12.11	
6/16/2006 12.64	
6/23/2006 12.57	
6/30/2006 12.57	
7/7/2006 12.97	
7/14/2006 13.36	
7/21/2006 13.26	
7/28/2006 13.55	
8/4/2006 13.46	
8/11/2006 13.38	
8/18/2006 13.15	
8/25/2006 13.05	
9/1/2006 12.38	
9/8/2006 12.07	
9/15/2006 10.66	
9/22/2006 13.01	
9/29/2006 13.19	
10/6/2006 11.95	
10/13/2006 11.33	
10/20/2006 10.28	
10/27/2006 10.93	
Birk 2 (main rd S) 6 October 2004 – 12 January 2005

7 Day Average	s	Monthly Averages		Seasonal Averages	
10/6/2004	3.04	Oct-04	4.45	Winter	9.35
10/13/2004	3.56	Nov-04	7.03	Summer	9.60
10/20/2004	5.28	Dec-04	8.76	Winter	8.27
10/27/2004	6.64	Jan-05	10.22		
11/3/2004	7.10	Feb-05	11.04		
11/10/2004	6.03	Mar-05	11.50		
11/17/2004	6.66	Apr-05	11.85		
11/24/2004	8.35	May-05	11.20		
12/1/2004	7.11	Jun-05	11.47		
12/8/2004	7.54	Jul-05	9.98		
12/15/2004	10.49	Aug-05	7.73		
12/22/2004	9.49	Sep-05	7.62		
12/29/2004	9.43	Oct-05	7.77		
1/5/2005	10.00	Nov-05	8.00		
1/12/2005	10.09	Dec-05	8.78		
1/19/2005	10.46	Jan-06	8.89		
1/26/2005	10.97				
2/2/2005	10.83				
2/9/2005	11.13				
2/16/2005	11.18				
2/23/2005	11.04				
3/2/2005	11.17				
3/9/2005	11.62				
3/16/2005	11.60				
3/23/2005	11.83				
3/30/2005	11.88				
4/6/2005	11.65				
4/13/2005	12.02				
4/20/2005	11.79				
4/27/2005	11.55				
5/4/2005	11.49				
5/11/2005	11.24				
5/18/2005	10.81				
5/25/2005	10.14				
6/1/2005	11.92				
6/8/2005	12.25				
6/15/2005	11.37				
6/22/2005	11.13				
6/29/2005	10.55				
7/6/2005	9.85				
7/13/2005	10.01				
7/20/2005	9.35				
7/27/2005	8.61				
8/3/2005	8.73				
8/10/2005	7.27				
8/17/2005	6.80				
8/24/2005	7.52				

7 Day Averag	es	Monthly Averages	Seasonal Averages
8/31/2005	7.93		
9/7/2005	7.92		
9/14/2005	7.14		
9/21/2005	7.31		
9/28/2005	7.56		
10/5/2005	7.73		
10/12/2005	7.88		
10/19/2005	7.94		
10/26/2005	7.77		
11/2/2005	7.87		
11/9/2005	7.82		
11/16/2005	8.18		
11/23/2005	8.46		
11/30/2005	8.70		
12/7/2005	8.85		
12/14/2005	8.89		
12/21/2005	8.79		
12/28/2005	8.79		
1/4/2006	8.98		

Birk 2 (main rd S) cont.

Birk 2 (SW corner) 6 October 2004 – 8 August 2005

7 Day Averag	ges	Monthly Av	erages	Seasonal Av	verages
10/6/2004	5.84	Oct-04	6.25	Winter	8.31
10/13/2004	5.92	Nov-04	7.38	Summer	10.06
10/20/2004	6.58	Dec-04	8.03		
10/27/2004	6.91	Jan-05	8.61		
11/3/2004	7.29	Feb-05	8.95		
11/10/2004	7.17	Mar-05	9.21		
11/17/2004	7.38	Apr-05	9.49		
11/24/2004	7.72	May-05	9.66		
12/1/2004	7.72	Jun-05	9.95		
12/8/2004	7.90	Jul-05	10.40		
12/15/2004	8.09	Aug-05	10.63		
12/22/2004	8.28				
12/29/2004	8.40				
1/5/2005	8.51				
1/12/2005	8.60				
1/19/2005	8.68				
1/26/2005	8.78				
2/2/2005	8.85				
2/9/2005	8.92				
2/16/2005	8.99				
2/23/2005	9.05				
3/2/2005	9.11				
3/9/2005	9.23				
3/16/2005	9.30				
3/23/2005	9.35				
3/30/2005	9.42				
4/6/2005	9.49				
4/13/2005	9.55				
4/20/2005	9.62				
4/27/2005	9.64				
5/4/2005	9.64				
5/11/2005	9.66				
5/18/2005	9.68				
5/25/2005	9.72				
6/1/2005	9.90				
6/8/2005	9.97				
6/15/2005	10.02				
6/22/2005	10.08				
6/29/2005	10.17				
7/6/2005	10.32				
7/13/2005	10.52				
7/20/2005	10.62				
7/27/2005	10.59				
8/3/2005	10.76				

Birk 2 (SW corner) cont. 5 November 2005 – 2 November 2006

7 Day Average	s	Monthly Averages		Seasonal Averages	
11/5/2005	9.97	Nov-05	9.71	Winter	8.81
11/12/2005	9.82	Dec-05	8.67	Summer	9.69
11/19/2005	9.53	Jan-06	8.78	Winter	10.04
11/26/2005	9.35	Feb-06	8.33		
12/3/2005	8.82	Mar-06	8.53		
12/10/2005	8.61	Apr-06	8.95		
12/17/2005	8.46	May-06	9.28		
12/24/2005	8.64	Jun-06	9.52		
12/31/2005	8.78	Jul-06	9.70		
1/7/2006	8.83	Aug-06	9.94		
1/14/2006	8.77	Sep-06	10.04		
1/21/2006	8.73	Oct-06	10.03		
1/28/2006	8.81	Nov-06	10.12		
2/4/2006	8.51				
2/11/2006	8.33				
2/18/2006	8.01				
2/25/2006	8.28				
3/4/2006	8.45				
3/11/2006	8.64				
3/18/2006	8.56				
3/25/2006	8.53				
4/1/2006	8.75				
4/8/2006	9.01				
4/15/2006	9.09				
4/22/2006	9.15				
4/29/2006	9.21				
5/6/2006	9.24				
5/13/2006	9.28				
5/20/2006	9.35				
5/27/2006	9.42				
6/3/2006	9.47				
6/10/2006	9.52				
6/17/2006	9.56				
6/24/2006	9.60				
7/1/2006	9.65				
7/8/2006	9.69				
7/15/2006	9.72				
7/22/2006	9.76				
7/29/2006	9.89				
8/5/2006	9.91				
8/12/2006	9.94				
8/19/2006	9.97				
8/26/2006	9.99				
9/2/2006	10.01				
9/9/2006	10.04				
9/16/2006	10.06				
9/23/2006	10.08				

7 Day Averag	ges	Monthly Averages	Seasonal Averages
9/30/2006	10.10		
10/7/2006	10.07		
10/14/2006	10.03		
10/21/2006	9.93		
10/28/2006	10.06		

Birk 2 (SW corner) cont.

Birk 2 (the West Wing) 6 October 2004 – 7 June 2005

7 Day Average	S	Monthly Averages		Seasonal Averages		
10/6/2004	6.95	Oct-04	7.15	Winter	8.52	
10/13/2004	6.98	Nov-04	7.86	Summer	9.39	
10/20/2004	7.30	Dec-04	8.33			
10/27/2004	7.51	Jan-05	8.70			
11/3/2004	7.79	Feb-05	8.97			
11/10/2004	7.76	Mar-05	9.16			
11/17/2004	7.89	Apr-05	9.31			
11/24/2004	8.08	May-05	9.39			
12/1/2004	8.13	Jun-05	9.42			
12/8/2004	8.24					
12/15/2004	8.36					
12/22/2004	8.49					
12/29/2004	8.56					
1/5/2005	8.62					
1/12/2005	8.69					
1/19/2005	8.76					
1/26/2005	8.83					
2/2/2005	8.89					
2/9/2005	8.95					
2/16/2005	9.01					
2/23/2005	9.05					
3/2/2005	9.09					
3/9/2005	9.18					
3/16/2005	9.22					
3/23/2005	9.25					
3/30/2005	9.29					
4/6/2005	9.31					
4/13/2005	9.33					
4/20/2005	9.35					
4/27/2005	9.36					
5/4/2005	9.38					
5/11/2005	9.40					
5/18/2005	9.40					
5/25/2005	9.41					
6/1/2005	9.42					

Birk 3 (MYSO) 20 February 2005 – 22 March 2005

7 Day Averages	5	Monthly Averages		Seasonal Averages	
2/20/2004	5.86	Feb-04	5.90	Winter	7.03
2/27/2004	6.41	Mar-04	6.82	Summer	9.05
3/5/2004	6.70	Apr-04	7.59	Winter	7.64
3/12/2004	6.65	May-04	8.35		
3/19/2004	6.90	Jun-04	8.82		
3/26/2004	7.29	Jul-04	9.14		
4/2/2004	7.27	Aug-04	9.36		
4/9/2004	7.46	Sep-04	9.57		
4/16/2004	7.79	Oct-04	9.55		
4/23/2004	7.95	Nov-04	9.33		
4/30/2004	8.03	Dec-04	6.89		
5/7/2004	8.10	Jan-05	6.32		
5/14/2004	8.26	Feb-05	6.73		
5/21/2004	8.38	Mar-05	6.68		
5/28/2004	8.54				
6/4/2004	8.64				
6/11/2004	8.72				
6/18/2004	8.82				
6/25/2004	8.90				
7/2/2004	8.97				
7/9/2004	9.06				
7/16/2004	9.12				
7/23/2004	9.18				
7/30/2004	9.23				
8/6/2004	9.28				
8/13/2004	9.32				
8/20/2004	9.36				
8/27/2004	9.41				
9/3/2004	9.47				
9/10/2004	9.52				
9/17/2004	9.57				
9/24/2004	9.60				
10/1/2004	9.64				
10/8/2004	9.52				
10/15/2004	9.58				
10/22/2004	9.46				
10/29/2004	9.60				
11/5/2004	9.68				
11/12/2004	9.42				
11/19/2004	9.27				
11/26/2004	9.36				
12/3/2004	8.71				
12/10/2004	8.32				
12/17/2004	7.73				
12/24/2004	6.36				
12/31/2004	4.81				
1/7/2005	6.98				

7 Day Averages		Monthly Averages	Seasonal Averages
1/14/2005	7.03		
1/21/2005	5.67		
1/28/2005	5.80		
2/4/2005	6.20		
2/11/2005	6.62		
2/18/2005	6.78		
2/25/2005	6.85		
3/4/2005	6.61		
3/11/2005	6.67		
3/18/2005	6.85		

Birk 3 (MYSO) cont.

9 October 2005 – 20 August 2006

7 Day Average	es	Monthly Av	erages	Seasonal Av	erages
10/9/2005	9.67	Oct-05	9.51	Winter	7.43
10/16/2005	9.67	Nov-05	8.71	Summer	9.04
10/23/2005	9.23	Dec-05	6.40		
10/30/2005	9.33	Jan-06	7.10		
11/6/2005	9.36	Feb-06	5.99		
11/13/2005	8.59	Mar-06	6.89		
11/20/2005	8.04	Apr-06	7.89		
11/27/2005	7.49	May-06	8.54		
12/4/2005	5.98	Jun-06	8.96		
12/11/2005	6.49	Jul-06	9.26		
12/18/2005	5.96	Aug-06	9.50		
12/25/2005	6.84				
1/1/2006	7.16				
1/8/2006	7.19				
1/15/2006	7.14				
1/22/2006	6.91				
1/29/2006	7.11				
2/5/2006	5.97				
2/12/2006	5.87				
2/19/2006	5.39				
2/26/2006	6.36				
3/5/2006	6.90				
3/12/2006	6.75				
3/19/2006	7.07				
3/26/2006	7.55				
4/2/2006	7.80				
4/9/2006	8.11				
4/16/2006	8.22				
4/23/2006	8.30				
4/30/2006	8.36				
5/7/2006	8.47				
5/14/2006	8.56				
5/21/2006	8.68				
5/28/2006	8.79				
6/4/2006	8.87				

0) ••••••		
5	Monthly Averages	Seasonal Averages
8.96		
9.04		
9.10		
9.17		
9.23		
9.30		
9.36		
9.44		
9.49		
9.53		
9.56		
	8.96 9.04 9.10 9.17 9.23 9.30 9.36 9.44 9.49 9.53 9.56	S Monthly Averages 8.96 9.04 9.10 9.17 9.23 9.30 9.36 9.44 9.49 9.53 9.56 9.56

Birk 3 (MYSO) cont.

Birk 3 (pip zone) 20 February 2004 – 13 January 2006

7 Day Average	s	Monthly Averages		Seasonal Averages	
2/20/2004	10.62	Feb-04	10.62	Winter	10.71
2/27/2004	10.61	Mar-04	10.67	Summer	11.33
3/5/2004	10.68	Apr-04	10.78	Winter	10.34
3/12/2004	10.67	Mav-04	11.07	Summer	10.45
3/19/2004	10.65	Jun-04	11.37	Winter	10.41
3/26/2004	10.72	Jul-04	11.55		
4/2/2004	10.73	Aug-04	11.38		
4/9/2004	10.72	Sep-04	11.29		
4/16/2004	10.83	Oct-04	11.13		
4/23/2004	10.84	Nov-04	10.89		
4/30/2004	10.87	Dec-04	10.49		
5/7/2004	10.89	Jan-05	10.15		
5/14/2004	11.01	Feb-05	9.97		
5/21/2004	11.07	Mar-05	9.83		
5/28/2004	11.25	Apr-05	9.89		
6/4/2004	11.21	Mav-05	10.03		
6/11/2004	11.29	Jun-05	10.32		
6/18/2004	11.41	Jul-05	10.54		
6/25/2004	11.42	Aug-05	10.66		
7/2/2004	11.51	Sep-05	10.71		
7/9/2004	11.55	Oct-05	10.64		
7/16/2004	11.55	Nov-05	10.54		
7/23/2004	11.56	Dec-05	10.22		
7/30/2004	11.53	Jan-06	10.06		
8/6/2004	11.55				
8/13/2004	11.44				
8/20/2004	11.32				
8/27/2004	11.27				
9/3/2004	11.27				
9/10/2004	11.27				
9/17/2004	11.30				
9/24/2004	11.31				
10/1/2004	11.30				
10/8/2004	11.19				
10/15/2004	11.18				
10/22/2004	11.09				
10/29/2004	11.09				
11/5/2004	11.07				
11/12/2004	10.95				
11/19/2004	10.88				
11/26/2004	10.84				
12/3/2004	10.75				
12/10/2004	10.67				
12/17/2004	10.59				
12/24/2004	10.44				
12/31/2004	10.26				
1/7/2005	10.23				

Birk 3 (pip zone) cont.

7 Day Averag	ges	Monthly Averages	Seasonal Averages
1/14/2005	10.22		
1/21/2005	10.16		
1/28/2005	10.08		
2/4/2005	10.04		
2/11/2005	10.00		
2/18/2005	9.98		
2/25/2005	9.95		
3/4/2005	9.91		
3/11/2005	9.82		
3/18/2005	9.79		
3/25/2005	9.81		
4/1/2005	9.83		
4/8/2005	9.88		
4/15/2005	9.90		
4/22/2005	9.94		
4/29/2005	9.94		
5/6/2005	9.92		
5/13/2005	10.02		
5/20/2005	10.05		
5/27/2005	10.07		
6/3/2005	10.16		
6/10/2005	10.29		
6/17/2005	10.28		
6/24/2005	10.38		
7/1/2005	10.46		
7/8/2005	10.47		
7/15/2005	10.52		
7/22/2005	10.58		
7/29/2005	10.62		
8/5/2005	10.64		
8/12/2005	10.65		
8/19/2005	10.67		
8/26/2005	10.68		
9/2/2005	10.68		
9/9/2005	10.72		
9/16/2005	10.71		
9/23/2005	10.72		
9/30/2005	10.69		
10/7/2005	10.72		
10/14/2005	10.64		
10/21/2005	10.64		
10/28/2005	10.60		
11/4/2005	10.55		
11/11/2005	10.61		
11/18/2005	10.56		
11/25/2005	10.50		
12/2/2005	10.44		
12/9/2005	10.35		

Din e (pp zone) conu					
7 Day Averag	jes	Monthly Averages	Seasonal Averages		
12/16/2005	10.24				
12/23/2005	10.16				
12/30/2005	10.09				
1/6/2006	10.07				
1/13/2006	10.05				

Birk 3 (pip zone) cont.

Jason Mine (bachelors) 12 June 2004 – 30 June 2005

7 Day Averages		Monthly Averages		Seasonal Averages	
6/12/2004	12.15	Jun-04	12.11	Summer	11.92
6/19/2004	12.09	Jul-04	12.10	Winter	12.03
6/26/2004	12.09	Aug-04	12.10	Summer	11.29
7/3/2004	12.10	Sep-04	11.42		
7/10/2004	12.10	Oct-04	11.22		
7/17/2004	12.11	Nov-04	11.56		
7/24/2004	12.11	Dec-04	12.02		
7/31/2004	12.13	Jan-05	12.41		
8/7/2004	12.14	Feb-05	12.65		
8/14/2004	12.16	Mar-05	12.42		
8/21/2004	12.07	Apr-05	11.95		
8/28/2004	11.87	May-05	11.64		
9/4/2004	11.61	Jun-05	10.93		
9/11/2004	11.39				
9/18/2004	11.24				
9/25/2004	11.21				
10/2/2004	11.20				
10/9/2004	11.21				
10/16/2004	11.23				
10/23/2004	11.25				
10/30/2004	11.22				
11/6/2004	11.26				
11/13/2004	11.59				
11/20/2004	11.82				
11/27/2004	11.94				
12/4/2004	11.96				
12/11/2004	11.99				
12/18/2004	11.97				
12/25/2004	12.15				
1/1/2005	12.10				
1/8/2005	12.19				
1/15/2005	12.43				
1/22/2005	12.71				
1/29/2005	12.76				
2/5/2005	12.76				
2/12/2005	12.62				
2/19/2005	12.57				
2/26/2005	12.56				
3/5/2005	12.48				
3/12/2005	12.38				
3/19/2005	12.22				
3/26/2005	12.03				
4/2/2005	11.98				
4/9/2005	11.94				
4/16/2005	11.88				
4/23/2005	11.81				
4/30/2005	11.75				

7 Day Avera	ges	Monthly Averages	Seasonal Averages
5/7/2005	11.70		
5/14/2005	11.64		
5/21/2005	11.54		
5/28/2005	11.32		
6/4/2005	11.01		
6/11/2005	10.88		
6/18/2005	10.82		
6/25/2005	10.80		

Jason Mine (bachelors) cont.

7 Day Averages **Monthly Averages Seasonal Averages** 6/30/2005 Jun-05 12.00 11.36 11.39 Summer 7/7/2005 11.38 Jul-05 Winter 11.88 11.40 7/14/2005 11.41 Aug-05 11.77 7/21/2005 11.42 Sep-05 12.88 Oct-05 7/28/2005 11.43 12.06 8/4/2005 Nov-05 11.47 11.45 8/11/2005 11.47 8/18/2005 11.74 8/25/2005 12.67 9/1/2005 12.66 9/8/2005 12.88 9/15/2005 12.90 9/22/2005 13.15 9/29/2005 12.59 10/6/2005 12.75 10/13/2005 12.26 10/20/2005 12.24 10/27/2005 11.44 11/3/2005 11.26 11/10/2005 11.60 11/17/2005 11.29

Jason Mine (middle) 30 June 2005 – 17 November 2005

Jason Mine (MYSO) 1 October 2005 – 25 August 2006

7 Day Averages		Monthly Averages		Seasonal Averages	
10/1/2005	12.24	Oct-05	11.92	Winter	9.64
10/8/2005	12.07	Nov-05	10.95	Summer	11.25
10/15/2005	12.03	Dec-05	8.80		
10/22/2005	11.58	Jan-06	9.16		
10/29/2005	11.45	Feb-06	8.19		
11/5/2005	11.55	Mar-06	8.70		
11/12/2005	11.00	Apr-06	9.66		
11/19/2005	10.41	May-06	10.36		
11/26/2005	10.03	Jun-06	11.06		
12/3/2005	8.72	Jul-06	11.63		
12/10/2005	8.83	Aug-06	12.14		
12/17/2005	8.38	e			
12/24/2005	9.02				
12/31/2005	9.24				
1/7/2006	9.29				
1/14/2006	9.13				
1/21/2006	8.97				
1/28/2006	9.25				
2/4/2006	8.37				
2/11/2006	8.20				
2/18/2006	7.49				
2/25/2006	8.37				
3/4/2006	9.12				
3/11/2006	8.42				
3/18/2006	8.60				
3/25/2006	9.24				
4/1/2006	9.42				
4/8/2006	9.88				
4/15/2006	10.01				
4/22/2006	10.06				
4/29/2006	10.17				
5/6/2006	10.27				
5/13/2006	10.32				
5/20/2006	10.51				
5/27/2006	10.79				
6/3/2006	10.89				
6/10/2006	11.02				
6/17/2006	11.22				
6/24/2006	11.32				
7/1/2006	11.44				
7/8/2006	11.54				
7/15/2006	11.74				
7/22/2006	11.83				
7/29/2006	12.03				
8/5/2006	12.13				
8/12/2006	12.18				
8/19/2006	12.22				

Jason Mine (right) 6/30/2005 - 8/25/2006

7 Day Averages		Monthly Averages		Seasonal Averages	
6/30/2005	11.72	Jun-05	11.75	Summer	11.90
7/7/2005	11.72	Jul-05	11.73	Winter	11.17
7/14/2005	11.73	Aug-05	11.81	Summer	11.46
7/21/2005	11.74	Sep-05	12.18		
7/28/2005	11.75	Oct-05	12.38		
8/4/2005	11.77	Nov-05	12.24		
8/11/2005	11.77	Dec-05	11.13		
8/18/2005	11.80	Jan-06	10.89		
8/25/2005	11.00	Feb-06	10.49		
9/1/2005	12.02	Mar-06	10.42		
9/8/2005	12.12	Apr-06	10.63		
9/15/2005	12.12	May-06	10.94		
9/22/2005	12.20	Jun 06	11.26		
9/20/2005	12.33	Jul 06	11.20		
10/6/2005	12.30	Jui-00	12.11		
10/0/2005	12.34	Aug-00	12.11		
10/15/2005	12.34				
10/20/2005	12.41				
10/2//2005	12.44				
11/3/2003	12.44				
11/10/2005	12.48				
11/1//2005	12.33				
11/24/2005	12.04				
12/1/2005	11.83				
12/8/2005	11.45				
12/15/2005	11.12				
12/22/2005	10.92				
12/29/2005	10.91				
1/5/2006	10.94				
1/12/2006	10.92				
1/19/2006	10.88				
1/26/2006	10.84				
2/2/2006	10.83				
2/9/2006	10.68				
2/16/2006	10.49				
2/23/2006	10.26				
3/2/2006	10.32				
3/9/2006	10.52				
3/16/2006	10.43				
3/23/2006	10.34				
3/30/2006	10.48				
4/6/2006	10.56				
4/13/2006	10.67				
4/20/2006	10.76				
4/27/2006	10.79				
5/4/2006	10.84				
5/11/2006	10.89				
5/18/2006	10.94				

Jason Mine (Hgne)				
7 Day Average	es	Monthly Averages	Seasonal Averages	
5/25/2006	11.01			
6/1/2006	11.10			
6/8/2006	11.17			
6/15/2006	11.24			
6/22/2006	11.35			
6/29/2006	11.42			
7/6/2006	11.50			
7/13/2006	11.59			
7/20/2006	11.73			
7/27/2006	11.82			
8/3/2006	11.99			
8/10/2006	12.10			
8/17/2006	12.16			
8/24/2006	12.20			

Jason Mine (right)

Joe Mode 4 31 January 2004 – 2 June 2006

7 Day Averages		Monthly Av	Monthly Averages		Seasonal Averages	
1/31/2004	3.90	Jan-04	4.90	Winter	6.66	
2/7/2004	4.20	Feb-04	7.07	Summer	10.08	
2/14/2004	4.94	Mar-04	8.07	Winter	7.88	
2/21/2004	5.85	Apr-04	9.18	Summer	10.05	
2/28/2004	6.82	May-04	9.84	Winter	7.93	
3/6/2004	6.82	Jun-04	10.22	Summer	9.54	
3/13/2004	6.93	Jul-04	10.47			
3/20/2004	7.06	Aug-04	10.72			
3/27/2004	7.62	Sep-04	10.51			
4/3/2004	7.65	Oct-04	9.95			
4/10/2004	7.74	Nov-04	6.81			
4/17/2004	8.51	Dec-04	6.01			
4/24/2004	8.60	Jan-05	6.52			
5/1/2004	8.67	Feb-05	6.83			
5/8/2004	9.02	Mar-05	8.49			
5/15/2004	9.25	Apr-05	9.03			
5/22/2004	9.57	May-05	9.73			
5/29/2004	9.70	Jun-05	10.18			
6/5/2004	9.72	Jul-05	10.52			
6/12/2004	9.90	Aug-05	10.82			
6/19/2004	9.93	Sep-05	10.57			
6/26/2004	9.92	Oct-05	9.43			
7/3/2004	10.13	Nov-05	6.37			
7/10/2004	10.20	Dec-05	7.24			
7/17/2004	10.27	Jan-06	5.85			
7/24/2004	10.36	Feb-06	7.15			
7/31/2004	10.38	Mar-06	8.75			
8/7/2004	10.37	Apr-06	9.52			
8/14/2004	10.37	May-06	9.84			
8/21/2004	10.57					
8/28/2004	10.71					
9/4/2004	10.70					
9/11/2004	10.73					
9/18/2004	10.75					
9/25/2004	10.73					
10/2/2004	10.48					
10/9/2004	10.58					
10/16/2004	10.23					
10/23/2004	10.62					
10/30/2004	10.76					
11/6/2004	10.13					
11/13/2004	9.85					
11/20/2004	9.91					
11/27/2004	8.89					
12/4/2004	8.81					
12/11/2004	7.50					
12/18/2004	5.81					

12/25/2004 4.64 11/1/2005 7.42 1/8/2005 7.28 1/15/2005 5.61 1/22/2005 5.11 1/29/2005 5.64 2/1/2005 6.66 2/19/2005 6.66 2/19/2005 6.66 2/19/2005 6.66 2/19/2005 6.66 2/19/2005 6.64 3/12/2005 7.05 3/19/2005 7.64 3/12/2005 8.61 4/16/2005 8.61 4/16/2005 8.61 4/12/2005 8.65 5/7/2005 9.00 5/1/4/2005 9.14 5/21/2005 9.14 5/21/2005 9.14 5/21/2005 9.81 6/11/2005 9.81 6/21/2005 9.81 6/21/2005 9.81 6/21/2005 9.81 7/2/2005 10.37 7/30/2005 10.37 7/30/2005 10.38 8/13/2005 10.54 8/20/2005 10.6	7 Day Averages		Monthly Averages	Seasonal Averages
11/12005 7.42 11/8/2005 7.28 11/15/2005 4.65 1/22/2005 5.11 1/29/2005 5.69 2/5/2005 6.41 2/12/2005 6.66 2/26/2005 6.29 3/15/2005 6.66 2/26/2005 6.29 3/12/2005 7.64 3/26/2005 8.08 4/2/2005 8.61 4/9/2005 8.61 4/9/2005 8.55 5/7/2005 9.00 5/14/2005 9.14 5/21/2005 9.81 6/18/2005 9.81 6/18/2005 9.88 7/2/2005 9.88 7/2/2005 9.81 6/18/2005 9.81 6/18/2005 9.81 7/2/2005 9.97 7/9/2005 10.17 7/16/2005 10.37 7/30/2005 10.37 7/30/2005 10.43 8/13/2005 10.42 8/20/2005 10.62 8/21/2005 10.70 <th>12/25/2004</th> <th>4.64</th> <th></th> <th></th>	12/25/2004	4.64		
1/8/2005 7.28 1/15/2005 4.65 1/22/2005 5.69 2/5/2005 6.41 2/12/2005 6.66 2/19/2005 6.66 2/19/2005 6.66 2/19/2005 6.64 3/19/2005 7.05 3/19/2005 7.04 3/26/2005 8.08 4/2/2005 8.61 4/9/2005 8.78 4/16/2005 8.65 4/30/2005 8.55 5/7/2005 9.00 5/14/2005 9.14 6/4/2005 9.30 5/28/2005 9.41 6/4/2005 9.54 6/18/2005 9.81 6/25/2005 9.81 6/25/2005 9.88 7/23/2005 10.37 7/30/2005 10.37 7/30/2005 10.32 7/30/2005 10.54 8/20/2005 10.62 8/27/2005 10.62 8/27/2005 10.70 9/10/2005 10.78 9/10/2005 10.78	1/1/2005	7.42		
1/15/2005 4.65 1/22/2005 5.11 1/29/2005 5.69 2/12/2005 6.66 2/19/2005 6.66 2/26/2005 6.29 3/5/2005 6.44 3/12/2005 7.64 3/12/2005 8.61 4/2/2005 8.61 4/2/2005 8.61 4/16/2005 8.42 4/23/2005 8.65 5/7/2005 9.00 5/1/4/2005 9.14 5/21/2005 9.64 6/1/2005 9.81 6/25/2005 9.88 7/2/2005 9.81 6/25/2005 9.81 6/25/2005 9.81 7/2/2005 9.81 6/25/2005 9.81 7/2/2005 9.97 7/3/2005 10.37 7/30/2005 10.38 8/13/2005 10.43 8/13/2005 10.54 8/2/2/2005 10.62 8/2/2/2005 10.62 8/2/2/2005 10.70 9/10/2005 10.7	1/8/2005	7.28		
1/22/2005 5.11 1/29/2005 5.69 2/5/2005 6.41 2/12/2005 6.66 2/26/2005 6.29 3/5/2005 6.44 3/12/2005 7.64 3/26/2005 8.08 4/2/2005 8.61 4/9/2005 8.61 4/16/2005 8.78 4/16/2005 8.65 4/30/2005 8.65 5/7/2005 9.00 5/14/2005 9.14 5/21/2005 9.30 5/28/2005 9.41 6/4/2005 9.81 6/25/2005 9.81 6/25/2005 9.81 6/25/2005 9.81 6/25/2005 9.88 7/2/2005 10.17 7/16/2005 10.25 7/23/2005 10.37 7/30/2005 10.39 8/3/20205 10.62 8/2/20205 10.62 8/2/20205 10.62 8/2/20205 10.78 9/1/1/2005 10.78 9/1/2005 10.7	1/15/2005	4.65		
1/29/2005 5.69 2/5/2005 6.41 2/19/2005 6.66 2/2/6/2005 6.29 3/5/2005 6.44 3/12/2005 7.05 3/19/2005 7.64 3/26/2005 8.08 4/2/2005 8.61 4/9/2005 8.78 4/16/2005 8.42 4/30/2005 8.55 5/7/2005 9.00 5/14/2005 9.14 5/21/2005 9.30 5/22/2005 9.41 6/18/2005 9.51 6/18/2005 9.81 6/25/2005 9.97 7/9/2005 10.17 7/16/2005 10.17 7/16/2005 10.37 7/32/2005 10.37 7/32/2005 10.37 7/32/2005 10.43 8/13/2005 10.54 8/20/2005 10.62 8/27/2005 10.78 9/10/2005 10.78 9/11/2005 10.78	1/22/2005	5.11		
2/5/2005 6.41 2/12/2005 6.66 2/26/2005 6.29 3/5/2005 6.44 3/12/2005 7.05 3/19/2005 7.64 3/26/2005 8.61 4/2/2005 8.61 4/2/2005 8.61 4/30/2005 8.65 4/30/2005 8.65 4/30/2005 8.65 4/30/2005 9.14 5/21/2005 9.30 5/28/2005 9.41 6/4/2005 9.64 6/11/2005 9.88 7/2/2005 9.81 6/25/2005 9.88 7/2/2005 10.17 7/16/2005 10.17 7/16/2005 10.37 7/30/2005 10.37 7/30/2005 10.39 8/6/2005 10.43 8/13/2005 10.62 8/27/2005 10.62 8/27/2005 10.78 9/10/2005 10.78 9/10/2005 10.78	1/29/2005	5.69		
2/12/2005 6.66 2/19/2005 6.29 3/5/2005 6.24 3/12/2005 7.05 3/19/2005 7.64 3/26/2005 8.08 4/2/2005 8.61 4/9/2005 8.63 4/16/2005 8.65 4/30/2005 8.65 4/30/2005 8.55 5/7/2005 9.00 5/14/2005 9.41 6/4/2005 9.41 6/4/2005 9.64 6/11/2005 9.78 6/18/2005 9.81 6/25/2005 9.81 6/25/2005 9.97 7/9/2005 10.17 7/16/2005 10.37 7/30/2005 10.37 7/30/2005 10.34 8/13/2005 10.62 8/27/2005 10.62 8/27/2005 10.62 8/27/2005 10.78 9/3/2005 10.78 9/3/2005 10.78 9/17/2005 10.78	2/5/2005	6.41		
2/19/2005 6.66 2/26/2005 6.29 3/5/2005 6.44 3/12/2005 7.05 3/19/2005 7.64 3/26/2005 8.08 4/2/2005 8.61 4/9/2005 8.78 4/16/2005 8.42 4/33/2005 8.65 4/30/2005 8.55 5/7/2005 9.00 5/14/2005 9.14 5/21/2005 9.30 5/28/2005 9.41 6/4/2005 9.81 6/18/2005 9.81 6/25/2005 9.81 6/25/2005 9.88 7/2/2005 9.97 7/9/2005 10.17 7/16/2005 10.37 7/30/2005 10.38 8/6/2005 10.43 8/20/2005 10.62 8/21/2005 10.62 8/21/2005 10.78 9/3/2005 10.78 9/10/2005 10.78 9/11/2005 10.88	2/12/2005	6.66		
2/26/2005 6.29 3/5/2005 6.44 3/12/2005 7.05 3/19/2005 7.64 3/26/2005 8.08 4/2/2005 8.61 4/9/2005 8.78 4/16/2005 8.42 4/3/2005 8.65 4/30/2005 8.65 4/30/2005 8.65 5/7/2005 9.00 5/14/2005 9.14 5/21/2005 9.30 5/28/2005 9.41 6/4/2005 9.64 6/11/2005 9.81 6/25/2005 9.81 7/2/2005 9.97 7/9/2005 10.17 7/16/2005 10.25 7/23/2005 10.39 8/6/2005 10.43 8/13/2005 10.62 8/20/2005 10.62 8/20/2005 10.62 8/21/2005 10.78 9/10/2005 10.78 9/11/2005 10.78	2/19/2005	6.66		
3/5/2005 6.44 3/12/2005 7.05 3/19/2005 7.64 3/26/2005 8.08 4/2/2005 8.61 4/9/2005 8.78 4/16/2005 8.42 4/23/2005 8.65 4/30/2005 8.55 5/7/2005 9.00 5/14/2005 9.14 5/21/2005 9.30 5/28/2005 9.41 6/4/2005 9.64 6/11/2005 9.81 6/25/2005 9.88 7/2/2005 9.97 7/9/2005 10.17 7/16/2005 10.37 7/30/2005 10.37 7/30/2005 10.37 7/30/2005 10.43 8/13/2005 10.54 8/27/2005 10.62 8/27/2005 10.62 8/27/2005 10.69 9/3/2005 10.78 9/10/2005 10.78 9/11/2005 10.88	2/26/2005	6.29		
3/12/2005 7.05 3/19/2005 7.64 3/26/2005 8.08 4/2/2005 8.61 4/9/2005 8.61 4/9/2005 8.78 4/16/2005 8.42 4/23/2005 8.65 4/30/2005 8.55 5/7/2005 9.00 5/14/2005 9.14 5/21/2005 9.30 5/28/2005 9.41 6/4/2005 9.64 6/11/2005 9.78 6/12/2005 9.81 6/25/2005 9.88 7/2/2005 10.37 7/30/2005 10.37 7/30/2005 10.37 7/30/2005 10.38 8/13/2005 10.62 8/27/2005 10.62 8/27/2005 10.62 8/27/2005 10.78 9/13/2005 10.78 9/17/2005 10.78	3/5/2005	6.44		
3/19/2005 7.64 3/26/2005 8.08 4/2/2005 8.61 4/9/2005 8.78 4/16/2005 8.42 4/23/2005 8.65 4/30/2005 8.55 5/7/2005 9.00 5/14/2005 9.14 5/21/2005 9.41 6/4/2005 9.41 6/4/2005 9.64 6/11/2005 9.78 6/18/2005 9.81 6/25/2005 9.81 6/25/2005 9.81 6/25/2005 9.97 7/9/2005 10.17 7/16/2005 10.37 7/30/2005 10.38 8/6/2005 10.43 8/13/2005 10.54 8/20/2005 10.62 8/27/2005 10.78 9/3/2005 10.78 9/17/2005 10.78	3/12/2005	7.05		
3/26/2005 8.08 4/2/2005 8.61 4/9/2005 8.78 4/16/2005 8.42 4/23/2005 8.65 4/30/2005 8.55 5/7/2005 9.00 5/14/2005 9.14 5/21/2005 9.30 5/28/2005 9.41 6/4/2005 9.64 6/11/2005 9.81 6/25/2005 9.81 6/25/2005 9.81 6/25/2005 9.88 7/2/2005 9.97 7/16/2005 10.17 7/16/2005 10.25 7/23/2005 10.37 7/30/2005 10.39 8/6/2005 10.43 8/13/2005 10.62 8/27/2005 10.62 8/27/2005 10.78 9/3/2005 10.78 9/10/2005 10.78	3/19/2005	7.64		
AV2/2005 8.61 4/9/2005 8.78 4/16/2005 8.42 4/23/2005 8.65 4/30/2005 8.55 5/7/2005 9.00 5/14/2005 9.14 5/21/2005 9.30 5/28/2005 9.41 6/4/2005 9.64 6/11/2005 9.81 6/25/2005 9.81 6/25/2005 9.81 6/25/2005 9.81 6/25/2005 9.81 6/25/2005 9.88 7/2/2005 10.17 7/16/2005 10.25 7/23/2005 10.37 7/30/2005 10.37 7/30/2005 10.43 8/13/2005 10.54 8/20/2005 10.62 8/27/2005 10.62 8/27/2005 10.70 9/10/2005 10.78 9/10/2005 10.78	3/26/2005	8.08		
4/9/2005 8.78 4/16/2005 8.42 4/23/2005 8.65 4/30/2005 8.55 5/7/2005 9.00 5/14/2005 9.14 5/21/2005 9.30 5/28/2005 9.41 6/4/2005 9.64 6/11/2005 9.78 6/18/2005 9.81 6/25/2005 9.81 6/25/2005 9.97 7/9/2005 10.17 7/16/2005 10.25 7/23/2005 10.37 7/30/2005 10.37 7/30/2005 10.43 8/13/2005 10.62 8/20/2005 10.62 8/21/2005 10.69 9/3/2005 10.70 9/10/2005 10.78 9/11/2005 10.88	4/2/2005	8.61		
A116/2005 8.42 4/23/2005 8.65 4/30/2005 8.55 5/7/2005 9.00 5/14/2005 9.14 5/21/2005 9.30 5/28/2005 9.41 6/4/2005 9.64 6/11/2005 9.78 6/18/2005 9.81 6/25/2005 9.81 6/25/2005 9.88 7/2/2005 9.97 7/9/2005 10.17 7/16/2005 10.25 7/23/2005 10.37 7/30/2005 10.37 7/30/2005 10.43 8/13/2005 10.54 8/20/2005 10.62 8/21/2005 10.69 9/3/2005 10.70 9/10/2005 10.78 9/11/2005 10.88	4/9/2005	8.78		
4/23/2005 8.65 4/30/2005 8.55 5/7/2005 9.00 5/14/2005 9.14 5/21/2005 9.30 5/28/2005 9.41 6/4/2005 9.64 6/11/2005 9.78 6/18/2005 9.81 6/25/2005 9.81 6/25/2005 9.88 7/2/2005 9.97 7/9/2005 10.17 7/16/2005 10.25 7/23/2005 10.37 7/30/2005 10.38 8/13/2005 10.54 8/20/2005 10.62 8/27/2005 10.70 9/13/2005 10.78 9/17/2005 10.88	4/16/2005	8 42		
4/30/2005 8.55 5/7/2005 9.00 5/14/2005 9.14 5/21/2005 9.30 5/28/2005 9.41 6/4/2005 9.64 6/11/2005 9.78 6/18/2005 9.81 6/25/2005 9.88 7/2/2005 9.97 7/9/2005 10.17 7/16/2005 10.25 7/23/2005 10.37 7/30/2005 10.39 8/6/2005 10.43 8/13/2005 10.62 8/27/2005 10.62 8/27/2005 10.70 9/10/2005 10.78 9/17/2005 10.88	4/23/2005	8.65		
5/7/2005 9.00 5/14/2005 9.14 5/21/2005 9.30 5/28/2005 9.41 6/4/2005 9.64 6/11/2005 9.63 6/18/2005 9.81 6/25/2005 9.88 7/2/2005 9.97 7/9/2005 10.17 7/16/2005 10.25 7/23/2005 10.37 7/30/2005 10.39 8/6/2005 10.43 8/13/2005 10.62 8/20/2005 10.62 8/27/2005 10.70 9/3/2005 10.78 9/10/2005 10.78 9/17/2005 10.88	4/30/2005	8 55		
5/14/2005 9.14 5/21/2005 9.30 5/28/2005 9.41 6/4/2005 9.64 6/11/2005 9.78 6/18/2005 9.81 6/25/2005 9.88 7/2/2005 9.97 7/9/2005 10.17 7/16/2005 10.25 7/23/2005 10.37 7/30/2005 10.39 8/6/2005 10.43 8/13/2005 10.62 8/27/2005 10.62 8/27/2005 10.62 8/27/2005 10.70 9/10/2005 10.78 9/17/2005 10.88	5/7/2005	9.00		
5/21/2005 9.30 5/28/2005 9.41 6/4/2005 9.64 6/11/2005 9.78 6/18/2005 9.81 6/25/2005 9.88 7/2/2005 9.97 7/9/2005 10.17 7/16/2005 10.25 7/23/2005 10.37 7/30/2005 10.39 8/6/2005 10.43 8/13/2005 10.54 8/20/2005 10.62 8/27/2005 10.70 9/3/2005 10.78 9/17/2005 10.88	5/14/2005	9.14		
5/28/2005 9.41 6/4/2005 9.64 6/11/2005 9.78 6/18/2005 9.81 6/25/2005 9.88 7/2/2005 9.97 7/9/2005 10.17 7/16/2005 10.25 7/23/2005 10.37 7/30/2005 10.39 8/6/2005 10.43 8/13/2005 10.62 8/20/2005 10.62 8/27/2005 10.70 9/3/2005 10.78 9/17/2005 10.88	5/21/2005	9 30		
6/4/2005 9.64 6/11/2005 9.78 6/18/2005 9.81 6/25/2005 9.88 7/2/2005 9.97 7/9/2005 10.17 7/16/2005 10.25 7/23/2005 10.37 7/30/2005 10.37 7/30/2005 10.43 8/6/2005 10.54 8/20/2005 10.62 8/27/2005 10.69 9/3/2005 10.70 9/10/2005 10.78 9/17/2005 10.88	5/28/2005	9.41		
6/11/2005 9.78 6/18/2005 9.81 6/25/2005 9.88 7/2/2005 9.97 7/9/2005 10.17 7/16/2005 10.25 7/23/2005 10.37 7/30/2005 10.39 8/6/2005 10.43 8/13/2005 10.54 8/20/2005 10.62 8/27/2005 10.69 9/3/2005 10.70 9/10/2005 10.78 9/17/2005 10.88	6/4/2005	9.64		
6/18/2005 9.81 6/25/2005 9.88 7/2/2005 9.97 7/9/2005 10.17 7/16/2005 10.25 7/23/2005 10.37 7/30/2005 10.39 8/6/2005 10.43 8/13/2005 10.62 8/20/2005 10.62 8/27/2005 10.70 9/3/2005 10.78 9/17/2005 10.88	6/11/2005	9.78		
6/25/2005 9.88 7/2/2005 9.97 7/9/2005 10.17 7/16/2005 10.25 7/23/2005 10.37 7/30/2005 10.39 8/6/2005 10.43 8/13/2005 10.62 8/20/2005 10.62 8/27/2005 10.70 9/3/2005 10.78 9/10/2005 10.88	6/18/2005	9.81		
7/2/2005 9.97 7/9/2005 10.17 7/16/2005 10.25 7/23/2005 10.37 7/30/2005 10.39 8/6/2005 10.43 8/13/2005 10.62 8/20/2005 10.62 8/27/2005 10.70 9/10/2005 10.78 9/17/2005 10.88	6/25/2005	9.88		
7/9/2005 10.17 7/16/2005 10.25 7/23/2005 10.37 7/30/2005 10.39 8/6/2005 10.43 8/13/2005 10.54 8/20/2005 10.62 8/27/2005 10.69 9/3/2005 10.70 9/10/2005 10.78 9/17/2005 10.88	7/2/2005	9.00		
7/16/2005 10.17 7/16/2005 10.25 7/23/2005 10.37 7/30/2005 10.39 8/6/2005 10.43 8/13/2005 10.54 8/20/2005 10.62 8/27/2005 10.69 9/3/2005 10.70 9/10/2005 10.78 9/17/2005 10.88	7/9/2005	10.17		
7/23/2005 10.25 7/30/2005 10.37 7/30/2005 10.39 8/6/2005 10.43 8/13/2005 10.54 8/20/2005 10.62 8/27/2005 10.69 9/3/2005 10.70 9/10/2005 10.78 9/17/2005 10.88	7/16/2005	10.17		
7/2005 10.37 7/30/2005 10.39 8/6/2005 10.43 8/13/2005 10.54 8/20/2005 10.62 8/27/2005 10.69 9/3/2005 10.70 9/10/2005 10.78 9/17/2005 10.88	7/23/2005	10.25		
1/50/2005 10.39 8/6/2005 10.43 8/13/2005 10.54 8/20/2005 10.62 8/27/2005 10.69 9/3/2005 10.70 9/10/2005 10.78 9/17/2005 10.88	7/30/2005	10.39		
8/13/2005 10.43 8/13/2005 10.54 8/20/2005 10.62 8/27/2005 10.69 9/3/2005 10.70 9/10/2005 10.78 9/17/2005 10.88	8/6/2005	10.33		
8/15/2005 10.54 8/20/2005 10.62 8/27/2005 10.69 9/3/2005 10.70 9/10/2005 10.78 9/17/2005 10.88	8/0/2005	10.43		
8/27/2005 10.69 9/3/2005 10.70 9/10/2005 10.78 9/17/2005 10.88	8/20/2005	10.54		
9/3/2005 10.09 9/10/2005 10.70 9/17/2005 10.78 9/17/2005 10.88	8/27/2005	10.62		
9/10/2005 10.78 9/17/2005 10.88	0/3/2005	10.09		
9/17/2005 10.78 9/17/2005 10.88	9/3/2003	10.70		
3/1//2003 10.88	9/10/2005	10.78		
9/24/2005 10.99	9/1//2005	10.00		
$\frac{972}{10} \frac{1000}{1000} = 10.05$	912412003 10/1/2005	10.99		
10/1/2003 10.93	10/1/2003	10.95		
10/0/2003 10.72	10/0/2003	10.72		
10/13/2003 10:03	10/13/2003	10.03		
10/22/2003 10.03	10/20/2005	10.05		
10/27/2005 10.11	10/29/2003	10.11		
11/3/2005 10.43	11/12/2005	0.40		
11/19/2005 8.56	11/10/2005	9.50 8 56		

Joe Mode 4 cont.

Juc Moue -			
7 Day Averag	ges	Monthly Averages	Seasonal Averages
11/26/2005	8.02		
12/3/2005	6.07		
12/10/2005	6.35		
12/17/2005	5.81		
12/24/2005	6.93		
12/31/2005	7.39		
1/7/2006	7.32		
1/14/2006	7.05		
1/21/2006	7.03		
1/28/2006	7.60		
2/4/2006	6.10		
2/11/2006	5.84		
2/18/2006	4.71		
2/25/2006	6.40		
3/4/2006	7.76		
3/11/2006	6.85		
3/18/2006	7.12		
3/25/2006	8.14		
4/1/2006	8.50		
4/8/2006	9.10		
4/15/2006	9.10		
4/22/2006	9.37		
4/29/2006	9.41		
5/6/2006	9.41		
5/13/2006	9.45		
5/20/2006	9.69		
5/27/2006	9.84		

Joe Mode 4 cont

Magazine 7-8 1 April 2004 – 16 June 2005

7 Day Averages		Monthly Av	Monthly Averages		Seasonal Averages	
4/1/2004	9.45	Apr-04	9.62	Winter	9.62	
4/8/2004	9.50	May-04	10.04	Summer	10.68	
4/15/2004	9.67	Jun-04	10.39	Winter	10.70	
4/22/2004	9.80	Jul-04	10.73	Summer	10.83	
4/29/2004	9.85	Aug-04	10.99			
5/6/2004	9.88	Sep-04	11.27			
5/13/2004	9.97	Oct-04	11.51			
5/20/2004	10.05	Nov-04	11.58			
5/27/2004	10.16	Dec-04	10.61			
6/3/2004	10.26	Jan-05	10.30			
6/10/2004	10.30	Feb-05	10.24			
6/17/2004	10.38	Mar-05	10.10			
6/24/2004	10.45	Apr-05	10.52			
7/1/2004	10.52	May-05	10.76			
7/8/2004	10.61	Jun-05	10.98			
7/15/2004	10.70					
7/22/2004	10.78					
7/29/2004	10.84					
8/5/2004	10.89					
8/12/2004	10.93					
8/19/2004	10.98					
8/26/2004	11.05					
9/2/2004	11.13					
9/9/2004	11.19					
9/16/2004	11.26					
9/23/2004	11.33					
9/30/2004	11.38					
10/7/2004	11.41					
10/14/2004	11.48					
10/21/2004	11.48					
10/28/2004	11.61					
11/4/2004	11.70					
11/11/2004	11.63					
11/18/2004	11.54					
11/25/2004	11.63					
12/2/2004	11.33					
12/9/2004	11.24					
12/16/2004	10.98					
12/23/2004	10.38					
12/30/2004	9.71					
1/6/2005	10.59					
1/13/2005	10.61					
1/20/2005	10.16					
1/27/2005	10.01					
2/3/2005	10.05					
2/10/2005	10.25					
2/17/2005	10.28					

7 Day Avera	ges	Monthly Averages	Seasonal Averages
2/24/2005	10.25		
3/3/2005	10.12		
3/10/2005	10.01		
3/17/2005	10.06		
3/24/2005	10.22		
3/31/2005	10.36		
4/7/2005	10.51		
4/14/2005	10.59		
4/21/2005	10.59		
4/28/2005	10.62		
5/5/2005	10.59		
5/12/2005	10.72		
5/19/2005	10.80		
5/26/2005	10.87		
6/2/2005	10.93		
6/9/2005	10.98		
6/16/2005	11.03		

Magazine 7-8 cont.

Magazine Mine (entrance) 19 July 2001 – 11 November 2004

7 Day Averages		Monthly Averages		Seasonal Averages	
7/19/2001	6.99	Jul-01	6.98	Summer	7.15
7/26/2001	6.97	Aug-01	7.10	Winter	3.77
8/2/2001	7.03	Sep-01	7.29	Summer	6.71
8/9/2001	7.07	Oct-01	6.80	Winter	2.28
8/16/2001	7.12	Nov-01	6.18	Summer	6.35
8/23/2001	7.16	Dec-01	3.32	Winter	3.05
8/30/2001	7.19	Jan-02	0.80	Summer	6.61
9/6/2001	7.26	Feb-02	1.83	Winter	7.01
9/13/2001	7.29	Mar-02	2.26		
9/20/2001	7.36	Apr-02	5.13		
9/27/2001	7.36	May-02	6.24		
10/4/2001	7.26	Jun-02	6.51		
10/11/2001	7.26	Jul-02	6.74		
10/18/2001	6.77	Aug-02	6.97		
10/25/2001	6.25	Sep-02	7.11		
11/1/2001	6.58	Oct-02	6.93		
11/8/2001	6.45	Nov-02	4.26		
11/15/2001	6.60	Dec-02	0.96		
11/22/2001	5.48	Jan-03	-1.73		
11/29/2001	5.37	Feb-03	-1.01		
12/6/2001	6.19	Mar-03	1.70		
12/13/2001	5.14	Apr-03	4.70		
12/20/2001	4.05	May-03	5.63		
12/27/2001	-1.33	Jun-03	6.05		
1/3/2002	-2.61	Jul-03	6.43		
1/10/2002	0.48	Aug-03	6.69		
1/17/2002	0.38	Sep-03	6.96		
1/24/2002	1.97	Oct-03	6.86		
1/31/2002	3.35	Nov-03	5.16		
2/7/2002	1.32	Dec-03	1.81		
2/14/2002	2.18	Jan-04	-0.67		
2/21/2002	3.08	Feb-04	-0.50		
2/28/2002	-0.38	Mar-04	3.42		
3/7/2002	0.96	Apr-04	5.07		
3/14/2002	3.42	May-04	6.03		
3/21/2002	2.56	Jun-04	6.29		
3/28/2002	3.31	Jul-04	6.48		
4/4/2002	3.65	Aug-04	6.68		
4/11/2002	5.13	Sep-04	6.85		
4/18/2002	5.68	Oct-04	7.01		
4/25/2002	5.86				
5/2/2002	5.84				
5/9/2002	6.03				
5/16/2002	6.30				
5/23/2002	6.28				
5/30/2002	6.28				
6/6/2002	6.38				

7 Day Averag	ges	Monthly Averages	Seasonal Averages
6/13/2002	6.47		
6/20/2002	6.51		
6/27/2002	6.55		
7/4/2002	6.61		
7/11/2002	6.65		
7/18/2002	6.69		
7/25/2002	6.76		
8/1/2002	6.86		
8/8/2002	6.89		
8/15/2002	6.94		
8/22/2002	7.00		
8/29/2002	7.00		
9/5/2002	7.02		
9/12/2002	7.06		
9/19/2002	7.10		
9/26/2002	7.17		
10/3/2002	7.15		
10/10/2002	7.25		
10/17/2002	6.98		
10/24/2002	6.71		
10/31/2002	6.85		
11/7/2002	5.48		
11/14/2002	6.20		
11/21/2002	4.37		
11/28/2002	4.14		
12/5/2002	1.19		
12/12/2002	-0.99		
12/19/2002	1.28		
12/26/2002	3.62		
1/2/2003	-0.23		
1/9/2003	1.26		
1/16/2003	-0.01		
1/23/2003	-2.67		
1/30/2003	-5.36		
2/6/2003	0.06		
2/13/2003	-2.34		
2/20/2003	-0.64		
2/27/2003	-0.12		
3/6/2003	-1.63		
3/13/2003	-0.34		
3/20/2003	1.71		
3/27/2003	3.07		
4/3/2003	3.21		
4/10/2003	4.23		
4/17/2003	4.23		
4/24/2003	5.02		
5/1/2003	5.13		
5/8/2003	5.33		

7 Day Averag	ges	Monthly Averages	Seasonal Averages
5/15/2003	5.42		
5/22/2003	5.61		
5/29/2003	5.65		
6/5/2003	5.77		
6/12/2003	5.87		
6/19/2003	5.94		
6/26/2003	6.05		
7/3/2003	6.14		
7/10/2003	6.21		
7/17/2003	6.35		
7/24/2003	6.40		
7/31/2003	6.49		
8/7/2003	6.53		
8/14/2003	6.57		
8/21/2003	6.62		
8/28/2003	6.69		
9/4/2003	6.77		
9/11/2003	6.86		
9/18/2003	6.87		
9/25/2003	6.91		
10/2/2003	7.08		
10/9/2003	7.05		
10/16/2003	6.65		
10/23/2003	6.99		
10/30/2003	7.02		
11/6/2003	6.78		
11/13/2003	6.97		
11/20/2003	5.30		
11/27/2003	5.36		
12/4/2003	5.21		
12/11/2003	3.17		
12/18/2003	3.32		
12/25/2003	0.78		
1/1/2004	1.37		
1/8/2004	1.30		
1/15/2004	2.69		
1/22/2004	-0.86		
1/29/2004	-0.20		
2/5/2004	-1.23		
2/12/2004	-5.52		
2/19/2004	-1.02		
2/20/2004	-1.19		
3/4/2004 3/11/2004	0.90		
3/11/2004	2.44		
3/10/2004	3.44 2.55		
3/23/2004 1/1/2001	2.55		
4/1/2004	5.20 4.65		
+/0/2004	4.05		

7 Day Averag	es	Monthly Averages	Seasonal Averages
4/15/2004	4.31		
4/22/2004	4.91		
4/29/2004	5.28		
5/6/2004	5.58		
5/13/2004	5.75		
5/20/2004	5.92		
5/27/2004	5.97		
6/3/2004	6.01		
6/10/2004	6.11		
6/17/2004	6.22		
6/24/2004	6.26		
7/1/2004	6.26		
7/8/2004	6.34		
7/15/2004	6.41		
7/22/2004	6.42		
7/29/2004	6.45		
8/5/2004	6.47		
8/12/2004	6.58		
8/19/2004	6.61		
8/26/2004	6.64		
9/2/2004	6.69		
9/9/2004	6.72		
9/16/2004	6.73		
9/23/2004	6.81		
9/30/2004	6.84		
10/7/2004	6.87		
10/14/2004	6.93		
10/21/2004	6.96		
10/28/2004	7.09		
11/4/2004	6.91		
11/11/2004	7.13		

27 July 2005 – 21 June 2006

7 Day Averages		Monthly Aver	ages	Seasonal Av	erages	
7/27/2005	6.97	Jul-05	7.00	Summer	7.11	
8/3/2005	6.95	Aug-05	7.02	Winter	3.33	
8/10/2005	7.02	Sep-05	7.21	Summer	6.26	
8/17/2005	7.05	Oct-05	7.01			
8/24/2005	7.09	Nov-05	4.79			
8/31/2005	7.12	Dec-05	-0.09			
9/7/2005	7.16	Jan-06	2.85			
9/14/2005	7.21	Feb-06	-0.07			
9/21/2005	7.25	Mar-06	3.13			
9/28/2005	7.49	Apr-06	5.49			
10/5/2005	7.35	May-06	6.16			
10/12/2005	7.19	Jun-06	6.45			
10/19/2005	7.33					
10/26/2005	6.52					

7 Day Averag	ges	Monthly Averages	Seasonal Averages
11/2/2005	6.60		
11/9/2005	6.84		
11/16/2005	4.45		
11/23/2005	3.25		
11/30/2005	1.98		
12/7/2005	-1.92		
12/14/2005	0.10		
12/21/2005	-1.06		
12/28/2005	2.19		
1/4/2006	3.21		
1/11/2006	3.36		
1/18/2006	2.33		
1/25/2006	1.97		
2/1/2006	3.93		
2/8/2006	-0.58		
2/15/2006	0.19		
2/22/2006	-2.14		
3/1/2006	1.48		
3/8/2006	2.95		
3/15/2006	4.33		
3/22/2006	2.17		
3/29/2006	3.40		
4/5/2006	5.02		
4/12/2006	5.26		
4/19/2006	5.69		
4/26/2006	5.84		
5/3/2006	6.01		
5/10/2006	5.98		
5/17/2006	6.10		
5/24/2006	6.17		
5/31/2006	6.31		
6/7/2006	6.36		
6/14/2006	6.44		

6/21/2006

6.52

Magazine Mine (pip dome) 26 October 2003 – 27 January 2006

7 Day Average	s	Monthly Avera	ages	Seasonal Aver	ages
10/26/2003	9.70	Oct-03	12.70	Winter	9.67
11/2/2003	9.69	Nov-03	9.68	Summer	9.87
11/9/2003	9.67	Dec-03	9.58	Winter	9.87
11/16/2003	9.67	Jan-04	9.47	Summer	9.97
11/23/2003	9.65	Feb-04	9.35	Winter	9.90
11/30/2003	9.62	Mar-04	9.46	Summer	10.00
12/7/2003	9.58	Apr-04	9.62		
12/14/2003	9.55	May-04	9.74		
12/21/2003	9.53	Jun-04	9.82		
12/28/2003	9.53	Jul-04	9.90		
1/4/2004	9.49	Aug-04	9.95		
1/11/2004	9.47	Sep-04	9.96		
1/18/2004	9.41	Oct-04	9,97		
1/25/2004	9.36	Nov-04	10.04		
2/1/2004	9.34	Dec-04	9.95		
2/8/2004	9.33	Jan-05	9.81		
2/15/2004	9.35	Feb-05	9.76		
2/22/2004	9.38	Mar-05	9.75		
2/29/2004	9.42	Apr-05	9.83		
3/7/2004	9.45	May-05	9.88		
3/14/2004	9.48	Jun-05	9.94		
3/21/2004	9.55	Jul-05	10.00		
3/28/2004	9.60	Aug-05	10.01		
4/4/2004	9.64	Sep-05	10.01		
4/11/2004	9.67	Oct-05	10.01		
4/18/2004	9.68	Nov-05	10.05		
4/25/2004	9.69	Dec-05	9.89		
5/2/2004	9.72	Jan-06	9.86		
5/9/2004	9.74	Feb-06	9.79		
5/16/2004	9.77	Mar-06	9.79		
5/23/2004	9.78	Apr-06	9.86		
5/30/2004	9.80	May-06	9.93		
6/6/2004	9.82	Jun-06	9.99		
6/13/2004	9.84	Jul-06	10.04		
6/20/2004	9.85	Aug-06	10.05		
6/27/2004	9.88	U			
7/4/2004	9.90				
7/11/2004	9.91				
7/18/2004	9.93				
7/25/2004	9.94				
8/1/2004	9.95				
8/8/2004	9.95				
8/15/2004	9.96				
8/22/2004	9.96				
8/29/2004	9.96				
9/5/2004	9.97				
9/12/2004	9.97				

7 Day Average	es	Monthly Averages	Seasonal Averages
9/19/2004	9.95		
9/26/2004	9.94		
10/3/2004	9.95		
10/10/2004	9.93		
10/17/2004	9.98		
10/24/2004	10.01		
10/31/2004	10.04		
11/7/2004	10.05		
11/14/2004	10.04		
11/21/2004	10.04		
11/28/2004	10.03		
12/5/2004	10.01		
12/12/2004	9.99		
12/19/2004	9.93		
12/26/2004	9.85		
1/2/2005	9.86		
1/9/2005	9.85		
1/16/2005	9.81		
1/23/2005	9.76		
1/30/2005	9.74		
2/6/2005	9.76		
2/13/2005	9.76		
2/20/2005	9.77		
2/27/2005	9.76		
3/6/2005	9.75		
3/13/2005	9.75		
3/20/2005	9.77		
3/27/2005	9.79		
4/3/2005	9.82		
4/10/2005	9.84		
4/17/2005	9.85		
4/24/2005	9.86		
5/1/2005	9.86		
5/8/2005	9.87		
5/15/2005	9.89		
5/22/2005	9.89		
5/29/2005	9.91		
6/5/2005	9.93		
6/12/2005	9.94		
6/19/2005	9.94		
6/26/2005	9.96		
7/3/2005	9.97		
7/10/2005	9.98		
7/17/2005	9.99		
7/24/2005	10.06		
7/31/2005	10.01		
8/7/2005	10.00		
8/14/2005	10.01		

Magazine Mine (pip dome) cont.

<u>7 Day A</u> verag	es	Monthly Averages	Seasonal Averages
8/21/2005	10.01		
8/28/2005	10.01		
9/4/2005	10.02		
9/11/2005	10.03		
9/18/2005	10.00		
9/25/2005	10.00		
10/2/2005	9.99		
10/9/2005	9.98		
10/16/2005	10.01		
10/23/2005	10.00		
10/30/2005	10.04		
11/6/2005	10.05		
11/13/2005	10.08		
11/20/2005	10.08		
11/27/2005	10.04		
12/4/2005	10.01		
12/11/2005	9.94		
12/18/2005	9.90		
12/25/2005	9.86		
1/1/2006	9.85		
1/8/2006	9.87		
1/15/2006	9.87		
1/22/2006	9.86		
1/29/2006	9.86		
2/5/2006	9.85		
2/12/2006	9.84		
2/19/2006	9.80		
2/26/2006	9.75		
3/5/2006	9.75		
3/12/2006	9.80		
3/19/2006	9.80		
3/26/2006	9.79		
4/2/2006	9.82		
4/9/2006	9.84		
4/16/2006	9.87		
4/23/2006	9.89		
4/30/2006	9.90		
5/7/2006	9.91		
5/14/2006	9.92		
5/21/2006	9.93		
5/28/2006	9.95		
6/4/2006	9.96		
6/11/2006	9.97		
6/18/2006	9.99		
6/25/2006	10.00		
7/2/2006	10.01		
7/9/2006	10.02		
7/16/2006	10.04		

Magazine Mine (pip dome) cont.

7 Day Averages	Monthly Averages	Seasonal Averages
7/23/2006 10.04	Ļ	
7/30/2006 10.05	i	
8/6/2006 10.05	i la	
8/13/2006 10.05	i	
8/20/2006 10.05	i	
8/27/2006 10.00)	

Magazine Mine (pip dome) cont.

Magazine Mine (rm 7) 10 Ocotber 2001 –24 March 2004

7 Day Average	S	Monthly Average	ges	Seasonal Aver	ages
10/10/2001	7.77	Oct-01	7.49	Winter	5.79
10/17/2001	7.48	Nov-01	7.15	Summer	7.74
10/24/2001	7.25	Dec-01	6.28	Winter	5.36
10/31/2001	7.37	Jan-02	4.51	Summer	7.37
11/7/2001	7.16	Feb-02	4.84	Winter	5.93
11/14/2001	7.23	Mar-02	4.72		
11/21/2001	7.00	Apr-02	6.04		
11/28/2001	6.83	May-02	6.88		
12/5/2001	6.86	Jun-02	7.51		
12/12/2001	6.75	Jul-02	7.91		
12/19/2001	6.09	Aug-02	8.14		
12/26/2001	4.58	Sep-02	8.26		
1/2/2002	3.92	Oct-02	7.90		
1/9/2002	4.59	Nov-02	6.95		
1/16/2002	4.46	Dec-02	5.27		
1/23/2002	4.96	Jan-03	3.89		
1/30/2002	4.97	Feb-03	3.37		
2/6/2002	4.79	Mar-03	4.26		
2/13/2002	4.89	Apr-03	5.75		
2/20/2002	5.02	May-03	6.55		
2/27/2002	4.01	Jun-03	6.97		
3/6/2002	4.55	Jul-03	7.53		
3/13/2002	4.84	Aug-03	7.83		
3/20/2002	5.21	Sep-03	8.01		
3/27/2002	5.33	Oct-03	8.10		
4/3/2002	6.09	Nov-03	7.82		
4/10/2002	6.51	Dec-03	6.42		
4/17/2002	6.43	Jan-04	5.21		
4/24/2002	6.66	Feb-04	3.66		
5/1/2002	6.90	Mar-04	4.92		
5/8/2002	6.84	Apr-04	5.73		
5/15/2002	7.02				
5/22/2002	7.34				
5/29/2002	7.38				
6/5/2002	7.41				
6/12/2002	7.62				
6/19/2002	7.72				
6/26/2002	7.83				
7/3/2002	7.80				
7/10/2002	7.93				
7/17/2002	8.06				
7/24/2002	8.15				
//31/2002	8.09				
8/7/2002	8.15				
8/14/2002	8.17				
8/21/2002	8.18				
8/28/2002	8.30				

7 Day Average	S	Monthly Averages	Seasonal Averages
9/4/2002	8.34		
9/11/2002	8.23		
9/18/2002	8.16		
9/25/2002	8.25		
10/2/2002	7.98		
10/9/2002	7.74		
10/16/2002	7.73		
10/23/2002	7.36		
10/30/2002	7.44		
11/6/2002	7.10		
11/13/2002	6.80		
11/20/2002	6.00		
11/27/2002	5.07		
12/4/2002	5.15		
12/11/2002	5.81		
12/18/2002	4.91		
12/25/2002	5.07		
1/1/2003	4.75		
1/8/2003	3.73		
1/15/2003	2.71		
1/22/2003	3.31		
1/29/2003	3.14		
2/5/2003	3.40		
2/12/2003	3.60		
2/19/2003	3.21		
2/26/2003	4.06		
3/5/2003	4.76		
3/12/2003	4.98		
3/19/2003	5.44		
3/26/2003	5.43		
4/2/2003	5.99		
4/9/2003	5.97		
4/16/2003	6.29		
4/23/2003	6.33		
4/30/2003	6.58		
5/7/2003	6.62		
5/14/2003	6.60		
5/21/2003	6.71		
5/28/2003	6.87		
6/4/2003	7.08		
6/11/2003	7.04		
6/18/2003	7.14		
6/25/2003	7.38		
7/2/2003	7.40		
7/9/2003	7.68		
7/16/2003	7.73		
7/23/2003	7.75		
7/30/2003	7.72		

Magazine Mine (rm 7) cont.

7 Day Average	S	Monthly Averages	Seasonal Averages
8/6/2003	7.87		
8/13/2003	7.92		
8/20/2003	7.92		
8/27/2003	7.78		
9/3/2003	7.88		
9/10/2003	8.27		
9/17/2003	8.21		
9/24/2003	7.96		
10/1/2003	8.17		
10/8/2003	8.17		
10/15/2003	8.06		
10/22/2003	8.21		
10/29/2003	7.64		
11/5/2003	7.46		
11/12/2003	7.59		
11/19/2003	6.77		
11/26/2003	6.54		
12/3/2003	5.91		
12/10/2003	5.66		
12/17/2003	5.51		
12/24/2003	5.95		
12/31/2003	4.69		
1/7/2004	4.79		
1/14/2004	4.21		
1/21/2004	3.34		
1/28/2004	3.52		
2/4/2004	3.65		
2/11/2004	4.18		
2/18/2004	4.59		
2/25/2004	5.10		
3/3/2004	5.36		
3/10/2004	5.89		

Magazine Mine (rm 7) cont.

10 October 2005 – 3 July 2006

5.76

3/17/2004

7 Day Averages		Monthly Ave	Monthly Averages		Seasonal Averages	
10/10/2005	8.96	Oct-05	8.58	Winter	6.42	
10/17/2005	8.71	Nov-05	7.82	Summer	7.83	
10/24/2005	8.10	Dec-05	5.33			
10/31/2005	8.51	Jan-06	5.97			
11/7/2005	8.51	Feb-06	5.01			
11/14/2005	7.60	Mar-06	5.74			
11/21/2005	7.05	Apr-06	7.04			
11/28/2005	6.36	May-06	7.50			
12/5/2005	4.93	Jun-06	8.06			
12/12/2005	5.36	Jul-06	8.30			
12/19/2005	4.97					
12/26/2005	5.70					

7 Day Averages		Monthly Averages	Seasonal Averages
1/2/2006	5.98		
1/9/2006	6.00		
1/16/2006	6.00		
1/23/2006	5.90		
1/30/2006	6.00		
2/6/2006	5.07		
2/13/2006	4.78		
2/20/2006	4.44		
2/27/2006	5.19		
3/6/2006	5.81		
3/13/2006	5.59		
3/20/2006	6.19		
3/27/2006	6.61		
4/3/2006	7.16		
4/10/2006	7.30		
4/17/2006	7.29		
4/24/2006	7.33		
5/1/2006	7.29		
5/8/2006	7.41		
5/15/2006	7.77		
5/22/2006	7.92		
5/29/2006	7.98		
6/5/2006	8.04		
6/12/2006	8.21		
6/19/2006	8.19		
6/26/2006	8.29		

Magazine Mine (rm 7) cont.
Magazine Mine (rm 7G) 18 September 2003 – 26 August 2006

7 Day Averages		Monthly Averages		Seasonal Averages		
9/18/2003	6.45	Sep-03	6.46	Summer	6.46	
9/25/2003	6.48	Oct-03	6.55	Winter	4.12	
10/2/2003	6.49	Nov-03	5.97	Summer	6.11	
10/9/2003	6.54	Dec-03	3.88	Winter	4.48	
10/16/2003	6.58	Jan-04	2.10	Summer	6.29	
10/23/2003	6.58	Feb-04	1.49	Winter	4.38	
10/30/2003	6.63	Mar-04	3.83	Summer	6.19	
11/6/2003	6 20	Apr-04	4 92			
11/13/2003	6.03	May-04	5 54			
11/20/2003	5 99	Jun-04	5.91			
11/27/2003	4 96	Jul-04	6.17			
12/4/2003	4.87	Aug-04	6 38			
12/11/2003	3 58	Sep-04	6.57			
12/18/2003	3.46	Oct-04	6.71			
12/25/2003	3 34	Nov-04	6.54			
1/1/2004	3.07	Dec 04	3.41			
1/1/2004	1.08	Lop 05	2 20			
1/8/2004	1.90	Jaii-03 Eab 05	2.29			
1/13/2004	2.41	Nor 05	3.37			
1/22/2004	0.10	Apr 05	5.00			
1/29/2004	0.19	Apr-05	5.22			
2/3/2004	0.78	May-05	5.74			
2/12/2004	1.14	Jun-05	6.09			
2/19/2004	2.19	Jui-05	6.34			
2/26/2004	2.79	Aug-05	6.54			
3/4/2004	3.65	Sep-05	6.71			
3/11/2004	3.55	Oct-05	6.84			
3/18/2004	3.89	Nov-05	5.83			
3/25/2004	4.30	Dec-05	2.57			
4/1/2004	4.54	Jan-06	4.05			
4/8/2004	4.80	Feb-06	2.32			
4/15/2004	4.95	Mar-06	3.81			
4/22/2004	5.16	Apr-06	5.11			
4/29/2004	5.27	May-06	5.74			
5/6/2004	5.36	Jun-06	6.11			
5/13/2004	5.48	Jul-06	6.36			
5/20/2004	5.59	Aug-06	6.47			
5/27/2004	5.68					
6/3/2004	5.77					
6/10/2004	5.84					
6/17/2004	5.91					
6/24/2004	5.97					
7/1/2004	6.03					
7/8/2004	6.09					
7/15/2004	6.14					
7/22/2004	6.20					
7/29/2004	6.25					
8/5/2004	6.30					

7 Day Averag	es	Monthly Averages	Seasonal Averages
8/12/2004	6.34		
8/19/2004	6.38		
8/26/2004	6.44		
9/2/2004	6.48		
9/9/2004	6.52		
9/16/2004	6.56		
9/23/2004	6.60		
9/30/2004	6.64		
10/7/2004	6.65		
10/14/2004	6.69		
10/21/2004	6.71		
10/28/2004	6.75		
11/4/2004	6.78		
11/11/2004	6.74		
11/18/2004	6.49		
11/25/2004	6.58		
12/2/2004	5.94		
12/9/2004	5.75		
12/16/2004	4.51		
12/23/2004	2.38		
12/30/2004	0.54		
1/6/2005	3.18		
1/13/2005	3.48		
1/20/2005	1.09		
1/27/2005	1.57		
2/3/2005	2.32		
2/10/2005	3.21		
2/17/2005	3.44		
2/24/2005	3.55		
3/3/2005	3.25		
3/10/2005	3.57		
3/17/2005	3.41		
3/24/2005	4.07		
3/31/2005	4.05		
4/1/2005	4.93		
4/14/2005	5.16		
4/21/2005	5.33		
4/28/2005	5.39 5.50		
5/12/2005	5.5U 5.55		
5/12/2005	3.33 5.49		
5/19/2005	J.08 5 79		
5/20/2005	5.78 5.97		
0/2/2005	J.87 5.05		
6/16/2005	J.7J 6 02		
0/10/2005	0.03		
6/20/2005	0.09 6.15		
0/30/2003	0.13		
11112005	0.21		

7 Day Averag	ges	Monthly Averages	Seasonal Averages
7/14/2005	6.27		
7/21/2005	6.32		
7/28/2005	6.37		
8/4/2005	6.42		
8/11/2005	6.47		
8/18/2005	6.51		
8/25/2005	6.55		
9/1/2005	6.59		
9/8/2005	6.64		
9/15/2005	6.67		
9/22/2005	6.71		
9/29/2005	6.74		
10/6/2005	6.78		
10/13/2005	6.81		
10/20/2005	6.87		
10/27/2005	6.90		
11/3/2005	6.81		
11/10/2005	6.79		
11/17/2005	6.83		
11/24/2005	5.87		
12/1/2005	5.05		
12/8/2005	4.25		
12/15/2005	1.90		
12/22/2005	2.53		
12/29/2005	1.96		
1/5/2006	3.52		
1/12/2006	4.09		
1/19/2006	4.24		
1/26/2006	3.88		
2/2/2006	3.81		
2/9/2006	4.41		
2/16/2006	2.57		
2/23/2006	2.41		
3/2/2006	0.98		
3/9/2006	2.70		
3/16/2006	3.54		
3/23/2006	4.23		
3/30/2006	3.74		
4/6/2006	4.02		
4/13/2006	4.73		
4/20/2006	4.98		
4/27/2006	5.23		
5/4/2006	5.40		
5/11/2006	5.49		
5/18/2006	5.57		
5/25/2006	5.68		
6/1/2006	5.78		
6/8/2006	5.87		

7 Day Averag	ges	Monthly Averages	Seasonal Averages
6/15/2006	5.96		
6/22/2006	6.04		
6/29/2006	6.11		
7/6/2006	6.17		
7/13/2006	6.23		
7/20/2006	6.29		
7/27/2006	6.34		
8/3/2006	6.39		
8/10/2006	6.45		
8/17/2006	6.50		
8/24/2006	6.54		

Magazine Mine (rm 11A - bachelors) 25 October 2003 – 18 October 2004

7 Day Averag	ges	Monthly Av	erages	Seasonal Averages	
10/25/2003	9.76	Oct-03	9.76	Winter	8.89
11/1/2003	9.71	Nov-03	9.59	Summer	9.59
11/8/2003	9.60	Dec-03	9.14	Winter	10.09
11/15/2003	9.57	Jan-04	8.70		
11/22/2003	9.51	Feb-04	8.25		
11/29/2003	9.36	Mar-04	8.57		
12/6/2003	9.27	Apr-04	8.87		
12/13/2003	9.09	Mav-04	9.16		
12/20/2003	8.98	Jun-04	9.40		
12/27/2003	8.98	Jul-04	9.65		
1/3/2004	8.89	Aug-04	9.78		
1/10/2004	8.74	Sep-04	9.99		
1/17/2004	8.62	Oct-04	10.09		
1/24/2004	8.45	0	10103		
1/31/2004	8.26				
2/7/2004	8.21				
2/14/2004	8 22				
2/21/2004	8 29				
2/28/2004	8.45				
3/6/2004	8.52				
3/13/2004	8.52				
3/20/2004	8.62				
3/27/2004	8 79				
4/3/2004	8 85				
4/10/2004	8.94				
4/17/2004	8.97				
4/24/2004	9.03				
5/1/2004	9.11				
5/8/2004	915				
5/15/2004	9.15				
5/22/2004	9.32				
5/29/2004	9.32				
6/5/2004	9.41				
6/12/2004	9.45				
6/19/2004	9.49				
6/26/2004	9.57				
7/3/2004	9.65				
7/10/2004	9.69				
7/17/2004	9.70				
7/24/2004	9.73				
7/31/2004	9.75				
8/7/2004	9.74				
8/14/2004	9.83				
8/21/2004	9.86				
8/28/2004	9.80				
9/4/2004	9.01				
9/11/2004	10.07				
2/11/200 1	10.07				

Magazine Mine (bachelors) cont.

7 Day Avera	ges	Monthly Averages	Seasonal Averages
9/18/2004	10.25		
9/25/2004	10.11		
10/2/2004	10.16		
10/9/2004	9.92		

10 October 2005 – 19 June 2006

7 Day Averag	es	Monthly Av	erages	Seasonal Av	erages
10/10/2005	10.16	Oct-05	10.04	Winter	9.16
10/17/2005	10.10	Nov-05	9.74	Summer	9.35
10/24/2005	9.88	Dec-05	9.06		
10/31/2005	9.87	Jan-06	8.99		
11/7/2005	9.85	Feb-06	8.74		
11/14/2005	9.73	Mar-06	8.76		
11/21/2005	9.59	Apr-06	9.05		
11/28/2005	9.43	May-06	9.25		
12/5/2005	9.12	Jun-06	9.50		
12/12/2005	9.03				
12/19/2005	8.91				
12/26/2005	8.96				
1/2/2006	9.01				
1/9/2006	9.00				
1/16/2006	8.98				
1/23/2006	8.98				
1/30/2006	8.99				
2/6/2006	8.80				
2/13/2006	8.69				
2/20/2006	8.56				
2/27/2006	8.65				
3/6/2006	8.76				
3/13/2006	8.75				
3/20/2006	8.83				
3/27/2006	8.94				
4/3/2006	9.05				
4/10/2006	9.12				
4/17/2006	9.15				
4/24/2006	9.19				
5/1/2006	9.22				
5/8/2006	9.25				
5/15/2006	9.30				
5/22/2006	9.42				
5/29/2006	9.49				
6/5/2006	9.54				
6/12/2006	9.56				

Magazine Mine (rm 12) 18 September 2003 – 31 August 2006

7 Day Averages		Monthly Averages		Seasonal Averages	
9/18/2003	6.90	Sep-03	6.92	Summer	6.92
9/25/2003	6.95	Oct-03	6.99	Winter	5.18
10/2/2003	6.93	Nov-03	6.62	Summer	6.42
10/9/2003	7.09	Dec-03	5.32	Winter	5.45
10/16/2003	7.01	Jan-04	4.07	Summer	6.57
10/23/2003	6.95	Feb-04	3.21	Winter	5.37
10/30/2003	6.92	Mar-04	4.59	Summer	6.41
11/6/2003	6.77	Apr-04	5.38		
11/13/2003	6.63	Mav-04	5.88		
11/20/2003	6.64	Jun-04	6.20		
11/27/2003	6.12	Jul-04	6.45		
12/4/2003	5.94	Aug-04	6.65		
12/11/2003	5.31	Sep-04	6.92		
12/18/2003	5.01	Oct-04	7.14		
12/25/2003	4.87	Nov-04	7.00		
1/1/2004	5.18	Dec-04	5.24		
1/8/2004	4.07	Jan-05	3.99		
1/15/2004	4.23	Feb-05	4.42		
1/22/2004	3.63	Mar-05	4.76		
1/29/2004	2.82	Apr-05	5.63		
2/5/2004	2.89	Mav-05	6.06		
2/12/2004	3.03	Jun-05	6.37		
2/19/2004	3.48	Jul-05	6.59		
2/26/2004	3.88	Aug-05	6.79		
3/4/2004	4.38	Sep-05	7.05		
3/11/2004	4.48	Oct-05	7.23		
3/18/2004	4.68	Nov-05	6.64		
3/25/2004	4.89	Dec-05	4.42		
4/1/2004	5.09	Jan-06	5.03		
4/8/2004	5.28	Feb-06	4.07		
4/15/2004	5.41	Mar-06	4.68		
4/22/2004	5.56	Apr-06	5.50		
4/29/2004	5.65	Mav-06	6.02		
5/6/2004	5.73	Jun-06	6.34		
5/13/2004	5.82	Jul-06	6.57		
5/20/2004	5.91	Aug-06	6.69		
5/27/2004	6.00	0			
6/3/2004	6.07				
6/10/2004	6.14				
6/17/2004	6.21				
6/24/2004	6.26				
7/1/2004	6.32				
7/8/2004	6.37				
7/15/2004	6.44				
7/22/2004	6.48				
7/29/2004	6.52				
8/5/2004	6.56				

7 Day Averag	ges	Monthly Averages	Seasonal Averages
8/12/2004	6.61		
8/19/2004	6.65		
8/26/2004	6.70		
9/2/2004	6.74		
9/9/2004	6.78		
9/16/2004	6.88		
9/23/2004	7.00		
9/30/2004	7.12		
10/7/2004	7.12		
10/14/2004	7.18		
10/21/2004	7.14		
10/28/2004	7.12		
11/4/2004	7.09		
11/11/2004	7.08		
11/18/2004	6.98		
11/25/2004	7.02		
12/2/2004	6.75		
12/9/2004	6.57		
12/16/2004	6.08		
12/23/2004	4.78		
12/30/2004	3.33		
1/6/2005	4.42		
1/13/2005	4.64		
1/20/2005	3.61		
1/27/2005	3.49		
2/3/2005	3.78		
2/10/2005	4.28		
2/17/2005	4.43		
2/24/2005	4.58		
3/3/2005	4.52		
3/10/2005	4.59		
3/17/2005	4.55		
3/24/2005	4.81		
3/31/2005	5.15		
4/1/2005	5.38		
4/14/2005	5.56		
4/21/2005	5.70		
4/28/2005	5.78		
5/5/2005	5.86		
5/12/2005	5.91		
5/19/2005	6.01		
5/26/2005	6.09		
6/2/2005	6.17		
6/9/2005	6.24		
6/16/2005	6.31		
6/23/2005	6.36		
6/30/2005	6.42		
7/7/2005	6.47		

7 Day Averag	jes	Monthly Averages	Seasonal Averages
7/14/2005	6.52		
7/21/2005	6.57		
7/28/2005	6.62		
8/4/2005	6.67		
8/11/2005	6.71		
8/18/2005	6.76		
8/25/2005	6.79		
9/1/2005	6.83		
9/8/2005	6.87		
9/15/2005	6.93		
9/22/2005	7.03		
9/29/2005	7.14		
10/6/2005	7.22		
10/13/2005	7.33		
10/20/2005	7.27		
10/27/2005	7.24		
11/3/2005	7.13		
11/10/2005	7.09		
11/17/2005	7.11		
11/24/2005	6.79		
12/1/2005	6.25		
12/8/2005	5.77		
12/15/2005	4.52		
12/22/2005	4.25		
12/29/2005	4.03		
1/5/2006	4.58		
1/12/2006	4.98		
1/19/2006	5.08		
1/26/2006	4.99		
2/2/2006	4.98		
2/9/2006	5.17		
2/16/2006	4.49		
2/23/2006	4.10		
3/2/2006	3.30		
3/9/2006	3.93		
3/16/2006	4.39		
3/23/2006	4.83		
3/30/2006	4.77		
4/6/2006	4.80		
4/13/2006	5.18		
4/20/2006	5.39		
4/27/2006	5.57		
5/4/2006	5.72		
5/11/2006	5.79		
5/18/2006	5.86		
5/25/2006	5.96		
6/1/2006	6.05		
6/8/2006	6.13		

7 Day Avera	ges	Monthly Averages	Seasonal Averages
6/15/2006	6.21		
6/22/2006	6.27		
6/29/2006	6.34		
7/6/2006	6.40		
7/13/2006	6.45		
7/20/2006	6.50		
7/27/2006	6.55		
8/3/2006	6.60		
8/10/2006	6.65		
8/17/2006	6.70		
8/24/2006	6.73		
8/31/2006	6.77		

Magazine Mine (rm 12B) 18 September 2000 – 9 December 2005

7 Day Averages		Monthly Ave	Monthly Averages		Seasonal Averages	
9/18/2000	7.25	Sep-00	7.17	Summer	7.17	
9/25/2000	7.08	Oct-00	7.00	Winter	6.82	
10/2/2000	7.17	Nov-00	6.96	Summer	6.04	
10/9/2000	7.20	Dec-00	7.09	Winter	6.70	
10/16/2000	7.13	Jan-01	7.07	Summer	5.93	
10/23/2000	6.66	Feb-01	6.04	Winter	6.86	
10/30/2000	6.74	Mar-01	5.04	Summer	5.62	
11/6/2000	6.91	Apr-01	4.40	Winter	4.85	
11/13/2000	7.00	May-01	5.36	Summer	6.34	
11/20/2000	7.00	Jun-01	5.80	Winter	5.16	
11/27/2000	7.04	Jul-01	6.11	Summer	6.51	
12/4/2000	7.08	Aug-01	6.37	Winter	6.45	
12/11/2000	7.08	Sep-01	6.59			
12/18/2000	7.11	Oct-01	6.78			
12/25/2000	7.09	Nov-01	6.79			
1/1/2001	7.09	Dec-01	6.64			
1/8/2001	7.10	Jan-02	6.64			
1/15/2001	7.09	Feb-02	6.65			
1/22/2001	7.10	Mar-02	6.41			
1/29/2001	6.78	Apr-02	6.41			
2/5/2001	6.66	Mav-02	5.65			
2/12/2001	6.18	Jun-02	5.81			
2/19/2001	5.53	Jul-02	5.95			
2/26/2001	5.02	Aug-02	6.08			
3/5/2001	4.34	Sep-02	6.18			
3/12/2001	5.06	Oct-02	7.05			
3/19/2001	5.41	Nov-02	7.01			
3/26/2001	5.42	Dec-02	7.01			
4/2/2001	5.11	Jan-03	6.73			
4/9/2001	4.39	Feb-03	6.52			
4/16/2001	3.95	Mar-03	5.77			
4/23/2001	4.16	Apr-03	4.19			
4/30/2001	4.35	May-03	5.30			
5/7/2001	5.14	Jun-03	5.48			
5/14/2001	5.28	Jul-03	5.64			
5/21/2001	5.41	Aug-03	5.77			
5/28/2001	5.52	Sep-03	5.89			
6/4/2001	5.62	Oct-03	6.84			
6/11/2001	5.71	Nov-03	6.45			
6/18/2001	5.80	Dec-03	4.88			
6/25/2001	5.87	Jan-04	3.45			
7/2/2001	5.95	Feb-04	2.65			
7/9/2001	6.02	Mar-04	4.36			
7/16/2001	6.09	Apr-04	5.25			
7/23/2001	6.15	Mav-04	5.80			
7/30/2001	6.21	Jun-04	6.14			
8/6/2001	6.27	Jul-04	6.39			

7 Day Averag	7 Day Averages Monthly Averages		erages	Seasonal Averages
8/13/2001	6.32	Aug-04	6.59	<u>v</u>
8/20/2001	6.37	Sep-04	6.80	
8/27/2001	6.43	Oct-04	6.98	
9/3/2001	6.47	Nov-04	6.85	
9/10/2001	6.52	Dec-04	4.66	
9/17/2001	6.56	Jan-05	3.46	
9/24/2001	6.66	Feb-05	4.10	
10/1/2001	6.69	Mar-05	4.50	
10/8/2001	6.75	Apr-05	5.55	
10/15/2001	6.80	May-05	6.00	
10/22/2001	6.74	Jun-05	6.33	
10/29/2001	6.80	Jul-05	6.56	
11/5/2001	6.83	Aug-05	6.75	
11/12/2001	6.84	Sep-05	6.94	
11/19/2001	6.78	Oct-05	7.11	
11/26/2001	6.70	Nov-05	6.44	
12/3/2001	6.81	Dec-05	4.06	
12/10/2001	6.83			
12/17/2001	6.82			
12/24/2001	6.46			
12/31/2001	6.44			
1/7/2002	6.58			
1/14/2002	6.64			
1/21/2002	6.65			
1/28/2002	6.66			
2/4/2002	6.63			
2/11/2002	6.60			
2/18/2002	6.65			
2/25/2002	6.70			
3/4/2002	6.52			
3/11/2002	6.26			
3/18/2002	6.48			
3/25/2002	6.54			
4/1/2002	6.39			
4/8/2002	6.33			
4/15/2002	6.44			
4/22/2002	6.53			
4/29/2002	6.47			
5/6/2002	5.94			
5/13/2002	5.57			
5/20/2002	5.62			
5/27/2002	5.66			
6/3/2002	5.71			
6/10/2002	5.74			
6/17/2002	5.78			
6/24/2002	5.82			
7/1/2002	5.84			
7/8/2002	5.87			

7 Day Averag	es	Monthly Averages	Seasonal Averages
7/15/2002	5.90		
7/22/2002	5.94		
7/29/2002	5.97		
8/5/2002	6.00		
8/12/2002	6.03		
8/19/2002	6.06		
8/26/2002	6.08		
9/2/2002	6.10		
9/9/2002	6.13		
9/16/2002	6.15		
9/23/2002	6.18		
9/30/2002	6.20		
10/7/2002	6.23		
10/14/2002	7.06		
10/21/2002	7.07		
10/28/2002	7.04		
11/4/2002	7.04		
11/11/2002	7.04		
11/18/2002	7.02		
11/25/2002	6.98		
12/2/2002	6.99		
12/9/2002	7.00		
12/16/2002	7.01		
12/23/2002	7.02		
12/30/2002	7.01		
1/6/2003	7.01		
1/13/2003	6.83		
1/20/2003	6.59		
1/27/2003	6.74		
2/3/2003	6.75		
2/10/2003	6.86		
2/17/2003	6.69		
2/24/2003	6.69		
3/3/2003	6.16		
3/10/2003	6.30		
3/17/2003	6.19		
3/24/2003	6.05		
3/31/2003	5.34		
4/7/2003	5.24		
4/14/2003	4.84		
4/21/2003	4.44		
4/28/2003	3.66		
5/5/2003	3.90		
5/12/2003	4.04		
5/19/2003	5.22		
5/26/2003	5.27		
6/2/2003	5.31		
6/9/2003	5.36		

7 Day Averag	jes	Monthly Averages	Seasonal Averages
6/16/2003	5.40		
6/23/2003	5.44		
6/30/2003	5.48		
7/7/2003	5.52		
7/14/2003	5.56		
7/21/2003	5.59		
7/28/2003	5.63		
8/4/2003	5.65		
8/11/2003	5.68		
8/18/2003	5.73		
8/25/2003	5.75		
9/1/2003	5.77		
9/8/2003	5.80		
9/15/2003	5.83		
9/22/2003	5.86		
9/29/2003	5.88		
10/6/2003	5.91		
10/13/2003	5.93		
10/20/2003	6.76		
10/27/2003	6.88		
11/3/2003	6.87		
11/10/2003	6.85		
11/17/2003	6.84		
11/24/2003	6.63		
12/1/2003	6.46		
12/8/2003	6.47		
12/15/2003	5.77		
12/22/2003	5.61		
12/29/2003	4.79		
1/5/2004	4.52		
1/12/2004	4.38		
1/19/2004	4.81		
1/26/2004	3.40		
2/2/2004	3.67		
2/9/2004	2.96		
2/16/2004	1.97		
2/23/2004	2.20		
3/1/2004	2.42		
3/8/2004	3.05		
3/15/2004	3.53		
3/22/2004	4.14		
3/29/2004	4.19		
4/5/2004	4.45		
4/12/2004	4.71		
4/19/2004	4.94		
4/26/2004	5.15		
5/3/2004	5.29		
5/10/2004	5 46		

7 Day Averag	ges	Monthly Averages	Seasonal Averages
5/17/2004	5.55		
5/24/2004	5.64		
5/31/2004	5.74		
6/7/2004	5.84		
6/14/2004	5.92		
6/21/2004	6.01		
6/28/2004	6.08		
7/5/2004	6.14		
7/12/2004	6.21		
7/19/2004	6.26		
7/26/2004	6.31		
8/2/2004	6.36		
8/9/2004	6.43		
8/16/2004	6.47		
8/23/2004	6.51		
8/30/2004	6.56		
9/6/2004	6.60		
9/13/2004	6.64		
9/20/2004	6.68		
9/27/2004	6.72		
10/4/2004	6.77		
10/11/2004	6.85		
10/18/2004	6.92		
10/25/2004	6.93		
11/1/2004	7.01		
11/8/2004	6.98		
11/15/2004	7.00		
11/22/2004	6.99		
11/29/2004	6.97		
12/6/2004	6.82		
12/13/2004	6.88		
12/20/2004	6.51		
12/27/2004	6.30		
1/3/2005	5.61		
1/10/2005	4.03		
1/17/2005	2.40		
1/24/2005	4.00		
1/31/2005	4.27		
2/7/2005	2.86		
2/14/2005	2.89		
2/21/2005	3.33		
2/28/2005	3.96		
3/7/2005	4.13		
3/14/2005	4.29		
3/21/2005	4.17		
3/28/2005	4.29		
4/4/2005	4.22		
4/11/2005	4.59		

7 Day Averag	es	Monthly Averages	Seasonal Averages
4/18/2005	5.02		
4/25/2005	5.27		
5/2/2005	5.47		
5/9/2005	5.62		
5/16/2005	5.70		
5/23/2005	5.79		
5/30/2005	5.84		
6/6/2005	5.95		
6/13/2005	6.04		
6/20/2005	6.12		
6/27/2005	6.19		
7/4/2005	6.26		
7/11/2005	6.32		
7/18/2005	6.38		
7/25/2005	6.44		
8/1/2005	6.49		
8/8/2005	6.54		
8/15/2005	6.59		
8/22/2005	6.63		
8/29/2005	6.67		
9/5/2005	6.72		
9/12/2005	6.76		
9/19/2005	6.80		
9/26/2005	6.83		
10/3/2005	6.86		
10/10/2005	6.92		
10/17/2005	6.99		
10/24/2005	7.04		
10/31/2005	7.12		
11/7/2005	7.11		
11/14/2005	7.15		
11/21/2005	7.08		
11/28/2005	7.06		
12/5/2005	7.08		
12/12/2005	6.58		
12/19/2005	5.92		
12/26/2005	5.33		
1/2/2006	3.86		

Magazine Test Hole 10 24 October 2004 – 22 May 2005

7 Day Averages		Monthly Av	verages	Seasonal Averages		
10/24/2004	11.54	Oct-04	11.54	Winter	8.82	
10/31/2004	11.35	Nov-04	10.81	Summer	10.24	
11/7/2004	10.78	Dec-04	7.90			
11/14/2004	10.87	Jan-05	7.49			
11/21/2004	10.60	Feb-05	8.02			
11/28/2004	9.63	Mar-05	8.22			
12/5/2004	9.95	Apr-05	9.82			
12/12/2004	8.17	May-05	10.24			
12/19/2004	5.66					
12/26/2004	7.03					
1/2/2005	8.46					
1/9/2005	8.30					
1/16/2005	6.24					
1/23/2005	6.86					
1/30/2005	7.50					
2/6/2005	7.93					
2/13/2005	8.28					
2/20/2005	8.12					
2/27/2005	7.77					
3/6/2005	8.08					
3/13/2005	7.82					
3/20/2005	8.61					
3/27/2005	9.61					
4/3/2005	9.90					
4/10/2005	10.04					
4/17/2005	9.94					
4/24/2005	9.96					
5/1/2005	10.31					
5/8/2005	10.45					
5/15/2005	10.53					

10 October 2005 – 3 August 2006

7 Day Averages		Monthly Ave	Monthly Averages		erages
10/10/2005	13.48	Oct-05	13.40	Winter	9.77
10/17/2005	13.36	Nov-05	12.29	Summer	11.29
10/24/2005	13.40	Dec-05	8.82		
10/31/2005	12.63	Jan-06	9.22		
11/7/2005	12.71	Feb-06	7.91		
11/14/2005	12.78	Mar-06	8.22		
11/21/2005	11.67	Apr-06	9.47		
11/28/2005	10.74	May-06	10.71		
12/5/2005	10.13	Jun-06	11.32		
12/12/2005	7.71	Jul-06	11.79		
12/19/2005	8.67	Aug-06	12.01		
12/26/2005	7.82				
1/2/2006	9.16				
1/9/2006	9.42				

7 Day Averages		Monthly Averages	Seasonal Averages
1/16/2006	9.40		
1/23/2006	9.05		
1/30/2006	8.70		
2/6/2006	9.28		
2/13/2006	7.48		
2/20/2006	7.39		
2/27/2006	6.24		
3/6/2006	7.94		
3/13/2006	9.11		
3/20/2006	8.23		
3/27/2006	8.72		
4/3/2006	9.56		
4/10/2006	9.78		
4/17/2006	10.22		
4/24/2006	10.41		
5/1/2006	10.61		
5/8/2006	10.77		
5/15/2006	10.91		
5/22/2006	11.05		
5/29/2006	11.20		
6/5/2006	11.32		
6/12/2006	11.43		
6/19/2006	11.55		
6/26/2006	11.65		
7/3/2006	11.75		
7/10/2006	11.84		
7/17/2006	11.94		
7/24/2006	12.00		

Magazine Test Hole 10 cont.

Mine 25

29 February 2004 – 4 March 2006

7 Day Average	28	Monthly Averages		Seasonal Averages		
2/29/2004	7.83	Feb-04	7.96	Winter	8.23	
3/7/2004	7.81	Mar-04	8.51	Summer	9.35	
3/14/2004	7.98	Apr-04	8.77	Winter	8.67	
3/21/2004	8.06	May-04	8.93	Summer	9.65	
3/28/2004	8.27	Jun-04	9.19	Winter	8.33	
4/4/2004	8.39	Jul-04	9.37			
4/11/2004	8.48	Aug-04	9.54			
4/18/2004	8.64	Sep-04	9.70			
4/25/2004	8.73	Oct-04	9.81			
5/2/2004	8.80	Nov-04	9.77			
5/9/2004	8.88	Dec-04	8.35			
5/16/2004	8.96	Jan-05	7.78			
5/23/2004	9.02	Feb-05	7.91			
5/30/2004	9.08	Mar-05	8.05			
6/6/2004	9.14	Apr-05	8.98			
6/13/2004	9.19	May-05	9.37			
6/20/2004	9.23	Jun-05	9.71			
6/27/2004	9.27	Jul-05	9.76			
7/4/2004	9.32	Aug-05	9.64			
7/11/2004	9.36	Sep-05	9.79			
7/18/2004	9.40	Oct-05	9.89			
7/25/2004	9.44	Nov-05	9.44			
8/1/2004	9.48	Dec-05	7.39			
8/8/2004	9.51	Jan-06	7.95			
8/15/2004	9.55	Feb-06	7.09			
8/22/2004	9.59	Mar-06	7.63			
8/29/2004	9.63					
9/5/2004	9.66					
9/12/2004	9.69					
9/19/2004	9.73					
9/26/2004	9.76					
10/3/2004	9.77					
10/10/2004	9.80					
10/17/2004	9.79					
10/24/2004	9.84					
10/31/2004	9.88					
11/7/2004	9.82					
11/14/2004	9.73					
11/21/2004	9.83					
11/28/2004	9.46					
12/5/2004	9.36					
12/12/2004	8.94					
12/19/2004	7.97					
12/26/2004	6.89					
1/2/2005	8.43					
1/9/2005	8.40					
1/16/2005	7.32					

Mine 25 con	Mine 25 cont.			
7 Day Average	S	Monthly Averages	Seasonal Averages	
1/23/2005	7.28	· · · ·	<u>v</u>	
1/30/2005	7.45			
2/6/2005	7.89			
2/13/2005	8.00			
2/20/2005	7.96			
2/27/2005	7.76			
3/6/2005	7.84			
3/13/2005	8.14			
3/20/2005	8.52			
3/27/2005	8.74			
4/3/2005	8.95			
4/10/2005	9.10			
4/17/2005	9.07			
4/24/2005	9.20			
5/1/2005	9.15			
5/8/2005	9.31			
5/15/2005	9.42			
5/22/2005	9.50			
5/29/2005	9.59			
6/5/2005	9.66			
6/12/2005	9.70			
6/19/2005	9.75			
6/26/2005	9.79			
7/3/2005	9.85			
7/10/2005	9.85			
7/17/2005	9.70			
7/24/2005	9.64			
7/31/2005	9.58			
8/7/2005	9.61			
8/14/2005	9.65			
8/21/2005	9.68			
8/28/2005	9.72			
9/4/2005	9.74			
9/11/2005	9.77			
9/18/2005	9.81			
9/25/2005	9.85			
10/2/2005	9.89			
10/9/2005	9.93			
10/16/2005	9.99			
10/23/2005	9.85			
10/30/2005	9.80			
11/6/2005	9.92			
11/13/2005	9.51			
11/20/2005	9.02			
11/27/2005	8.66			
12/4/2005	7.38			
12/11/2005	7.33			
12/18/2005	6.89			

while 25 CU	111.		
7 Day Averag	ges	Monthly Averages	Seasonal Averages
12/25/2005	7.69		
1/1/2006	7.98		
1/8/2006	8.02		
1/15/2006	7.87		
1/22/2006	7.83		
1/29/2006	8.15		
2/5/2006	7.36		
2/12/2006	7.16		
2/19/2006	6.26		
2/26/2006	7.32		

Mine 25 cont.

Mine 26 (bachelors) 7 October 2004 – 22 July 2005

7 Day Averages		Monthly Aver	ages	Seasonal Averages	
10/7/2004	9.29	Oct-04	9.19	Winter	7.79
10/14/2004	9.37	Nov-04	8.80	Summer	9.11
10/21/2004	9.09	Dec-04	7.12		
10/28/2004	8.98	Jan-05	7.49		
11/4/2004	9.32	Feb-05	6.83		
11/11/2004	8.96	Mar-05	7.17		
11/18/2004	8.40	Apr-05	8.16		
11/25/2004	8.19	May-05	8.68		
12/2/2004	7.18	Jun-05	9.07		
12/9/2004	6.98	Jul-05	9.30		
12/16/2004	6.80	Aug-05	9.44		
12/23/2004	7.30				
12/30/2004	7.48				
1/6/2005	7.56				
1/13/2005	7.49				
1/20/2005	7.34				
1/27/2005	7.60				
2/3/2005	7.06				
2/10/2005	6.96				
2/17/2005	6.25				
2/24/2005	6.91				
3/3/2005	7.01				
3/10/2005	6.96				
3/17/2005	7.03				
3/24/2005	7.70				
3/31/2005	7.98				
4/7/2005	8.43				
4/14/2005	8.40				
4/21/2005	8.43				
4/28/2005	8.53				
5/5/2005	8.56				
5/12/2005	8.65				
5/19/2005	8.85				
5/26/2005	8.95				
6/2/2005	9.00				
6/9/2005	9.06				
6/16/2005	9.15				
6/23/2005	9.18				
6/30/2005	9.23				
7/7/2005	9.28				
7/14/2005	9.32				
7/21/2005	9.38				
7/28/2005	9.42				
8/4/2005	9.44				
8/11/2005	9.45				
8/18/2005	9.46				

Mine 26 (MYSO) 3/25/2004 - 7/12/2005

7 Day Averag	ges	Monthly Averages		Seasonal Averages		
3/25/2004	6.84	Mar-04	6.85	Winter	7.02	
4/1/2004	6.83	Apr-04	7.06	Summer	8.05	
4/8/2004	6.89	May-04	7.58	Winter	7.11	
4/15/2004	7.17	Jun-04	7.84	Summer	7.35	
4/22/2004	7.30	Jul-04	8.05			
4/29/2004	7.38	Aug-04	8.28			
5/6/2004	7.45	Sep-04	8.53			
5/13/2004	7.52	Oct-04	8.61			
5/20/2004	7.60	Nov-04	8.31			
5/27/2004	7.68	Dec-04	7.05			
6/3/2004	7.74	Jan-05	6.33			
6/10/2004	7.79	Feb-05	6.28			
6/17/2004	7.84	Mar-05	6.26			
6/24/2004	7.88	Apr-05	6.93			
7/1/2004	7.93	May-05	7.20			
7/8/2004	7.98	Jun-05	7.43			
7/15/2004	8.03	Jul-05	7.53			
7/22/2004	8.07					
7/29/2004	8.12					
8/5/2004	8.18					
8/12/2004	8.23					
8/19/2004	8.29					
8/26/2004	8.34					
9/2/2004	8.39					
9/9/2004	8.46					
9/16/2004	8.52					
9/23/2004	8.57					
9/30/2004	8.61					
10/7/2004	8.57					
10/14/2004	8.61					
10/21/2004	8.61					
10/28/2004	8.63					
11/4/2004	8.65					
11/11/2004	8.49					
11/18/2004	8.05					
11/25/2004	8.28					
12/2/2004	8.09					
12/9/2004	7.98					
12/16/2004	7.54					
12/23/2004	6.57					
12/30/2004	5.90					
1/6/2005	6.73					
1/13/2005	6.83					
1/20/2005	6.11					
1/27/2005	5.88					
2/3/2005	6.02					
2/10/2005	6.33					

7 Day Averages		Monthly Averages	Seasonal Averages
2/17/2005	6.34		
2/24/2005	6.27		
3/3/2005	6.20		
3/10/2005	6.04		
3/17/2005	6.27		
3/24/2005	6.54		
3/31/2005	6.74		
4/7/2005	6.93		
4/14/2005	7.02		
4/21/2005	6.98		
4/28/2005	7.09		
5/5/2005	7.04		
5/12/2005	7.15		
5/19/2005	7.23		
5/26/2005	7.30		
6/2/2005	7.35		
6/9/2005	7.39		
6/16/2005	7.43		
6/23/2005	7.47		
6/30/2005	7.50		
7/7/2005	7.53		
7/14/2005	7.57		

Mine 26 (MYSO) cont.

Mine 30 (rm A2 - bachelors) 23 January 2001 – 26 June 2004

7 Day Averages		Monthly Av	Monthly Averages		Seasonal Averages	
1/23/2001	8.88	Jan-01	8.93	Winter	10.13	
1/30/2001	8.99	Feb-01	9.26	Summer	16.36	
2/6/2001	9.43	Mar-01	9.25	Winter	10.98	
2/13/2001	9.29	Apr-01	12.19	Summer	16.81	
2/20/2001	9.29	Mav-01	13.63	Winter	10.64	
2/27/2001	9.20	Jun-01	15.76	Summer	15.90	
3/6/2001	9.14	Jul-01	18.11	Winter	10.83	
3/13/2001	9.36	Aug-01	18.53	Summer	14.78	
3/20/2001	9.30	Sep-01	15.71	0	1	
3/27/2001	9.36	Oct-01	13.07			
4/3/2001	12.90	Nov-01	11.85			
4/10/2001	12.58	Dec-01	10.77			
4/17/2001	12.70	Jan-02	971			
4/24/2001	12.02	Feb-02	9.58			
5/1/2001	13.56	Mar-02	9.64			
5/8/2001	13.00	$A \operatorname{pr} 02$	12.15			
5/15/2001	15.07	May 02	12.15			
5/22/2001	12.68	May-02	15.24			
5/20/2001	12.00	Juli-02	10.78			
5/29/2001	15.39	Jui-02	10.70			
6/3/2001	15.72	Aug-02	16.47			
6/12/2001	10.93	Sep-02	10.78			
6/19/2001	15.93	Oct-02	15.52			
6/26/2001	16.02	Nov-02	11.39			
7/3/2001	17.85	Dec-02	10.25			
7/10/2001	17.09	Jan-03	9.29			
7/17/2001	18.56	Feb-03	8.94			
7/24/2001	19.23	Mar-03	9.70			
7/31/2001	19.41	Apr-03	11.23			
8/7/2001	19.30	May-03	13.52			
8/14/2001	17.06	Jun-03	14.72			
8/21/2001	18.49	Jul-03	17.71			
8/28/2001	18.20	Aug-03	18.15			
9/4/2001	17.89	Sep-03	15.32			
9/11/2001	15.25	Oct-03	12.93			
9/18/2001	15.31	Nov-03	12.25			
9/25/2001	13.13	Dec-03	10.44			
10/2/2001	13.31	Jan-04	9.77			
10/9/2001	13.68	Feb-04	9.06			
10/16/2001	12.64	Mar-04	10.14			
10/23/2001	13.15	Apr-04	11.10			
10/30/2001	12.34	May-04	14.14			
11/6/2001	11.83	Jun-04	15.51			
11/13/2001	11.89					
11/20/2001	11.70					
11/27/2001	11.28					
12/4/2001	11.51					
12/11/2001	10.98					

7 Day Average	es	Monthly Averages	Seasonal Averages
12/18/2001	10.73		
12/25/2001	9.99		
1/1/2002	9.35		
1/8/2002	9.58		
1/15/2002	9.54		
1/22/2002	9.74		
1/29/2002	10.38		
2/5/2002	9.57		
2/12/2002	9.55		
2/19/2002	9.64		
2/26/2002	9.28		
3/5/2002	9.81		
3/12/2002	9.70		
3/19/2002	9.71		
3/26/2002	9.86		
4/2/2002	11.68		
4/9/2002	14.94		
4/16/2002	12.21		
4/23/2002	11.86		
4/30/2002	12.94		
5/7/2002	13.65		
5/14/2002	12.14		
5/21/2002	13.34		
5/28/2002	16.35		
6/4/2002	16.11		
6/11/2002	15.90		
6/18/2002	17.24		
6/25/2002	18.19		
7/2/2002	18.73		
7/9/2002	18.06		
7/16/2002	18.91		
7/23/2002	19.44		
7/30/2002	19.67		
8/6/2002	17.69		
8/13/2002	18.43		
8/20/2002	18.64		
8/27/2002	18.01		
9/3/2002	17.94		
9/10/2002	16.99		
9/17/2002	16.07		
9/24/2002	15.18		
10/1/2002	16.08		
10/8/2002	13.72		
10/15/2002	12.60		
10/22/2002	12.35		
10/29/2002	11.75		
11/5/2002	11.98		
11/12/2002	11.44		

7 Day Average	es	Monthly Averages	Seasonal Averages
11/19/2002	11.15		
11/26/2002	10.67		
12/3/2002	10.17		
12/10/2002	10.10		
12/17/2002	10.66		
12/24/2002	9.95		
12/31/2002	9.98		
1/7/2003	9.71		
1/14/2003	9.20		
1/21/2003	8.70		
1/28/2003	9.04		
2/4/2003	8.87		
2/11/2003	8.97		
2/18/2003	8.98		
2/25/2003	8.73		
3/4/2003	9.59		
3/11/2003	10.46		
3/18/2003	10.20		
3/25/2003	10.80		
4/1/2003	10.39		
4/8/2003	11.87		
4/15/2003	11.21		
4/22/2003	13.47		
4/29/2003	13.41		
5/6/2003	14.16		
5/13/2003	14.18		
5/20/2003	12.53		
5/27/2003	12.59		
6/3/2003	13.64		
6/10/2003	15.79		
6/17/2003	15.37		
6/24/2003	16.01		
7/1/2003	18.43		
7/8/2003	17.78		
7/15/2003	17.65		
7/22/2003	17.27		
7/29/2003	17.67		
8/5/2003	16.95		
8/12/2003	18.65		
8/19/2003	18.87		
8/26/2003	18.66		
9/2/2003	15.71		
9/9/2003	15.85		
9/16/2003	14.31		
9/23/2003	13.50		
9/30/2003	12.67		
10/7/2003	13.67		
10/14/2003	12.89		

7 Day Average	s	Monthly Averages	Seasonal Averages
10/21/2003	12.51		
10/28/2003	13.58		
11/4/2003	12.20		
11/11/2003	12.14		
11/18/2003	12.09		
11/25/2003	11.15		
12/2/2003	10.81		
12/9/2003	10.47		
12/16/2003	10.24		
12/23/2003	10.14		
12/30/2003	10.71		
1/6/2004	9.80		
1/13/2004	9.73		
1/20/2004	9.39		
1/27/2004	8.96		
2/3/2004	8.95		
2/10/2004	8.95		
2/17/2004	9.20		
2/24/2004	9.43		
3/2/2004	9.66		
3/9/2004	9.88		
3/16/2004	11.04		
3/23/2004	10.11		
3/30/2004	10.25		
4/6/2004	11.65		
4/13/2004	12.23		
4/20/2004	11.87		
4/27/2004	11.86		
5/4/2004	14.12		
5/11/2004	14.31		
5/18/2004	15.70		
5/25/2004	14.86		
6/1/2004	15.54		
6/8/2004	16.82		
6/15/2004	15.13		
6/22/2004	14.24		

29 October 2005 – 5 November 2006

7 Day Averages		Monthly Averages		Seasonal Averages	
10/9/2005	12.88	Oct-05	12.51	Winter	10.85
10/16/2005	12.93	Nov-05	11.76	Summer	15.42
10/23/2005	11.81	Dec-05	10.09	Winter	12.53
10/30/2005	12.34	Jan-06	10.31		
11/6/2005	12.43	Feb-06	9.77		
11/13/2005	11.56	Mar-06	10.33		
11/20/2005	11.06	Apr-06	11.61		
11/27/2005	10.83	May-06	12.09		
12/4/2005	10.01	Jun-06	13.90		

7 Day Averag	es	Monthly Av	erages	Seasonal Averages
12/11/2005	10.08	Jul-06	17.55	
12/18/2005	9.86	Aug-06	18.58	
12/25/2005	10.20	Sep-06	14.93	
1/1/2006	10.42	Oct-06	13.09	
1/8/2006	10.30	Nov-06	11.33	
1/15/2006	10.35			
1/22/2006	10.18			
1/29/2006	10.25			
2/5/2006	9.74			
2/12/2006	9.78			
2/19/2006	9.48			
2/26/2006	10.03			
3/5/2006	10.51			
3/12/2006	10.67			
3/19/2006	9.90			
3/26/2006	10.54			
4/2/2006	10.93			
4/9/2006	11.86			
4/16/2006	12.10			
4/23/2006	11.65			
4/30/2006	11.71			
5/7/2006	11.72			
5/14/2006	11.37			
5/21/2006	11.44			
5/28/2006	13.01			
6/4/2006	13.66			
6/11/2006	13.58			
6/18/2006	13.73			
6/25/2006	14.61			
7/2/2006	14.20			
7/9/2006	14.66			
7/16/2006	18.33			
7/23/2006	18.89			
7/30/2006	18.66			
8/6/2006	19.89			
8/13/2006	19.57			
8/20/2006	18.39			
8/27/2006	17.73			
9/3/2006	16.46			
9/10/2006	15.55			
9/17/2006	15.54			
9/24/2006	14.41			
10/1/2006	13.67			
10/8/2006	14.63			
10/15/2006	12.80			
10/22/2006	12.22			
10/29/2006	11.07			
11/5/2006	11.67			
	• • •			

Mine 30 (room F2) 17 February 2000 – 24 May 2001

7 Day Averag	7 Day Averages Monthly Averages		Seasonal Averages		
2/17/2000	7.73	Feb-00	7.96	Winter	8.45
2/24/2000	8.25	Mar-00	8.32	Summer	10.42
3/2/2000	8.27	Apr-00	8.78	Winter	8.20
3/9/2000	8.15	May-00	9.56	Summer	9.53
3/16/2000	8.26	Jun-00	10.09		
3/23/2000	8.59	Jul-00	10.55		
3/30/2000	8.59	Aug-00	10.91		
4/6/2000	8.58	Sep-00	10.98		
4/13/2000	8.86	Oct-00	10.41		
4/20/2000	8.92	Nov-00	9.28		
4/27/2000	9.05	Dec-00	7.09		
5/4/2000	9.31	Jan-01	6.64		
5/11/2000	9.50	Feb-01	7.34		
5/18/2000	9.59	Mar-01	7.73		
5/25/2000	9.73	Apr-01	8.85		
6/1/2000	9.87	May-01	9.53		
6/8/2000	9.93	5			
6/15/2000	10.12				
6/22/2000	10.21				
6/29/2000	10.28				
7/6/2000	10.45				
7/13/2000	10.60				
7/20/2000	10.61				
7/27/2000	10.60				
8/3/2000	10.70				
8/10/2000	10.87				
8/17/2000	10.95				
8/24/2000	10.98				
8/31/2000	11.10				
9/7/2000	11.09				
9/14/2000	11.03				
9/21/2000	10.99				
9/28/2000	10.71				
10/5/2000	10.75				
10/12/2000	9.78				
10/19/2000	10.38				
10/26/2000	10.62				
11/2/2000	10.66				
11/9/2000	10.11				
11/16/2000	9.04				
11/23/2000	8.40				
11/30/2000	8.54				
12/7/2000	7.92				
12/14/2000	7.66				
12/21/2000	6.44				
12/28/2000	6.16				
1/4/2001	6.00				

7 Day Avera	ges	Monthly Averages	Seasonal Averages
1/11/2001	6.55		
1/18/2001	6.91		
1/25/2001	6.70		
2/1/2001	7.05		
2/8/2001	7.39		
2/15/2001	7.41		
2/22/2001	7.27		
3/1/2001	7.61		
3/8/2001	7.45		
3/15/2001	7.89		
3/22/2001	7.92		
3/29/2001	7.70		
4/5/2001	8.38		
4/12/2001	9.00		
4/19/2001	8.80		
4/26/2001	9.10		
5/3/2001	9.30		
5/10/2001	9.47		
5/17/2001	9 57		

Mine 30 (room F2) cont.

10 October 2001 – 25 June 2003

9.68

5/24/2001

7 Day Averages		Monthly Ave	Monthly Averages		Seasonal Averages	
10/10/2001	10.55	Oct-01	10.29	Winter	8.84	
10/17/2001	10.44	Nov-01	9.91	Summer	10.59	
10/24/2001	9.87	Dec-01	9.05	Winter	8.45	
10/31/2001	10.19	Jan-02	7.92	Summer	9.60	
11/7/2001	9.88	Feb-02	8.04			
11/14/2001	9.94	Mar-02	8.10			
11/21/2001	9.81	Apr-02	9.00			
11/28/2001	9.53	May-02	9.64			
12/5/2001	9.55	Jun-02	10.27			
12/12/2001	9.50	Jul-02	10.79			
12/19/2001	8.70	Aug-02	11.10			
12/26/2001	7.67	Sep-02	11.15			
1/2/2002	7.46	Oct-02	10.57			
1/9/2002	8.07	Nov-02	9.36			
1/16/2002	7.87	Dec-02	8.25			
1/23/2002	8.30	Jan-03	7.25			
1/30/2002	8.15	Feb-03	7.12			
2/6/2002	8.09	Mar-03	7.78			
2/13/2002	8.10	Apr-03	8.70			
2/20/2002	8.08	May-03	9.48			
2/27/2002	7.48	Jun-03	9.79			
3/6/2002	8.07					
3/13/2002	8.45					
3/20/2002	8.07					
3/27/2002	8.43					

7 Day Averag	ges	Monthly Averages	Seasonal Averages
4/3/2002	8.41		
4/10/2002	9.07		
4/17/2002	9.39		
4/24/2002	9.31		
5/1/2002	9.48		
5/8/2002	9.69		
5/15/2002	9.56		
5/22/2002	9.72		
5/29/2002	10.01		
6/5/2002	10.15		
6/12/2002	10.23		
6/19/2002	10.39		
6/26/2002	10.52		
7/3/2002	10.69		
7/10/2002	10.73		
7/17/2002	10.82		
7/24/2002	10.96		
7/31/2002	11.09		
8/7/2002	11.08		
8/14/2002	11.08		
8/21/2002	11.14		
8/28/2002	11.14		
9/4/2002	11.21		
9/11/2002	11.20		
9/18/2002	11.13		
9/25/2002	11.06		
10/2/2002	11.06		
10/9/2002	10.77		
10/16/2002	10.31		
10/23/2002	10.33		
10/30/2002	9.78		
11/6/2002	9.87		
11/13/2002	9.44		
11/20/2002	9.19		
11/27/2002	8.61		
12/4/2002	8.05		
12/11/2002	8.22		
12/18/2002	8.69		
12/25/2002	7.95		
1/1/2003	8.15		
1/8/2003	7.80		
1/15/2003	7.07		
1/22/2003	6.36		
1/29/2003	7.17		
2/5/2003	6.87		
2/12/2003	7.17		
2/19/2003	7.34		
2/26/2003	6.95		

Mine 30 (room F2) cont.

7 Day Averages		Monthly Averages	Seasonal Averages
3/5/2003	7.25		
3/12/2003	7.68		
3/19/2003	8.22		
3/26/2003	8.22		
4/2/2003	8.42		
4/9/2003	8.44		
4/16/2003	8.89		
4/23/2003	8.93		
4/30/2003	9.17		
5/7/2003	9.27		
5/14/2003	9.47		
5/21/2003	9.57		
5/28/2003	9.57		
6/4/2003	9.63		
6/11/2003	9.74		
6/18/2003	9.89		
6/25/2003	9.96		

Mine 30 (room F2) cont.

Mine 30 (room M1) 11 October 2001 – 3 April 2005

7 Day Averages		Monthly Averages		Seasonal Averages	
10/11/2001	11.38	Oct-01	9.94	Winter	8.63
10/18/2001	9.33	Nov-01	9.26	Summer	9.23
10/25/2001	9.26	Dec-01	8.86	Winter	8.41
11/1/2001	9.29	Jan-02	7.94	Summer	9.23
11/8/2001	9.27	Feb-02	8.08	Winter	9.46
11/15/2001	9.30	Mar-02	8.07	Summer	9.87
11/22/2001	9.20	Apr-02	8.56	Winter	9.64
11/29/2001	9.17	May-02	8.91		
12/6/2001	9.18	Jun-02	9.08		
12/13/2001	9.15	Jul-02	9.23		
12/20/2001	8.88	Aug-02	9.40		
12/27/2001	8.03	Sep-02	9.52		
1/3/2002	7.52	Oct-02	9.56		
1/10/2002	8.02	Nov-02	9.26		
1/17/2002	7.93	Dec-02	8.46		
1/24/2002	8.15	Jan-03	7.62		
1/31/2002	8.26	Feb-03	7.45		
2/7/2002	8.06	Mar-03	7.93		
2/14/2002	8.07	Apr-03	8.54		
2/21/2002	8.23	May-03	8.87		
2/28/2002	7.64	Jun-03	9.08		
3/7/2002	7.93	Jul-03	9.23		
3/14/2002	8.18	Aug-03	9.39		
3/21/2002	8.25	Sep-03	9.59		
3/28/2002	8.33	Oct-03	10.01		
4/4/2002	8.54	Nov-03	10.02		
4/11/2002	8.67	Dec-03	9.37		
4/18/2002	8.74	Jan-04	9.05		
4/25/2002	8.77	Feb-04	9.09		
5/2/2002	8.81	Mar-04	9.15		
5/9/2002	8.88	Apr-04	9.53		
5/16/2002	8.93	Mav-04	9.62		
5/23/2002	8.96	Jun-04	9.78		
5/30/2002	9.01	Jul-04	9.89		
6/6/2002	9.04	Aug-04	10.00		
6/13/2002	9.09	Sep-04	10.08		
6/20/2002	9.12	Oct-04	10.27		
6/27/2002	9.14	Nov-04	10.18		
7/4/2002	9.18	Dec-04	9.33		
7/11/2002	9.22	Jan-05	9.53		
7/18/2002	9.25	Feb-05	9.11		
7/25/2002	9.29	Mar-05	9.39		
8/1/2002	9.33	Apr-05	9.59		
8/8/2002	9.37	L			
8/15/2002	9.41				
8/22/2002	9.45				
8/29/2002	9.47				

7 Day Averages		Monthly Averages	Seasonal Averages
9/5/2002	9.50	i v	
9/12/2002	9.51		
9/19/2002	9.53		
9/26/2002	9.54		
10/3/2002	9.56		
10/10/2002	9.56		
10/17/2002	9.55		
10/24/2002	9.55		
10/31/2002	9.46		
11/7/2002	9.45		
11/14/2002	9.33		
11/21/2002	9.20		
11/28/2002	8.81		
12/5/2002	8.36		
12/12/2002	8.44		
12/19/2002	8.73		
12/26/2002	8.22		
1/2/2003	8.38		
1/9/2003	8.11		
1/16/2003	7.49		
1/23/2003	6.88		
1/30/2003	7.41		
2/6/2003	7.29		
2/13/2003	7.48		
2/20/2003	7.63		
2/27/2003	7.34		
3/6/2003	7.86		
3/13/2003	8.21		
3/20/2003	8.28		
3/27/2003	8.38		
4/3/2003	8.45		
4/10/2003	8.60		
4/17/2003	8.67		
4/24/2003	8.73		
5/1/2003	8.77		
5/8/2003	8.84		
5/15/2003	8.90		
5/22/2003	8.94		
5/29/2003	8.99		
6/5/2003	9.04		
6/12/2003	9.08		
6/19/2003	9.11		
6/26/2003	9.14		
7/3/2003	9.17		
7/10/2003	9.21		
7/17/2003	9.25		
7/24/2003	9.29		
7/31/2003	9.32		

Mine 30 (room M1) cont.

7 Day Averages		Monthly Averages	Seasonal Averages
8/7/2003	9.36		
8/14/2003	9.40		
8/21/2003	9.42		
8/28/2003	9.45		
9/4/2003	9.48		
9/11/2003	9.52		
9/18/2003	9.72		
9/25/2003	9.73		
10/2/2003	9.99		
10/9/2003	9.99		
10/16/2003	10.00		
10/23/2003	10.03		
10/30/2003	10.04		
11/6/2003	10.04		
11/13/2003	10.01		
11/20/2003	10.03		
11/27/2003	9.92		
12/4/2003	9.85		
12/11/2003	9.64		
12/18/2003	9.19		
12/25/2003	8.70		
1/1/2004	9.34		
1/8/2004	9.33		
1/15/2004	8.82		
1/22/2004	8.84		
1/29/2004	8.90		
2/5/2004	9.06		
2/12/2004	9.11		
2/19/2004	9.12		
2/26/2004	9.05		
3/4/2004	9.07		
3/11/2004	9.18		
3/18/2004	9.33		
3/25/2004	9.42		
4/1/2004	9.52		
4/8/2004	9.58		
4/15/2004	9.58		
4/22/2004	9.98		
4/29/2004	9.55		
5/6/2004	9.60		
5/13/2004	9.65		
5/20/2004	9.67		
5/27/2004	9.71		
6/3/2004	9.74		
6/10/2004	9.78		
6/17/2004	9.82		
6/24/2004	9.84		
7/1/2004	9.87		

Mine 30 (room M1) cont.
7 Day Averag	ges	Monthly Averages	Seasonal Averages
7/8/2004	9.88		
7/15/2004	9.90		
7/22/2004	9.93		
7/29/2004	9.96		
8/5/2004	9.98		
8/12/2004	10.00		
8/19/2004	10.02		
8/26/2004	10.04		
9/2/2004	10.06		
9/9/2004	10.08		
9/16/2004	10.10		
9/23/2004	10.11		
9/30/2004	10.12		
10/7/2004	10.29		
10/14/2004	10.34		
10/21/2004	10.32		
10/28/2004	10.33		
11/4/2004	10.36		
11/11/2004	10.20		
11/18/2004	10.03		
11/25/2004	9.89		
12/2/2004	9.30		
12/9/2004	9.38		
12/16/2004	9.11		
12/23/2004	9.42		
12/30/2004	9.53		
1/6/2005	9.56		
1/13/2005	9.53		
1/20/2005	9.46		
1/27/2005	9.60		
2/3/2005	9.20		
2/10/2005	9.11		
2/17/2005	8.80		
2/24/2005	9.18		
3/3/2005	9.51		
3/10/2005	9.32		
3/17/2005	9.40		
3/24/2005	9.59		

Mine 30 (room M1) cont.

Mine 30 (room M3)

23 January 2001 – 17 S	September 2003
------------------------	----------------

7 Day Averages	5	Monthly Aver	ages	Seasonal Average		
1/23/2001	7.19	Jan-01	7.22	Winter	7.68	
1/30/2001	7.16	Feb-01	7.35	Summer	8.90	
2/6/2001	7.39	Mar-01	7.63	Winter	8.49	
2/13/2001	7.40	Apr-01	8.18	Summer	9.16	
2/20/2001	7.45	May-01	8.53	Winter	8.24	
2/27/2001	7.55	Jun-01	8.75	Summer	9.01	
3/6/2001	7.48	Jul-01	8.92			
3/13/2001	7.74	Aug-01	9.08			
3/20/2001	7.70	Sep-01	9.21			
3/27/2001	7.74	Oct-01	9.25			
4/3/2001	8.06	Nov-01	9.20			
4/10/2001	8.20	Dec-01	8.76			
4/17/2001	8.24	Jan-02	7.80			
4/24/2001	8.35	Feb-02	7.96			
5/1/2001	8.43	Mar-02	7.95			
5/8/2001	8.49	Apr-02	8.48			
5/15/2001	8.55	May-02	8.83			
5/22/2001	8.61	Jun-02	9.02			
5/29/2001	8.66	Jul-02	9.17			
6/5/2001	8.71	Aug-02	9.32			
6/12/2001	8.75	Sep-02	9.45			
6/19/2001	8.79	Oct-02	9.52			
6/26/2001	8.82	Nov-02	9.17			
7/3/2001	8.86	Dec-02	8.29			
7/10/2001	8.90	Jan-03	7.39			
7/17/2001	8.94	Feb-03	7.20			
7/24/2001	8.97	Mar-03	7.70			
7/31/2001	9.01	Apr-03	8.35			
8/7/2001	9.05	May-03	8.70			
8/14/2001	9.08	Jun-03	8.91			
8/21/2001	9.11	Jul-03	9.06			
8/28/2001	9.15	Aug-03	9.21			
9/4/2001	9.17	Sep-03	9.31			
9/11/2001	9.20					
9/18/2001	9.24					
9/25/2001	9.25					
10/2/2001	9.27					
10/9/2001	9.29					
10/16/2001	9.26					
10/23/2001	9.22					
10/30/2001	9.21					
11/6/2001	9.23					
11/13/2001	9.24					
11/20/2001	9.15					
11/27/2001	9.13					
12/4/2001	9.17					
12/11/2001	9.04					

7 Day Averag	es	Monthly Averages	Seasonal Averages
12/18/2001	8.91		
12/25/2001	8.04		
1/1/2002	7.29		
1/8/2002	7.78		
1/15/2002	7.83		
1/22/2002	7.97		
1/29/2002	8.21		
2/5/2002	7.90		
2/12/2002	7.96		
2/19/2002	8.09		
2/26/2002	7.64		
3/5/2002	8.06		
3/12/2002	8.09		
3/19/2002	8.12		
3/26/2002	8.21		
4/2/2002	8.42		
4/9/2002	8.56		
4/16/2002	8.66		
4/23/2002	8.69		
4/30/2002	8.74		
5/7/2002	8.80		
5/14/2002	8.85		
5/21/2002	8.88		
5/28/2002	8.93		
6/4/2002	8.98		
6/11/2002	9.02		
6/18/2002	9.05		
6/25/2002	9.09		
7/2/2002	9.12		
7/9/2002	9.16		
7/16/2002	9.18		
7/23/2002	9.23		
7/30/2002	9.26		
8/6/2002	9.29		
8/13/2002	9.33		
8/20/2002	9.36		
8/27/2002	9.38		
9/3/2002	9.41		
9/10/2002	9.46		
9/17/2002	9.49		
9/24/2002	9.50		
10/1/2002	9.52		
10/8/2002	9.52		
10/15/2002	9.51		
10/22/2002	9.51		
10/29/2002	9.40		
11/5/2002	9.39		
11/12/2002	9.25		

Mine 30 (room M3) cont.

Mine 30 (rm M3) cont.

7 Day Average	5	Monthly Averages	Seasonal Averages
11/19/2002	9.12		
11/26/2002	8.68		
12/3/2002	8.17		
12/10/2002	8.28		
12/17/2002	8.60		
12/24/2002	8.04		
12/31/2002	8.22		
1/7/2003	7.91		
1/14/2003	7.24		
1/21/2003	6.57		
1/28/2003	7.17		
2/4/2003	7.01		
2/11/2003	7.22		
2/18/2003	7.40		
2/25/2003	7.07		
3/4/2003	7.62		
3/11/2003	7.98		
3/18/2003	8.07		
3/25/2003	8.19		
4/1/2003	8.27		
4/8/2003	8.41		
4/15/2003	8.49		
4/22/2003	8.55		
4/29/2003	8.60		
5/6/2003	8.67		
5/13/2003	8.72		
5/20/2003	8.77		
5/27/2003	8.82		
6/3/2003	8.86		
6/10/2003	8.90		
6/17/2003	8.95		
6/24/2003	8.98		
7/1/2003	9.01		
7/8/2003	9.05		
7/15/2003	9.09		
7/22/2003	9.12		
7/29/2003	9.15		
8/5/2003	9.18		
8/12/2003	9.22		
8/19/2003	9.25		
8/26/2003	9.27		
9/2/2003	9.30		
9/9/2003	9.33		

Mine 30 (room N2) 9 October 2005 – 2 November 2006

7 Day Averages	S	Monthly Ave	rages	Seasonal Averages		
10/9/2005	10.11	Oct-05	10.09	Winter	9.31	
10/16/2005	10.11	Nov-05	9.88	Summer	9.97	
10/23/2005	10.05	Dec-05	8.98	Winter	10.21	
10/30/2005	10.07	Jan-06	9.18			
11/6/2005	10.07	Feb-06	8.74			
11/13/2005	9.86	Mar-06	9.03			
11/20/2005	9.69	Apr-06	9.42			
11/27/2005	9.49	May-06	9.67			
12/4/2005	8.84	Jun-06	9.82			
12/11/2005	9.02	Jul-06	9.98			
12/18/2005	8.77	Aug-06	10.14			
12/25/2005	9.11	Sep-06	10.26			
1/1/2006	9.21	Oct-06	10.19			
1/8/2006	9.22	Nov-06	10.35			
1/15/2006	9.20					
1/22/2006	9.11					
1/29/2006	9.21					
2/5/2006	8.78					
2/12/2006	8.67					
2/19/2006	8.46					
2/26/2006	8.84					
3/5/2006	9.05					
3/12/2006	8.95					
3/19/2006	9.12					
3/26/2006	9.30					
4/2/2006	9.39					
4/9/2006	9.49					
4/16/2006	9.54					
4/23/2006	9.57					
4/30/2006	9.60					
5/7/2006	9.65					
5/14/2006	9.68					
5/21/2006	9.72					
5/28/2006	9.75					
6/4/2006	9.79					
6/11/2006	9.82					
6/18/2006	9.84					
6/25/2006	9.87					
7/2/2006	9.89					
7/9/2006	9.97					
7/16/2006	10.02					
7/23/2006	10.05					
7/30/2006	10.08					
8/6/2006	10.11					
8/13/2006	10.15					
8/20/2006	10.18					
8/27/2006	10.21					

7 Day Averages		Monthly Averages	Seasonal Averages
9/3/2006	10.23		
9/10/2006	10.26		
9/17/2006	10.28		
9/24/2006	10.30		
10/1/2006	10.33		
10/8/2006	10.26		
10/15/2006	10.20		
10/22/2006	10.00		
10/29/2006	10.26		

Mine 30 (room N2) cont.

Mode 1 12 July 2004 – 2 July 2005

7 Day Averag	jes	Monthly Averages		Seasonal Averages		
7/12/2004	13.74	Jul-04	13.64	Winter	13.55	
7/19/2004	13.72	Aug-04	13.53	Summer	9.25	
7/26/2004	13.42	Sep-04	13.51	Winter	10.34	
8/2/2004	13.71	Oct-04	12.66			
8/9/2004	13.28	Nov-04	11.80			
8/16/2004	13.29	Dec-04	8.50			
8/23/2004	13.82	Jan-05	7.57			
8/30/2004	13.72	Feb-05	7.58			
9/6/2004	13.60	Mar-05	7.65			
9/13/2004	13.62	Apr-05	8.91			
9/20/2004	13.33	May-05	9.65			
9/27/2004	13.13	Jun-05	10.95			
10/4/2004	12.67	Jul-05	11.83			
10/11/2004	12.69					
10/18/2004	12.36					
10/25/2004	12.75					
11/1/2004	12.98					
11/8/2004	12.19					
11/15/2004	11.65					
11/22/2004	11.64					
11/29/2004	10.61					
12/6/2004	10.04					
12/13/2004	9.33					
12/20/2004	7.87					
12/27/2004	6.39					
1/3/2005	8.47					
1/10/2005	8.42					
1/17/2005	6.99					
1/24/2005	6.83					
1/31/2005	7.00					
2/7/2005	7.49					
2/14/2005	7.68					
2/21/2005	7.70					
2/28/2005	7.49					
3/7/2005	7.44					
3/14/2005	7.63					
3/21/2005	8.11					
3/28/2005	8.46					
4/4/2005	8.97					
4/11/2005	9.13					
4/18/2005	9.05					
4/25/2005	9.03					
5/2/2005	8.87					
5/9/2005	9.63					
5/16/2005	9.84					
5/23/2005	10.08					
5/30/2005	10.21					

Mode 1 con	nt.		
7 Day Averag	ges	Monthly Averages	Seasonal Averages
6/6/2005	10.90		
6/13/2005	10.98		
6/20/2005	10.91		
6/27/2005	11.66		

Rhymer 1

24 October 2004 – 10 July 2005

7 Day Averag	jes	Monthly Averages		Seasonal Averages		
10/24/2004	10.22	Oct-04	10.22	Winter	9.94	
10/31/2004	10.20	Nov-04	10.16	Summer	11.06	
11/7/2004	10.17	Dec-04	9.70			
11/14/2004	10.16	Jan-05	9.59			
11/21/2004	10.16	Feb-05	9.77			
11/28/2004	10.04	Mar-05	9.93			
12/5/2004	10.07	Apr-05	10.43			
12/12/2004	9.78	May-05	10.81			
12/19/2004	9.35	Jun-05	11.17			
12/26/2004	9.41	Jul-05	11.43			
1/2/2005	9.72					
1/9/2005	9.73					
1/16/2005	9.41					
1/23/2005	9.50					
1/30/2005	9.63					
2/6/2005	9.73					
2/13/2005	9.81					
2/20/2005	9.83					
2/27/2005	9.80					
3/6/2005	9.87					
3/13/2005	9.86					
3/20/2005	10.01					
3/27/2005	10.29					
4/3/2005	10.41					
4/10/2005	10.51					
4/17/2005	10.57					
4/24/2005	10.65					
5/1/2005	10.75					
5/8/2005	10.84					
5/15/2005	10.93					
5/22/2005	11.01					
5/29/2005	11.10					
6/5/2005	11.16					
6/12/2005	11.23					
6/19/2005	11.32					
6/26/2005	11.42					
7/3/2005	11.49					

18 October 2006 – 6 July 2006

7 Day Averages		Monthly A	verages	Seasonal Av	erages
10/8/2005	9.69				
10/15/2005	9.69	Oct-05	9.68	Winter	9.30
10/22/2005	9.67	Nov-05	9.57	Summer	9.83
10/29/2005	9.67	Dec-05	9.10		
11/5/2005	9.68	Jan-06	9.19		
11/12/2005	9.59	Feb-06	8.98		
11/19/2005	9.47	Mar-06	9.17		

Rhymer 1	cont.			
7 Day Averag	ges	Monthly A	verages	Seasonal Averages
11/26/2005	9.39	Apr-06	9.45	
12/3/2005	9.09	May-06	9.72	
12/10/2005	9.11	Jun-06	9.92	
12/17/2005	9.01	Jul-06	10.04	
12/24/2005	9.15			
12/31/2005	9.20			
1/7/2006	9.22			
1/14/2006	9.18			
1/21/2006	9.16			
1/28/2006	9.23			
2/4/2006	9.03			
2/11/2006	8.98			
2/18/2006	8.81			
2/25/2006	9.02			
3/4/2006	9.12			
3/11/2006	9.15			
3/18/2006	9.20			
3/25/2006	9.34			
4/1/2006	9.40			
4/8/2006	9.48			
4/15/2006	9.54			
4/22/2006	9.58			
4/29/2006	9.62			
5/6/2006	9.68			
5/13/2006	9.74			
5/20/2006	9.79			
5/27/2006	9.83			
6/3/2006	9.87			
6/10/2006	9.92			
6/17/2006	9.95			
6/24/2006	10.01			
7/1/2006	10.05			

Rhymer 4 24 October 2004 – 20 May 2005

7 Day Averages		Monthly A	verages	Seasonal Av	verages
10/24/2004	11.04	Oct-04	11.04	Winter	8.93
10/31/2004	11.01	Nov-04	10.70	Summer	10.12
11/7/2004	10.75	Dec-04	8.28		
11/14/2004	10.73	Jan-05	7.60		
11/21/2004	10.56	Feb-05	8.11		
11/28/2004	9.84	Mar-05	8.51		
12/5/2004	9.96	Apr-05	9.88		
12/12/2004	8.54	May-05	10.12		
12/19/2004	6.61				
12/26/2004	7.17				
1/2/2005	8.36				
1/9/2005	8.26				
1/16/2005	6.66				
1/23/2005	7.06				
1/30/2005	7.59				
2/6/2005	8.00				
2/13/2005	8.31				
2/20/2005	8.28				
2/27/2005	8.06				
3/6/2005	8.34				
3/13/2005	8.21				
3/20/2005	8.83				
3/27/2005	9.72				
4/3/2005	9.95				
4/10/2005	10.03				
4/17/2005	9.95				
4/24/2005	9.97				
5/1/2005	10.18				
5/8/2005	10.24				

4 November 2005 – 25 August 2006

7 Day Averages		Monthly A	verages	Seasonal Av	verages
11/4/2005	10.91	Nov-05	10.11	Winter	8.49
11/11/2005	10.44	Dec-05	7.65	Summer	10.54
11/18/2005	9.64	Jan-06	8.38		
11/25/2005	9.11	Feb-06	7.28		
12/2/2005	7.66	Mar-06	8.25		
12/9/2005	7.42	Apr-06	9.40		
12/16/2005	7.16	May-06	10.13		
12/23/2005	8.05	Jun-06	10.50		
12/30/2005	8.47	Jul-06	10.73		
1/6/2006	8.43	Aug-06	10.89		
1/13/2006	8.25				
1/20/2006	8.24				
1/27/2006	8.58				
2/3/2006	7.70				
2/10/2006	7.26				

Rhymer 4 c	o nt.		
7 Day Average	es	Monthly Averages	Seasonal Averages
2/17/2006	6.34		
2/24/2006	7.54		
3/3/2006	8.01		
3/10/2006	8.63		
3/17/2006	8.23		
3/24/2006	8.22		
3/31/2006	8.95		
4/7/2006	9.54		
4/14/2006	9.73		
4/21/2006	9.83		
4/28/2006	9.94		
5/5/2006	10.06		
5/12/2006	10.17		
5/19/2006	10.27		
5/26/2006	10.35		
6/2/2006	10.42		
6/9/2006	10.50		
6/16/2006	10.56		
6/23/2006	10.61		
6/30/2006	10.66		
7/7/2006	10.71		
7/14/2006	10.76		
7/21/2006	10.80		
7/28/2006	10.84		
8/4/2006	10.88		
8/11/2006	10.91		
8/18/2006	10.93		

Tamms 2

19 February 2004 – 14 July 2005

7 Day Averages		Monthly Av	verages	Seasonal Av	verages
2/19/2004	10.62	Feb-04	10.74	Winter	10.85
2/26/2004	10.70	Mar-04	10.90	Summer	11.50
3/4/2004	10.82	Apr-04	11.03	Winter	13.08
3/11/2004	10.78	May-04	11.12	Summer	12.49
3/18/2004	10.81	Jun-04	11.25		
3/25/2004	10.90	Jul-04	11.40		
4/1/2004	10.90	Aug-04	11.63		
4/8/2004	10.94	Sep-04	12.12		
4/15/2004	10.98	Oct-04	12.69		
4/22/2004	11.03	Nov-04	13.04		
4/29/2004	11.05	Dec-04	13.06		
5/6/2004	11.06	Jan-05	13.28		
5/13/2004	11.10	Feb-05	13.34		
5/20/2004	11.13	Mar-05	13.11		
5/27/2004	11.16	Apr-05	13.10		
6/3/2004	11.20	May-05	12.58		
6/10/2004	11.22	Jun-05	12.43		
6/17/2004	11.25	Jul-05	12.40		
6/24/2004	11.27				
7/1/2004	11.30				
7/8/2004	11.34				
7/15/2004	11.39				
7/22/2004	11.43				
7/29/2004	11.44				
8/5/2004	11.48				
8/12/2004	11.54				
8/19/2004	11.62				
8/26/2004	11.72				
9/2/2004	11.83				
9/9/2004	11.95				
9/16/2004	12.08				
9/23/2004	12.21				
9/30/2004	12.33				
10/7/2004	12.44				
10/14/2004	12.61				
10/21/2004	12.73				
10/28/2004	12.86				
11/4/2004	12.96				
11/11/2004	12.99				
11/18/2004	13.01				
11/25/2004	13.10				
12/2/2004	13.13				
12/9/2004	13.21				
12/16/2004	13.21				
12/23/2004	13.00				
12/30/2004	12.80				

Tamms 2 c	ont.		
7 Day Averag	ges	Monthly Averages	Seasonal Averages
1/6/2005	13.25		
1/13/2005	13.38		
1/20/2005	13.20		
1/27/2005	13.23		
2/3/2005	13.35		
2/10/2005	13.43		
2/17/2005	13.36		
2/24/2005	13.29		
3/3/2005	13.17		
3/10/2005	13.07		
3/17/2005	13.09		
3/24/2005	13.14		
3/31/2005	13.29		
4/7/2005	13.59		
4/14/2005	12.93		
4/21/2005	12.72		
4/28/2005	12.69		
5/5/2005	12.64		
5/12/2005	12.64		
5/19/2005	12.58		
5/26/2005	12.51		
6/2/2005	12.46		
6/9/2005	12.45		
6/16/2005	12.43		
6/23/2005	12.42		
6/30/2005	12.40		
7/7/2005	12.40		
7/14/2005	12.40		

Test Hole 25 25 October 2004 – 12 July 2005

7 Day Averag	V Day Averages		verages	Seasonal Averages		
10/25/2004	9.73	Oct-04	9.60	Winter	7.39	
11/1/2004	9.71	Nov-04	7.66	Summer	8.86	
11/8/2004	9.46	Dec-04	5.80			
11/15/2004	9.49	Jan-05	6.38			
11/22/2004	9.21	Feb-05	6.71			
11/29/2004	8.48	Mar-05	7.94			
12/6/2004	8.63	Apr-05	8.29			
12/13/2004	6.87	May-05	8.61			
12/20/2004	4.85	Jun-05	9.01			
12/27/2004	5.65	Jul-05	9.18			
1/3/2005	6.76					
1/10/2005	6.60					
1/17/2005	4.92					
1/24/2005	5.53					
1/31/2005	6.20					
2/7/2005	6.49					
2/14/2005	6.79					
2/21/2005	6.83					
2/28/2005	6.50					
3/7/2005	6.75					
3/14/2005	6.66					
3/21/2005	7.24					
3/28/2005	7.92					
4/4/2005	8.14					
4/11/2005	8.27					
4/18/2005	8.29					
4/25/2005	8.34					
5/2/2005	8.54					
5/9/2005	8.67					
5/16/2005	8.77					
5/23/2005	8.86					
5/30/2005	8.94					
6/6/2005	9.01					
6/13/2005	9.07					
6/20/2005	9.12					
6/27/2005	9.18					
7/4/2005	9.22					

		Dist to	Dist to	Adit	# of
Mine	Disturb.	Rd	H2O	Area	Adits
Albs	No	1237.6	1237.6	5.41	1
Barney Grace	No	552.71	200.69	1.05	1
Birk 2	Yes	75.24	36.37	1.17	3
Birk 3	Yes	75.24	36.37	12.38	3
Brad 2	No	123.9	1073.6	8.5	1
Brad 3	No	329.9	1237.6	5.67	1
Feldhamer	No	25	125	5.13	1
Fox	No	25	125	2.11	1
Jason Mine	Yes	564.17	617.98	9.52	1
Jennifer 1	No	989.7	1237.6	25.18	1
Joe Mode 1	No	84.43	267	3.23	1
Joe Mode 2	No	337.59	503.16	2.83	1
Joe Mode 3	No	334.25	571.62	1.65	2
Joe Mode 4	No	659.8	123.9	9.52	2
Magazine Mne	No	495.7	41.8	0.72	1
Magazine TH 6	No	682.48	768.63	2.49	2
Magazine 7-8	No	288.1	412	2.63	1
Magazine TH 10	Yes	803.69	551.05	17.54	2
Magazine 11	No	673.2	142.8		1
Magazine 15	No	783.8	329.9	31.77	1
Miller Hollow 1	No	825.6	231.7	7.76	1
Miller Hollow 2	No	743.5	288.1	2.09	1
Miller Hollow 3	No	783.8	329.9	4.76	1
Miller Hollow 4	No	783.8	495.7	0.81	1
Miller Hollow 5	No	907.7	247.8	3.58	1
M.H. Tunnel	Yes	143.24	272.98	11.64	6
Mine 24	No	388.4	481.51	8.48	1
Mine 25	Yes	767.92	158.15	4.13	3
Mine 26	No	371.8	371.8	1.17	2
Mine 30	No	1237.6	206	22.46	1
Mode 1	Yes	664.66	447.53	19.65	1
Mode 2	No	864.28	331.04	4.32	1
Mode 2B	No	826.95	330.64	31.1	1
Mode 2C	No	859.6	299.96	25.11	1
Mode 2D	No	786.73	365.76	17.14	1
Mode 2E	No	853.7	345.8	11.87	1
Mode 5	No	1361.5	82.1	24.27	1
Rhymer 1	Yes	32.39	378.19	3.02	1
Rhymer 4	No	140.64	521.32	2.55	1

Appendix C: External Mine Characteristics

147

		Dist to	Dist to	Adit	# of
Mine	Disturb	Rd	H2O	Area	Adits
Spring Mine	No	329.9	577.8	12.23	2
Tamms 2	No	140.64	521.32	1.11	1
TH 25	No	90.06	142.32	5.9	1
TH 2001	No	970.46	926.22	2.62	1
Tim 1	No	577.8	412	2.67	1
Tim 2	No	495.7	577.8	8.15	1

External Characteristics cont.

Appendix D: Mine Surveys

Unimin mine surveys conducted by Brad Steffen: 2003 – 2007

Key to abbreviations in spreadsheet

RU = Roosting Unit

MYSO = Myotis sodalis, Indiana bat

PISU = *Perimyotis subflavus*, Eastern Pipstrelle

MYLU = *Myotis lucifugus*, Little brown bat

MYSE = *Myotis septentrionalis*, Northern Long-eared bat

EPFU = *Eptesicus fuscus*, Big brown bat

Albs 1

Date	RU	MYSO	PISU	MYLU	MYSE	EPFU	Other	Total
1/28/06	6	0	12	0	3	6	0	20

Barney Grace

Date	RU	MYSO	PISU	MYLU	MYSE	EPFU	Other	Total
1/17/04	80	360	241	21	12	20	0	654
1/3/05	80	519	317	26	29	9	0	900
1/8/06	80	381	330	6	29	16	0	762
11/12/06	80	400	315	17	16	13	0	761

Birk 2

Date	RU	MYSO	PISU	MYLU	MYSE	EPFU	Other	Total
1/4/04	468	1	508				42	551
2/24/05	468	1	1201	25	59	124	0	1409
2/4/06	468	28	1698	46	130	47	0	1946

Birk 3

Date	RU	MYSO	PISU	MYLU	MYSE	EPFU	Other	Total
2/20/04	176	7	1521	33	9	18	0	1588
2/26/05	176	7	2055	20	42	8	0	2132
1/22/06	176	17	2442	17	58	12	1	2546

Brad 1 Test Hole

Date	RU	MYSO	PISU	MYLU	MYSE	EPFU	Other	Total
1/6/05	5	0	4	1	3	1	0	9

Brad 2 Test Hole

Date	RU	MYSO	PISU	MYLU	MYSE	EPFU	Other	Total
1/6/05	5	0	0	0	0	1	0	1
2/10/06	5	0	2	0	1	0	0	3

Unimin Mine Surveys cont.

Brad 3 Test Hole

Date	RU	MYSO	PISU	MYLU	MYSE	EPFU	Other	Total
1/6/05	5	0	4	0	0	5	0	9
2/10/06	5	0	5	0	1	4	0	10

Feldhamer 1

Date	RU	MYSO	PISU	MYLU	MYSE	EPFU	Other	Total
1/14/06	16	0	10	2	4	0	0	16

Fox 1

Date	RU	MYSO	PISU	MYLU	MYSE	EPFU	Other	Total
1/14/06	16	0	34	3	1	0	0	38

Jason Mine

Date	RU	MYSO	PISU	MYLU	MYSE	EPFU	Other	Total
1/9/04	157	87	369	49	8	18	0	531
1/4/05	157	24	379	33	26	3	2	465
1/8/06	157	23	364	38	27	4	0	456
12/18/06	157	33	381	33	18	3	4	468

Jennifer 1 Test Hole

Date	RU	MYSO	PISU	MYLU	MYSE	EPFU	Other	Total
1/6/05	5	0	0	0	0	2	0	2
2/8/07	5	0	2	0	0	2	0	9

Joe Mode 1

Date	RU	MYSO	PISU	MYLU	MYSE	EPFU	Other	Total
1/31/04	14	0	9	12	10	4	0	35
1/22/06	14	1	25	3	14	0	0	43
1/20/07	14	0	42	2	27	1	0	72

Joe Mode 3

Date	RU	MYSO	PISU	MYLU	MYSE	EPFU	Other	Total
1/31/04	10	0	1	0	1	1	0	3
2/5/05	10	0	5	0	1	5	0	11
1/22/06	10	0	5	4	3	3	0	15
1/20/07	10	0	8	0	2	5	0	15

Joe Mode 4

Date	RU	MYSO	PISU	MYLU	MYSE	EPFU	Other	Total
1/31/04	31	0	3	4	3	2	0	12
1/22/06	31	1	30	0	13	4	0	48
1/20/07	31	0	34	0	10	7	0	51

Unimin Mine Surveys cont.

Magazine Mine

Date	RU	MYSO	PISU	MYLU	MYSE	EPFU	Other	Total
2/26/03	311	26325	1667	261	304	442	0	28999
2/23/05	311	33176	2320	136	640	505	0	36777

Magazine 6 Test Hole

Date	RU	MYSO	PISU	MYLU	MYSE	EPFU	Other	Total
4/1/04	6	0	0	0	0	0	0	0
1/10/05	6	0	0	0	0	0	0	0

Magazine7-8

MYLU	MNCE	EDELL		
MILO	MISE	EPFU	Other	Total
8	5	1	0	127
4	31	13	0	187
0	29	7	0	192
1	33	1	0	217
	8 4 0 1	MTEC MTSE 8 5 4 31 0 29 1 33	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$

Magazine 10 Test Hole

<u></u>								
Date	RU	MYSO	PISU	MYLU	MYSE	EPFU	Other	Total
4/1/04	9	0	5	2	0	0	0	7
1/26/06	9	0	10	1	6	5	0	22
12/17/06	9	0	9	1	6	4	0	20

Magazine 11

Magazn								
Date	RU	MYSO	PISU	MYLU	MYSE	EPFU	Other	Total
4/1/04	49	0	10	1	0	0	0	11
1/10/05	49	0	16	1	10	13	0	40
1/26/06	49	0	13	3	6	19	0	41
12/17/06	49	0	25	0	5	15	0	45

Magazine 15

11145421								
Date	RU	MYSO	PISU	MYLU	MYSE	EPFU	Other	Total
1/10/05	14	0	4	0	3	8	0	15
2/12/06	14	0	3	0	2	10	0	15

Miller Hollow 1

Date	RU	MYSO	PISU	MYLU	MYSE	EPFU	Other	Total
2/5/05	32	0	0	0	0	0	0	0
2/12/06	32	0	2	0	2	0	0	4

Miller Hollow 2

Date	RU	MYSO	PISU	MYLU	MYSE	EPFU	Other	Total
2/5/05	17	0	0	0	0	0	0	0
2/12/06	17	0	0	0	0	0	0	0

Unimin Mine Surveys cont. **Miller Hollow 3**

Date	RU	MYSO	PISU	MYLU	MYSE	EPFU	Other	Total
2/5/05	9	0	0	0	0	0	0	0
2/12/06	9	0	2	0	0	0	0	2

Miller Hollow 4

Date	RU	M	YSO	PISU	MYLU	MYSE	EPFU	Other	Total
2/5/05		11	0	0	0	0	0	0	0
2/12/06		11	0	1	0	2	0	0	3

Miller Hollow 5 Test Hole

Date	RU	MYSO	PISU	MYLU	MYSE	EPFU	Other	Total
2/5/05	5	0	17	0	0	1	0	18
2/12/06	5	0	18	0	1	1	0	20

Miller Hollow Tunnel

Date	RU	MYSO	PISU	MYLU	MYSE	EPFU	Other	Total
2/5/05	17	0	3	0	0	0	0	3
2/12/06	17	0	0	0	1	0	0	1

Mine 24

Date	RU	MYSO	PISU	MYLU	MYSE	EPFU	Other	Total
2/22/04	174	0	1	0	0	4	0	5

Mine 25

Date	RU	MYSO	PISU	MYLU	MYSE	EPFU	Other	Total
2/22/04	15	0	32	1	2	2	0	37
1/6/05	15	0	47	3	23	6	0	79
2/10/06	15	0	64	4	37	2	0	107
1/4/07	15	0	90	4	30	2	0	126

Mine 26

Date	RU	MYSO	PISU	MYLU	MYSE	EPFU	Other	Total
4/25/04	283	153	705	330	23	6	0	1217
1/6/05	283	317	1367	554	225	35	0	2498
1/15/06	283	195	1807	734	192	41	0	2969
12/18/06	283	573*						

* incomplete survey

Mine 30

Date	RU	MYSO	PISU	MYLU	MYSE	EPFU	Other	Total
2/27/03	173	2065	1122	222	27	41	0	3477
2/23/05	173	3624	1337	64	40	11	0	5076

Unimin Mine Surveys cont.

Mode 1

Date	RU	MYSO	PISU	MYLU	MYSE	EPFU	Other	Total
3/6/05	24	0	0	0	0	0	0	0

Mode 2

Niloue 2								
Date	RU	MYSO	PISU	MYLU	MYSE	EPFU	Other	Total
1/25/04	169	0	1368	64	52	8	0	1492
1/21/06	169	1	1512	20	67	4	0	1604
12/16/06	169	0	2059	15	92	9	0	2175

Mode 2B

Date	RU	MYSO	PISU	MYLU	MYSE	EPFU	Other	Total
1/25/04	10	0	0	0	0	1	0	1
1/20/07	10	0	0	0	0	2	0	2

Mode 2C

Date	RU	MYSO	PISU	MYLU	MYSE	EPFU	Other	Total
1/25/04	26	0	2	0	0	1	0	3
1/21/06	26	1	11	0	2	2	0	16
1/20/07	26	0	9	0	0	2	0	11

Mode 2D

Date	RU	MYSO	PISU	MYLU	MYSE	EPFU	Other	Total
1/25/04	13	0	7	0	2	1	0	10
1/21/06	13	0	10	0	3	0	0	13
1/20/07	13	0	9	0	0	2	0	11

Mode 2E

Date	RU	MYSO	PISU	MYLU	MYSE	EPFU	Other	Total
1/25/04	21	0	6	1	4	9	0	20
1/21/06	21	0	12	0	7	5	0	24
1/20/07	21	1	17	0	1	8	0	27

Mode 2F

Date	RU	MYSO	PISU	MYLU	MYSE	EPFU	Other	Total
1/21/06	15	0	2	0	0	0	0	2
1/20/07	15	0	0	0	0	3	0	3
Mode 5								
Date	RU	MYSO	PISU	MYLU	MYSE	EPFU	Other	Total
3/6/05	18	0	1	0	0	0	0	1

Unimin Mine Surveys cont.

Rhymer 1

mymer	–							
Date	RU	MYSO	PISU	MYLU	MYSE	EPFU	Other	Total
12/14/03	69	1	530	111	124	2	0	768
12/4/04	69	0	769	131	147	2	0	1049
1/14/06	69	0	839	122	178	4	0	1143
12/17/06	69	2	991	55	98	0	0	1146

Rhymer 4

Date	RU	MYSO	PISU	MYLU	MYSE	EPFU	Other	Total
12/14/03	5	0	10	0	2	3	0	15
12/4/04	5	0	22	0	1	2	0	25
1/14/06	5	0	25	0	6	4	0	35

Spring Mine

Date	RU	MYSO	PISU	MYLU	MYSE	EPFU	Other	Total
2/5/05	50	0	0	0	1	0	0	1
1/14/06	50	0	0	0	0	0	0	0

Tamms 2

Date	RU	MYSO	PISU	MYLU	MYSE	EPFU	Other	Total
2/18/04	10	0	12	2	2	0	0	16
1/6/05	10	0	26	0	3	3	0	32
1/14/06	10	0	36	1	5	0	0	42
1/4/07	10	0	37	0	2	0	0	39

Test Hole 25

Date	RU	MYSO	PISU	MYLU	MYSE	EPFU	Other	Total
2/22/04	10	0	15	3	4	2	0	25
1/6/05	10	0	47	29	0	0	0	76
1/4/07	10	1	41	4	8	8	0	62

Test Hole 2001

Date	RU	MYSO	PISU	MYLU	MYSE	EPFU	Other	Total
2/21/04	7	0	29	3	4	4	0	40
2/21/06	7	0	39	1	15	1	0	56

Tim 1 Test Hole

		.010						
Date	RU	MYSO	PISU	MYLU	MYSE	EPFU	Other	Total
1/6/05	5	0	31	0	0	2	0	33
2/8/07	5	0	0	0	0	0	0	0

Unimin Mine Surveys cont. **Tim 2 Test Hole**

Date	RU	MYSO	PISU	MYLU	MYSE	EPFU	Other	Total	
1/6/05	5	0	0	0	0	1	0	1	
2/8/07	5	0	0	0	3	1	0	4	

Graduate School Southern Illinois University

Bradley J. Steffen

Date of Birth: 04/16/1978

608 S. Dixon Carbondale, IL 62901

Illinois Central College Associates of Arts, Biology, January 2001

Southern Illinois University Carbondale Bachelor of Arts, Biological Sciences, May 2003

Thesis title:

Effects of Mine Characteristics on Hibernacula Selection by Bats in Southern Illinois

Major Professor: George A. Feldhamer

Publications:

- Steffen, B.J., T.L. York-Osborne, T.C. Carter, and G.A. Feldhamer. 2006. The First Record of the Eastern Small-footed myotis (*Myotis leibii*) in Illinois. Transactions of the Illinois State Academy of Science. 99(1-2): 87-89
- MacCarthy, K.A., T.C. Carter, **B.J. Steffen**, and G.A. Feldhamer. 2006. Efficacy of the Mist-net Protocol for Indiana Bats: A Video Analysis. Northeastern Naturalist. 13(1):25-28.

CONFERENCE PRESENTATIONS

- Novasak, B., T.C. Carter, A. Poole, **B.J. Steffen**, and G.A. Feldhamer. 13-16 October 2004. Eastern Woodrat Reintroduction and Translocation in Southern Illinois. 31st Natural Areas Conference; Emerging Issues: Possibilities and Perils. Chicago, Illinois.
- Steffen, B.J., J.C. Corcoran, T.C. Carter, G.A. Feldhamer. 12-15 March 2007. Effects of Mine Characteristics on Hibernacula Selection by Bats in Southern Illinois. Annual Meeting of the Illinois Chapter of the Wildlife Society. Moline, IL

POSTER PRESENTATIONS

- Steffen, B.J., T.C. Carter, and G.A. Feldhamer. 15–19 June 2005. Summer Use of Abandoned Mines by the Indiana Bat in Southern Illinois. 85th American Society of Mammalogists Conference, Springfield, Missouri.
- **Steffen, B.J.**, T.C. Carter, and G.A. Feldhamer. 27-30 October 2004. Summer Use of Abandoned Mines by the Indiana Bat in Southern Illinois. 34th Annual North American Symposium on Bat Research. Salt Lake City, Utah.